



Find out more



# Catalog 2023

Europe • Middle-East • Africa & India

# CFS BRANDS

Combining the leading names in foodservice, healthcare, sanitary maintenance. We've unified our collection of incredible brands under the CFS Brands name toward our goal of becoming THE single source you turn to for all your foodservice, healthcare, and hygiene solutions.



# TABLE OF CONTENTS

## ICON KEY



Food Safe



Product meets NSF certification standards



Product does not contain the chemical Bisphenol A



Dishwasher Safe



Compliant with health, safety and environmental protection standards for products sold within the European Economic Area



Product can be dispensed without touching the dispenser for a more hygienic environment



Not microwave safe

Highlight Products

2

## SAN JAMAR PRODUCTS

Counter Service

4

Food Safety Tools

14

Bar & Food Management

22

Personal Safety

28

Washroom & Hygiene Solutions

38

## CARLISLE FOODSERVICE PRODUCTS

Dinnerware

42

Drinkware

46

Tabletop Accessories

54

Displayware

60

Convenience Products

66

Bar Supplies

74

Foodservice Trays

80

Catering Equipment

86

Kitchen Accessories

92

Storage & Handling

100

Warewashing

110

Cleaning Tools

122

Transportation

128

Waste Management

134

Index by part number

138

Terms & Conditions

141

**DESIGNING VALUE.  
DELIVERING SUCCESS.**

# BEST SELLERS

# NEW PRODUCTS



## Saf-T-Grip Cutting Boards

- Integrated anti-slip grips securely hold board in place
- Patented Food Safety Hook for sanitary transport and storage
- Durable co-polymer material will not warp



SEE VIDEO  
OR PAGE 16



KSCCER

## Slice Cutter

- Finger Friendly blade
- Lightweight & compact
- Opens difficult blister packaging



SEE VIDEO  
OR PAGE 36



S17700

## Saf-T-Scoop

- Ergonomic Handle – Angled handle provides outstanding balance and comfort reducing wrist strain
- Contamination Shield – Patented dual Germ-Guards™ prevents ice from coming in contact with hands
- Minimizing spillage – Specially designed tapered chute funnels ice into glasses and ice totes



SEE VIDEO  
OR PAGE 20



30685L

## Storplus Permalabel

- Eliminate Disposable Labels
- Reduce waste, labour and cost with a reusable lifetime universal label
- Clear Communication
- Track contents, date, time, use by, shelf life, owner and day of the week



SEE VIDEO  
OR PAGE 103



 **san jamar**<sup>®</sup>  
smart. safe. sanitary.

COUNTER SERVICE



C3200EV C3400EV C3500EV

### Stainless Steel Surface-Mount (Elevator) Beverage Cup

Item	Rim Diameter	Cup Size	Tube Length	MOQ
C3200EF C3200EH C3200EV	56-81 mm	177-300 ml	604 mm	6
C3400EF C3400EH C3400EV	70-98 mm	350-710 ml	604 mm	6

Construction: 26-gauge stainless steel



C3200P C3400P C3500P

### Stainless Steel Pull-Type Beverage Cup

Item	Rim Diameter	Cup Size	Tube Length	MOQ	
C3200P	56-81 mm	177-300 ml	597 mm	6	Stocked
C3400P	70-98 mm	350-710 ml	597 mm	6	Stocked
C3500P	101-124 mm	950-1360 ml	597 mm	6	

Construction: 26-gauge stainless steel



C4150SS C4160WH C4160TBL

### Small Pull-Type Water Cup

Item	Color	Rim Diameter	Cup Size	Tube Length	MOQ	
<b>CONSTRUCTION: 26-GAUGE STAINLESS STEEL</b>						
C4150SS	SS	57-73 mm	Cone 90-130 ml Flat 90-150 ml	406 mm	12	Stocked
<b>CONSTRUCTION: HIGH-IMPACT RESISTANT PLASTIC</b>						
C4160*	WH, TBL	57-73 mm	Cone 90-130 ml Flat 90-150 ml	406 mm	24	Stocked

## EZ-FIT® CUP DISPENSERS

- Interchangeable gaskets allow for cup sizes to be changed easily
- Four different dispensers accommodate cup needs from portion cup to large deli bowls
- Each EZ-Fit Cup Dispenser includes a pack of gaskets to handle a range of cup sizes



C2410C



C2210C



C2010C

### One-Size-Fits-All EZ-Fit® NSF BESTSELLER

Item	Rim Diameter	Cup Size	Counter Hole Diam.	Tube Length	MOQ	
C2410C	73-121 mm	236-1360 ml	146 mm	590 mm	6	Stocked
C2410C18	73-121 mm	236-1360 ml	146 mm	457 mm	6	Stocked
C2410CBK (Black Gasket)	73-121 mm	236-1360 ml	146 mm	590 mm	6	Stocked

Construction: High-impact plastic  
Note: For multiple in-counter units leave a 181 mm space between each unit.

### Euro EZ-Fit® NSF

Item	Rim Diameter	Cup Size	Counter Hole Diam.	Tube Length	MOQ	
C2210C	73-98 mm	178-710 ml	124 mm	590 mm	6	Stocked
C2210C18	73-98 mm	178-710 ml	124 mm	457 mm	6	Stocked
C2210CBK (Black Gasket)	73-98 mm	178-710 ml	124 mm	590 mm	6	Stocked

Construction: High-impact resistant plastic  
Note: For multiple in-counter units leave a 159 mm space between each unit.

### Portion Cup EZ-Fit®

Item	Rim Diameter	Cup Size	Counter Hole Diam.	Tube Length	MOQ	
C2010C	38-59 mm	15-70 ml	83 mm	406 mm	6	Stocked


Construction: High-impact resistant plastic  
Note: For multiple in-counter units leave a 114 mm space between each unit.


### EZ-Fit® Metal Finish Rings

Item	Description	MOQ	
C24XC	For C2410C (2 pk)	1 pk	Stocked



HOW TO CHOOSE YOUR STAINLESS STEEL SURFACE-MOUNT CUP DISPENSER





XC2426

**EZ-Fit® Cup Dispenser Gaskets**

Item	Description	Quantity	MOQ	
XC2426	C2410C EZ-Fit Dispenser Gaskets	MOQ of 4 - S, M, L, XL	1	Stocked
XC2426BK	C2410C EZ-Fit Dispenser Black Gaskets	MOQ of 4 - S, M, L, XL	1	Stocked
XC2226	C2210C Euro EZ-Fit Dispenser Gaskets	MOQ of 4 - S, M, L, XL	1	Stocked
XC2226BK	C2210C Euro EZ-Fit Dispenser Black Gaskets	MOQ of 4 - S, M, L, XL	1	Stocked
XC2022	C2010C Portion Cup Dispenser Gaskets	MOQ of 4 - S, M, L, XL	1	

Half sized gaskets also available upon request.



L2400C

**EZ-Fit® In-Counter Lid Dispensers\* NSF**

Item	Lid Rim Diameter	Cup Size	Counter Hole Diameter	Tube Length	MOQ	
L2200C	70-95 mm	236-710 ml	124 mm	603 mm	6	Stocked
L2400C	95-114 mm	710-1360 ml	146 mm	603 mm	6	

Construction: Impact resistant plastic

\* EZ-Fit® Lid Dispensers are intended for use with flat, cold beverage lids only. May not be compatible with all lid types. To confirm lid compatibility, please provide a full sleeve of lids prior to ordering.



L2210

**EZ-Fit® Hot Lid Dispensers\* NSF**

Item	Lid Rim Diameter	Counter Hole Diameter	Tube Length	MOQ	
L2210	76-95 mm	124 mm	590 mm	6	Stocked
L2410	95-101 mm	146 mm	590 mm	6	Stocked

Four interchangeable rubber gaskets fit a wide variety of lid shapes and sizes – the one-at-a-time dispensing safeguard lids from contamination.

**SENTRY® & EURO SENTRY® - ONE-SIZE-FITS-ALL CUP DISPENSERS**

- Simple adjustment of levers for any cup: paper, foam or plastic
- Innovative contamination guard prevent debris from entering dispenser
- Food safety blue transparent tube allows for a last cleanliness check
- Levers prevent marring of cups and provide one-at-a-time dispensing

**Sentry® In-Counter Adjustable Cup Dispenser NSF**

Item	Rim Diameter	Cup Size	Counter Hole Diam.	Tube Length	MOQ	
C5450C	79-114 mm	236-1301 ml	134 mm	597 mm	6	Stocked
C5450C18	79-114 mm	236-1301 ml	134 mm	457 mm	6	Stocked

Construction: High-impact plastic

Note: For multiple in-counter units leave a 7/16" (184 mm) space between each unit.



C5450C

**Euro Sentry® In-Counter Adjustable Cup Dispenser NSF**

Item	Rim Diameter	Cup Size	Counter Hole Diam.	Tube Length	MOQ	
C5250C	62-92 mm	118-710 ml	124 mm	597 mm	6	Stocked
C5250C18	62-92 mm	118-710 ml	124 mm	457 mm	6	Stocked

Construction: High-impact plastic

Note: For multiple in-counter units leave a 6/16" (159 mm) space between each unit.




C5250C

**Sentry® Stainless Steel Beverage Dispenser Cabinets NSF**

Item	Includes	Dimensions	MOQ	
C2852	(2) C5450C*; black trim rings	406 x 206 x 619 mm	1	
C2853	(3) C5450C*; black trim rings	616 x 206 x 619 mm	1	
C2854	(4) C5450C*; black trim rings	768 x 206 x 619 mm	1	Stocked

Construction: 22-gauge stainless steel



C2852

C2853

C2854

**SIZING CUPS & LIDS**

**SENTRY™**

79 - 114 mm  
62 - 92 mm

CUP DIAMETER

- C5250C / C5250C18
- C5450C / C5450C18

**EZ-FIT®**

73 - 121 mm  
73 - 98 mm

CUP DIAMETER

- C2410C / C2410C18
- C2210C / C2210C18

**STAINLESS STEEL**

101 - 124 mm  
70 - 98 mm  
56 - 81 mm

CUP DIAMETER

- C3200C
- C3400C
- C3500C

F - for foam cup mounted horizontally or vertically  
H - for paper or plastic cup mounted horizontally  
V - for paper or plastic cup mounted vertically or 45°  
Example: C3400CH

**EZ-FIT® LID**

95 - 114 mm  
70 - 95 mm

RIM DIAMETER

- L2200C
- L2400C

**Sentry® Metal Finish Rings**

Item	Description	MOQ
C54XC	For C5450C (2 pk)	1 pk





### Wireworks™ Cup Dispenser & Lid Organizer

Item	Description	Dimensions	MOQ
BASIC UNIT			
C8504WF	(3) cup dispensers, (1) lid organizer	620 x 162 x 464 mm	1
C8504WFD	(3) cup dispenser, (2) side panelers, (1) lid organi	620 x 162 x 464 mm	1

Construction: Black epoxy-coated steel


Stocked

### In-Counter Straw Dispenser

Item	Straw Rim Diameter	Counter Hole Diameter	Tube Length	MOQ
L320C	136 mm	106 mm	152 mm	6

Construction: 22-gauge stainless steel

Stocked



### Modular Bulk FIFO Dispenser



- Top loading, bottom dispensing for first-in, first-out use
- Removable divider to allow horizontal plastic flatware dispensing

Item	Description	Dimensions	MOQ
MODBFD	Modular bulk first-in, first-out dispenser	421 x 227 x 306 mm	1

Construction: High-impact plastic



### Wall-Mount Lid Dispensers

Item	Capacity	Max Lid Rim Diameter	Cup Size	Tube Length	MOQ
L3200	1 sleeve	89 mm	180-300 ml	597 mm	6
L3400	1 sleeve	101 mm	350-710 ml	597 mm	6
L3402 double lid	1 sleeve	101 mm	350-710 ml	597 mm	6
L3502 double lid	1 sleeve	127 mm	710-1360 ml	597 mm	6

Construction: 22-gauge stainless steel

Stocked

Stocked

### Large Trash Chute

Item	Diameter	Counter Hole Diameter	Tube Length	MOQ
L360C	168 mm	152 mm	133 mm	6

Construction: 22-gauge stainless steel

Stocked

### Bulk Straw Dispensers



Item	Description	Dimensions	MOQ
ST250	Single-sided straw dispenser - 250 count	203 x 254 x 108 mm	1

Stocked



**FRONTLINE™ CONDIMENT SYSTEMS**

P/N	Cryovac® Bag	Gallon Jar	#10 Can	#10 Jar	Direct Pour
P4100	●	●	●	●	●
P4800		●	●	●	●
P4900	●	●	●	●	●

- Most versatile system on the market
- Sleek, low-profile design is durable and reliable
- Ensures smooth, effortless dispensing, and trouble-free maintenance



P4900

**FrontLine™ Universal Countertop Box System** NSF

- Dispenses from liter jar, #10 can, Cryovac® bag and direct pour
- Soft-Touch™ pump delivers smooth, effortless dispensing

Item	Color	Dimensions	MOQ
(1) PUMP BOX WITH TAMPER RESISTANT LID, PUMP, CONDIMENT LINER, CRYOVAC® BAG ADAPTER & PLUG, DIP TUBE.			
P4900	Metal Finish	without pump: 311 x 191 x 254 mm with pump: 546 x 191 x 318 mm	1

Construction: (Box/Lid) 22-gauge stainless steel  
(Pump) High-impact plastic



Stocked

**FrontLine™ Universal In-Counter Condiment System** NSF

- Dispenses from liter jar, #10 can, Cryovac® bag and direct pour
- Soft-Touch™ pump delivers smooth, effortless dispensing

Item	Color	Counter Hole Diam.	Dimensions	MOQ
(1) UNIVERSAL CONDIMENT DISPENSER WITH PUMP, TAMPER RESISTANT LID, IN-COUNTER LINER, CRYOVAC® BAG ADAPTER & PLUG, DIP TUBE.				
P4100	Metal Finish	216 x 165 mm	without pump: 305 x 191 x 241 mm above counter with pump: 248 x 191 x 241 mm	1

Construction: 22-gauge stainless steel; High-impact plastic

**Modular FrontLine™ Pump & Accessories** NSF

- Dispenses from gallon jar, #10 can, Cryovac® bag and direct pour
- Attachable drip tray keeps excess sauce off the countertop

Item	Description	Dimensions	MOQ
MODCC100	Modular Portion Cup Dispenser	320 x 153 x 286 mm	1
MODBASE	DModular FrontLine Pump Base	187 x 203 x 288 mm	1
MODTRAY	Modular FrontLine Pump Drip Tray	34 x 178 x 231 mm	1



MODCC100 & MODCL100 include a 4 pack of gaskets for each cup unit to handle a wide range of cup sizes

\*Portion Cup & Lid Dispensers are designed to work with cups and lids measuring 1.5" - 2.31" (38-59 mm) in rim diameter.

Construction: High-impact plastic.

Cryovac® is a registered trademark of Cryovac, Inc., a subsidiary of Sealed Air Corporation



**In-Counter Napkin Dispensers**

- Space-saving design for under the counter provides a neat, professional appearance
- Durable
- One-at-a-time dispensing of napkins

Item	Color	Type	Capacity	Dimensions	MOQ	
H2000*	SS, SC	Minifold	750+	498 x 178 x 140 mm	1	Stocked
H2000SS12	SS	Minifold	450+	349 x 178 x 140 mm	1	Stocked
H2001*	XC, SS	Fullfold/Classic Face	750+	498 x 178 x 140 mm	1	Stocked
H2005CLSS	CLSS	Fullfold/Control Face	750+	498 x 178 x 140 mm	1	
H2003CLSS	CLSS	Interfold	750+	498 x 178 x 140 mm	1	Stocked
H2003CLSS12	CLSS	Interfold	450+	349 x 178 x 140 mm	1	

\* Specify desired color after item number.  
Construction: (Face) 18-gauge steel and ABS plastic; (Body) 22-gauge stainless steel

Code	Face	Body
XC	Chrome	Chrome
CLSS	Clear	Stainless Steel
SS	Stainless Steel	Stainless Steel
SC	Satin Chrome	Satin Chrome





## SAF-T-GRIP® CUTTING BOARDS

- Integrated anti-slip grips securely hold board in place
- Patented Food Safety Hook for sanitary transport and storage
- Durable co-polymer material will not warp



SEE VIDEO

### Saf-T-Grip Cutting Boards

Item	Color	Dimensions	MOQ	
CBG121812*	BL (Blue), BR (Brown),	305 x 457 x 13 mm	6	Stocked
CBG152012*	GN (Green), RD (Red),	381 x 508 x 13 mm	6	Stocked
CBG182412*	WH (White), YL (Yellow)	457 x 610 x 13 mm	6	Stocked



CBG121812GN



CBG152012BL



CBG182412WH



### Saf-T-Grip® Board Mate®

- Replaces unsanitary "wet towel" to keep non-grip boards from shifting and sliding
- Reduces knife accidents and injuries during prep
- Also keeps countertop appliances from slipping



Item	Dimensions	MOQ
CBM1016	254 x 406 mm	6
CBM1318	330 x 457 mm	6
CBM1622	406 x 559 mm	6

### Cutting Board Accessories

Item	Description	MOQ	
1178902	Cutting Board Refinisher	12	Stocked
1179944	Replacement Finisher Blades (2 Pk)	12	Stocked



1179944

1178902

### Allergen Saf-T-Zone™ Cutting Boards

- Purple color alerts staff to follow special procedures
- Durable co-polymer material will not warp
- Integrated anti-slip grip securely holds board in place

Item	Dimensions	MOQ	
CBG6938PR	152 x 229 x 9.5 mm	6	Stocked
CBG912PR	229 x 305 x 9.5 mm	6	
CBG121812PR	305 x 457 x 13 mm	6	
CBG152012PR	381 x 508 x 13 mm	6	





### Allergen Saf-T-Zone™ System NSF

- Purple color alerts staff to follow special food allergy procedures
- Includes commercial-grade cutting board, tongs, turner and Chef's knife
- Durable purple case is easy to find in the kitchen and securely protects tools and board

Item	Includes	MOQ
ASZ121812SYS	(1) Saf-T-Grip purple cutting board (CBG121812PR) 305 x 457 x 13 mm (1) Stainless steel chef knife with purple handle 254 mm (1) Stainless steel tongs with purple handle 305 mm (1) Stainless steel turner with purple handle 330 mm	1 System



Allergen Saf-T-Zone™  
Cutting Board  
CBG121812PR



305 mm Tongs  
ASZTONGS



330 mm Turner  
ASZTURNER



254 mm Chef Knife  
ASZKNIFE

### Rapi-Kool® Plus Cold Paddles NSF

- Wide opening allows for on-demand use by filling with ice and water
- Patented Fill-Rite™ design eliminates over-filling when pre-freezing
- Integrated hanging hook for sanitary and secure storage

Item	Description	MOQ
RCU64V2	Rapi-Kool Plus - 1.9 L	6



RCU128V2



RCU64V2



### Kleen-Cup®

- Effectively cleans and sanitizes mixer spindles, replaceable brushes
- Prevents flavor transfer and cross-contamination

Item	Description	Dimensions H x D	MOQ
KLC28C	(1) Kleen-Cup spindle sanitizer	197 x 102 mm	12

Stocked

### Kleen-Pail Pro®

- Color-Coded Use Identification – Red (sanitizer), green (detergent/cleaner), purple (allergen), white (broken glass only), blue and yellow (general use) and gray (janitorial use)

Item	Color	Description	MOQ
KPP196*	RD (Red), GN (Green), PR (Purple)	5.68 L	12
KPP256GN*	RD (Red), GN (Green), BL (Blue)	9.46 L	12

Stocked

Stocked

\* Specify desired color after item number. Example: KP97GN



KPP196RD



KPP196GN



KPP256BL

- Graduated Markings – Ensure proper chemical dilution ratio with incremental capacity markers
- Curved Shape – Facilitates easy pouring
- Bail Handle – Prevents loss and breakage of handle while ensuring ease of carrying
- Molded-In Side Handles – Provides better control while pouring
- Embossed Raised Lettering – Meets health code guidelines identifiable as non-food containers
- Trilingual Labeling – Aids in employee training and identification with English-Spanish on front and English-French on back panels



### Original & Shorty™ Saf-T-Ice® Tote

- Dedicated container for safe ice transport
- HACCP Hanger™ reduces back strain and injuries

Item	Description	Capacity	MOQ	
SI6000EUR	Original Saf-T-Ice Tote	23 L	2	Stocked
SI6100	Shorty Saf-T-Ice Tote	19 L	2	Stocked
SI6150BPAF	BPA FREE Shorty Saf-T-Ice Tote and Lid	19 L	1	Stocked
SI6500	Saf-T-Ice Lid (Fits Original & Shorty)	N/A	10	Stocked

- The original dedicated Saf-T-Ice Tote is designed to make ice transport easier and safer than traditional "buckets"
- Unique patented features and accessories

### BPA FREE - Saf-T-Scoop® & Guardian™ System for Ice Machines

Item	Description	MOQ
SI9000EUR	Scoop Guardian System 1.9-2.5 L (1) Saf-T-Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools	6



## SCOOPS & HOLDERS

- Saf-T-Scoop® and Guardian™ Systems provide a safe and sanitary way to serve ice
- Available for the bar, beverage station or ice machine
- Dual Germ-Guards™ protect ice from hand contamination
- Guardian™ Scoop holder encloses and protects scoop from splash-up contamination



SEE VIDEO

### Saf-T-Scoop® & Guardian™

- Ergonomic Handle – Angled handle provides outstanding balance and comfort reducing wrist strain
- Contamination Shield – Patented dual Germ-Guards™ prevents ice from coming in contact with hands and knuckles
- Tapered Chute – Specially designed tapered chute funnels ice into glasses and ice totes minimizing spillage

Item	Description	MOQ
SI7700	Adjustable Scoop and Guardian System 264-710 ml (1) Adjustable Saf-T-Ice Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools (1 mounting bracket, 2 wire hanging brackets and 2 suction cups)	6
SI7750	Adjustable Scoop 264-710 ml (scoop only)	6



### BPA FREE - Saf-T-Scoop® & Guardian™ System for Bar & Beverage Stations

Item	Description	MOQ
SI5000EUR	Scoop Guardian System 177-295 ml (1) Saf-T-Scoop, (1) Guardian holder with removable drainage cap, (1) set mounting tools	6

### Banquet/Beverage Saf-T-Scoop®

- Germ-Guards™ protect ice from contact with hands
- Drain holes prevent watering down of beverages
- Built in hook prevents cross contamination; stores neatly on side of bin


Item	Description	MOQ
SI4550	Saf-T-Scoop 118-177 ml (scoop only)	6





## THE DOME® AND MINI DOME®

- Patented, domed lid rotates back for easy access and increased capacity when closed; notched lid option
- Use standard size trays to keep food chilled or deep trays for extra capacity
- Optional connectors provide modularity between Mini Dome, Dome and snap-on caddies



## Mini Dome® Garnish Centers

Item	Description	Capacity	MOQ
EACH MINI DOME COMES WITH (2) END CAPS			
BD2001	(1) 1.9 L deep tray	2 L	6
BD2002	(1) 0.95 L standard tray	1 L	6
BD2003	(2) 0.47 L standard trays	0.5 L	6
BD2002CAR	(1) 1 qt. (1 L) standard tray (with caddy)	1 L	6

Construction: High-impact plastic



## The Dome Garnish Centers

Item	Description	Capacity	MOQ	
BD4005S	(1) 2 L deep tray; (4) 0.47 L standard trays; (2) snap-on caddies, handles	4 L	1	Stocked
BD4005E	(1) 2 L deep tray; (4) 0.47 L standard trays; (2) end caps; (1) snap-on caddy	4 L	1	
BD4023S	(2) 3 L deep trays; (3) 0.47 L standard trays; (2) snap-on caddies, handles	4 L	1	Stocked
BD4006S	(6) 0.5 L standard trays; (2) snap-on caddies, handles	3 L	1	Stocked
BD4003	(3) 2 L quart deep trays; (2) handles	6 L	1	
BD4004	(4) 3 L deep trays; (2) handles	6 L	1	Stocked
BD4014	0.7 standard trays, (2) handles	3 L	1	Stocked

Construction: High-impact plastic. Insert Trays are BPA Free



## Dome® Stacker

- Allows you to customize a configuration using Dome and Mini Dome to fit virtually any space
- Makes your operation more efficient, more organized and more professional

Item	Description	Capacity	MOQ
BDSX100	Dome Stacker Conversion Kit - converts your Dome or Mini Dome into a versatile, organized garnish center (Dome and Mini Dome not included)	N/A	1
BDS4266	Dome Stacker - 1/1 Dome: (3) 1.8 L deep trays, (6) .47 L standard trays (chillable)	2.8 L	1

Construction: High-impact plastic



### The Dome® & Mini Dome® Replacements

- Choose from a wide variety of tray configurations; chillable and non-chillable
- Snap-on caddies and connectors available for maximum flexibility




Item	Description	MOQ
BD100S	Snap-on caddies	2
BD101	0.5 L standard tray - chillable	12
BD102	0.7 L standard tray - chillable - for Dome only	6
BD103	1.5 L deep tray - for Dome® only	6
BD104	2 L deep tray	6
BD105	0.7 L deep tray	6
BD106	1 L standard tray - chillable	6
BD110	Connector	1

Construction: High-impact plastic

### Versa-Mat®

- Versatile interlocking mats to line shelves and sinks
- Design allows for sanitary airflow under glassware

Item	Color	Description	Dimensions H x W	MOQ	
VM5280*	BK, CL	Interlocking Bar Matting	305 x 305 mm	24	Stocked



### Kleen Plug™

- Protects beer taps and bottles from fruit flies and other contaminants
- Affordable and easy-to-use

Item	Description	Quantity	MOQ	
KLP200	Kleen Plug Blister MOQ	5	1	Stocked

Construction: High-impact plastic



KLP200



### Slide Check Racks

- Durable aluminum construction for long life
- Polished glass beads for smooth sliding

Item	Length	Dimensions H x W x D	MOQ	
CK6518A	458 mm	51 x 458 x 19 mm	6	Stocked
CK6524A	610 mm	51 x 610 x 19 mm	6	Stocked
CK6530A	762 mm	51 x 762 x 19 mm	6	Stocked
CK6536A	915 mm	51 x 915 x 19 mm	6	Stocked
CK6544A	1118 mm	51 x 1118 x 19 mm	6	Stocked
CK6548A	1219 mm	51 x 1219 x 19 mm	6	Stocked
CK6560A	1524 mm	51 x 1524 x 19 mm	6	Stocked

Construction: Anodized Aluminum; Bagged with header card

### Large Portion Control Digital Scale

- 4-in-1 configurations
- Sealed display
- Tare feature and automatic shut off

Item	Capacity	Increments	Dimensions H x W x D	Adapter/Batteries	MOQ
SCDGM66	6 kg	2 g	400 x 318 x 76 mm	Battery: N/A Adapter: Included	2



### Small Portion Control Digital Scale's

Item	Capacity	Dimensions H x W x D	Adapter/Batteries	MOQ
SCDG13LP	6 kg	180 x 240 x 60 mm	Batteries	1
SCDGM66	30 kg	300 x 350 x 120 mm	Batteries	1
SCDG33BK	6 kg	110 x 250 x 270 mm	Batteries / adapter	1
SCDGP11BK	5 kg	290 x 190 x 60 mm	Batteries / adapter	1
SCDG33WD	6 kg	110 x 250 x 280 mm	Rechargeable batteries	1
SCDG15BK	7 kg	190 x 250 x 380 mm	Batteries	1



## HIGH PERFORMANCE OVEN MITTS

### FlexGuard™

- Pure silicone shell provides high heat & steam protection
- Seamless construction protects against liquids
- Textured surface for excellent grip during tasks

Item	Length	Description	Temperature Protection	MOQ	
FX15	381 mm	Conventional Style	Up to 360 °C for 45 sec	6	Stocked
FX17	432 mm	Conventional Style	Up to 360 °C for 45 sec	6	Stocked



### EZ-Kleen™ Oven Mitt

- Removable liner
- Easy to wipe clean; exterior & liner
- Provides heat and steam protection

Item	Length	Description	Temperature Protection	MOQ
EZK15	381 mm	Conventional Style	Up to 230 °C for 15 sec	6
EZK17	432 mm	Conventional Style	Up to 230 °C for 15 sec	6



### Cool Touch Flame™ Oven Mitt

- Flame-resistant and extra durable due to Nomex® and Kevlar® surface
- Provides flame, heat and steam protection
- Integrated magnet allows for easy storage and immediate availability

Item	Length	Description	Temperature Protection	MOQ	
KT0212	330 mm	Conventional Style	Up to 280°C for 30 sec	6	Stocked
KT0215	381 mm	Conventional Style	Up to 280°C for 30 sec	6	
KT0218	432 mm	Conventional Style	Up to 280°C for 30 sec	6	
KT0224	610 mm	Conventional Style	Up to 280°C for 30 sec	6	Stocked
KT0112K	330 mm	Puppet Style	Up to 280°C for 30 sec	6	Stocked
KT0115K	381 mm	Puppet Style	Up to 280°C for 30 sec	6	
KT0118K	432 mm	Puppet Style	Up to 280°C for 30 sec	6	
KT0124K	610 mm	Puppet Style	Up to 280°C for 30 sec	6	Stocked



### UltiGrips® Oven Mitt

- Cleans easily in sink and is dishwasher safe
- Non-slip, textured Neoprene material repels stains and provides superior grip ability in hot or cold applications
- WebGuard™ for extra protection & comfort

Item	Length	Color	Description	Temperature Protection	MOQ	
UCMX13BK	330 mm	Black	Conventional Style	-80°C up to 260°C for 15 sec	12	Stocked
UCMX15BK	381 mm	Black	Conventional Style	-80°C up to 260°C for 15 sec	12	Stocked
UCMX17BK	432 mm	Black	Conventional Style	-80°C up to 260°C for 15 sec	12	Stocked
UPMI5BK	381 mm	Black	Puppet Style	-80°C up to 260°C for 15 sec	12	Stocked
UPMI7BK	432 mm	Black	Puppet Style	-80°C up to 260°C for 15 sec	12	Stocked



### Cool Touch™ Oven Mitt

- Made with Kevlar® WebGuard™ for extra protection
- Provides heat and steam protection
- Integrated magnet allows for easy storage and immediate availability

Item	Length	Description	Temperature Protection	MOQ	
CTC13	330 mm	Conventional Style	Up to 260°C for 15 sec	6	Stocked
CTC15	381 mm	Conventional Style	Up to 260°C for 15 sec	6	
CTC17	432 mm	Conventional Style	Up to 260°C for 15 sec	6	
CTC24	610 mm	Conventional Style	Up to 260°C for 15 sec	6	
CTP13	330 mm	Puppet Style	Up to 260°C for 15 sec	6	Stocked
CTP15	381 mm	Puppet Style	Up to 260°C for 15 sec	6	
CTP17	432 mm	Puppet Style	Up to 260°C for 15 sec	6	
CTP24	610 mm	Puppet Style	Up to 260°C for 15 sec	6	



### BestGrip® Oven Mitt

- Non-slip, textured Neoprene material repels stains and provides superior grip ability in hot applications
- Rinse in sink or wipe clean with damp cloth
- Integrated magnet allows for easy storage and immediate availability

Item	Length	Color	Description	Temperature Protection	MOQ
810CM15	381 mm	Tan/Black	Conventional Style	Up to 260°C for 60 sec	6
810CM17	432 mm	Tan/Black	Conventional Style	Up to 260°C for 60 sec	6
810PM15	381 mm	Tan/Black	Puppet Style	Up to 260°C for 60 sec	6
810PM17	432 mm	Tan/Black	Puppet Style	Up to 260°C for 60 sec	6



## VALUE ADDED OVEN MITTS

### Heat and Cold Protected Gloves

- Heat And Cold Protection
- Multi-purpose silicone glove protects hands from temperatures from 0 °C to +205 °C for 15 seconds
- Non-Stick Coating – Easily wipes clean with damp cloth
- Hanging Loop – Sewn in hanging loop for convenient storage
- Ambidextrous Design – Accommodates both left and right hand use



Item	Length	Materials	Temperature Protection	MOQ
80ISG17s (single)	430 mm	Poly / cotton blend	-17° up to +205 °C	12
80ISG17	430 mm	Poly / cotton blend	-17° up to +205 °C	12
80ISG13	330 mm	Poly / cotton blend	-17° up to +205 °C	12
80ISG15	380 mm	Poly / cotton blend	-17° up to +205 °C	12

## TEMPERATURE PROTECTION GLOVES



### Fryer Oven Mitt

- Liquid-proof, seamless construction
- Cotton flocked inner lining
- Machine washable

Item	Length	Materials	Temperature Protection	MOQ
6786RMT	356 mm	Neoprene rubber	Up to 260°C for 15 sec	1 pr
6786RMT-XL	432 mm	Neoprene rubber	Up to 260°C for 15 sec	1 pr

## VALUE ADDED OVEN MITTS



### BestGuard® Oven Mitt with Kevlar® WebGuard™ CE COMPLIANT

- Ambidextrous & fire retardant
- Wipes clean with a damp cloth

Item	Length	Color	Description	Temperature Protection	MOQ	
800FG13	330 mm	Tan	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG15	381 mm	Tan	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG17	432 mm	Tan	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG24	610 mm	Tan	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG13-BK	330 mm	Black	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG15-BK	381 mm	Black	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG17-BK	432 mm	Black	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG24-BK	610 mm	Black	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked
800FG24S	610 mm	Tan	Conventional Style	Up to 232°C for 30 sec	12 pr	Stocked

### Frozen Food Glove CE COMPLIANT

- Easy on/off
- Non-stick surface

Item	Size	Materials	Temperature Protection	MOQ
FGI-OR	One size fits most	PVC with cotton jersey liner	As low as -18°C for 60 sec	6 pr



### The Rotissi Glove

- Ideal for use in rotisserie pits

Item	Length	Materials	Temperature Protection	MOQ	
T1212	305 mm	Neoprene rubber	Up to 260°C for 15 sec	6 pr	Stocked
T1217	432 mm	Neoprene rubber	Up to 260°C for 15 sec	6 pr	Stocked



## POT HOLDERS & HANDLE HOLDERS

### UltiGrips® Hot Pads

- Flexible and dishwasher safe

Item	Size	Material	Temperature Protection	MOQ	
UHP1010BK	100 x 100 mm	Non-slip, textured, Neoprene	-78° up to 260° °C for 15 sec	12 EA	Stocked
UHP55BK	140 x 140 mm	Non-slip, textured, Neoprene	-78° up to 260° °C for 15 sec	24 ea	
UHP77BK	178 x 178 mm	Non-slip, textured, Neoprene	-78° up to 260° °C for 15 sec	24 ea	Stocked



### EZ-Kleen™ Hot Pad

- Easy to wipe clean
- Provides heat and steam protection
- Wrist strap for ease of use

Item	Size	Material	Temperature Protection	MOQ	
EZKHP88	203 x 203 mm	Coated Poly-Cotton	Up to 232° °C for 15 sec	6 ea	Stocked

## CUT PROTECTION

### Cut-Resistant Glove with Dyneema® CE COMPLIANT

WITH EXCLUSIVE DOUBLE GUARD™ ANTIMICROBIAL AGENT

- 10 gauge Dyneema fiber
- Ambidextrous, lightweight & machine washable



Item	Color	Size	Length	Material	Cut Protection	MOQ	
SGIO	White	S, M, L, XL	279 mm	Dyneema*** composite yarn	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20	10	Stocked
SGIO-BL	Blue	M	279 mm	Dyneema*** composite yarn	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20	10	Stocked
SGIO-GN	Green	S, M, L, XL	279 mm	Dyneema*** composite yar	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20	10	Stocked
SGIO-RD	Red	S, M, L	279 mm	Dyneema*** composite yar	Meets OSHA standard (29 CFR) 1910.132 - Tested in accordance with ASTM Spec 177.20	10	Stocked

\*\*\*Dyneema® is a registered trademark of Royal DSM N.V. Under license of Double D Knitting & Glove, Inc.

## CHEMICAL PROTECTION - EZ-KLEEN™

- Easy to wipe clean
- Provides heat and steam protection

### EZ-Kleen™ Sleeve

Item	Length	Material	Temperature Protection	MOQ
EZKSL	406 mm	Coated Poly-Cotton	Up to 66° °C for 15 sec	1 ea



### EZ-Kleen™ Shin Guards

Item	Material	Dimensions	MOQ
EZKSHG	Coated Poly-Cotton	32 x 60 cm	1 pr



### EZ-Kleen™ Apron

Item	Material	Dimensions	MOQ
EZKAPR	Coated Poly-Cotton	65 x 91 cm	1 ea



### EZ-Kleen™ Face Shield

Item	Material	Dimensions	MOQ	
EZKFS	Plastic	20 x 39 cm	1 ea	Stocked



### EZ-Kleen™ Kit

Item	Includes	MOQ
EZKKIT	2 ea EZK15, 1 ea EZKFS, 1 ea EZKAPR, 1 pair EZKSHG	1 ea



## CHEMICAL PROTECTION - APRONS

### 20 mil Vinyl Apron

- Protects against fats, liquids and abrasions
- Extra-long ties for added comfort

Item	Color	Thickness	Dimensions W x L	Material	MOQ
614DVA20-GN	Green	20 mil	91 x 114 cm	Institutional grade quality vinyl	12
614DVA - WH20	White	20 mil	91 x 114 cm	Institutional grade quality vinyl	12



614DVA-WH20 614DVA20-GN

CUTTERS

**NEW**

Kleen Ecoxchange35™ Cutter  

- Handle made from 95% recycled material
- Reduce plastic waste by reusing the handle and only replacing the blade head

Item	Color	MOQ
KSC402	Green	1
KSC404	Green	1
KSC403	Green	1
KSCWIDE	Green	1
KSCNARROW	Green	1
KSCMULTI	Green	1



KSC402

**NEW**

Slice 

- Finger friendly blade
- Lightweight and compact
- Opens difficult blister packaging



SEE VIDEO

Item	Color	MOQ
KSCCER	Green	1



KSCCER



**NEW**

Kleen Cutter™ Antimicrobial 

- Available in high-quality stainless steel blade
- Disposable

Item	Color	MOQ
KSC401	Green	1



KSC401



Kleen Cutter™  

- Tough high-density plastic with stainless steel safety-type blades
- No need to change blades
- Prevents costly injuries to employees and damage to products

Item	Color	MOQ
KK401	Blue	1



KK401



**NEW**  
**KLEEN™ SAFETY CUTTERS**

Antimicrobial properties built in



ISO 22196 CERTIFIED



The perfect complement to your existing hygiene protocols

**KLEEN™ ENCLOSED BLADE CUTTER**



KSC404

- Recessed, high-quality carbon steel blade
- Innovative, metal, bladeless tape splitter
- Disposable

**KLEEN™ DISPOSABLE FILM CUTTER**



KSC403

**KLEEN™ XCHANGE**



KSC402

- Keep the handle, replace the head!
- Recessed, high-quality carbon steel blade
- Multiple head options to fit any application

**REPLACEMENT HEADS**



WIDE  
KSCWIDE



NARROW  
KSCNARROW



MULTIPURPOSE WIDE  
KSCMULTI

Our antimicrobial Kleen™ safety cutters utilize an antimicrobial material that inhibits the growth of bacteria on the product. Clean and wash this product thoroughly per your industry's guidelines.

**IDEALLY SUITED FOR**



BAGGED FOOD



VACUUM-PACKED FOOD



TWINE



CORRUGATE/BOXES,  
SINGLE-WALL



FILM/STRETCH/SHRINK



PLASTIC BANDING



BAGGED GOODS



LIGHT-DUTY ZIP TIES



 **san jamar**<sup>®</sup>  
smart. safe. sanitary.

WASHROOM & HYGIENE  
SOLUTIONS

## NOT TOUCH TOWEL

**NEW**

### Green Towel Dispensers

- Eco-Friendly. Carbon Neutral. Sustainable. Zero Waste.
- Go green with dispensers you know and love, now available using 100% recycled plastics\*.
- Never letting product materials go to waste, we recycle or reuse resin and plastics into viable products.



R2020RE

Item	Color	Capacity	Dimensions H x W x D	MOQ
R2020RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
R3600RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
S5900RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
T1400RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
SH900RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
T1700RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1
T1750RE	Black, White	200 mm wide roll	419 x 298 x 235 mm	1

Stocked

Stocked

### Adjustable Centerpull Towel

- Easy to adjust funnel
- High capacity
- Universal centerpull dispenser, adjusts for all grades of paper from single ply to industrial wipes

Item	Color	Capacity	Dimensions H x W x D	MOQ
T420*	TBL, TBK, WH	229 mm wide; 229 mm dia. roll	280 x 349 x 286 mm	1

Construction: Impact resistant plastic



T1700TBK

T1700TBL

### Large Capacity Ultrafold™ Multifold/C-Fold Towel

- High capacity, reduces need to refill frequently

Item	Color	Capacity	Dimensions H x W x D	MOQ
T1700*	TBL, TBK, WHCL	750 Multifold / 450 C-Fold	475 x 298 x 159 mm	1

Construction: Impact resistant plastic

\* Specify desired color after item number. Example: T7000WH

## SOAP

- Leading the way in solving universal soap dispensing needs
- Dispensing bulk hand soap, foam soap or sanitizer in dispensers that coordinate with your other San Jamar restroom dispensers
- Now taking the San Jamar hands free dispensing expertise into the soap line with Rely® Hybrid Soap Dispensers
- Foam or lotion

### Rely® Hybrid Soap & Sanitizer Dispensers


- Touchless electronic soap & sanitizer dispensing
- Manual "Push-The-Cover" operation when batteries are low

Item	Color	Capacity	Dimensions H x W x D	MOQ
LIQUID & LOTION - CLASSIC STYLE				
SH900*	TBL, TBK, WH	875 ml 1 ml (full dose) or 0.5 ml (half dose) portion dispensed	305 x 140 x 102 mm	1
FOAM - CLASSIC STYLE				
SHF900*	TBL, TBK, WH	825 ml 1 ml (full dose) or 0.5 ml (half dose) portion dispensed	305 x 140 x 102 mm	1

Construction: Impact resistant plastic



SH900WH



SHF900TBK

## Glove Dispensers

Item	Color	Capacity	Construction	MOQ
G0801	Stainless Steel	1 Box	22-gauge stainless steel	12
G0802	White	1 Box	22-gauge steel with white baked enamel	12
G0804	White	3 Boxes	22-gauge steel with white baked enamel	6
G0803	Clear	1 Box	High-grade flexible Plexiglas®	12
G0805	Clear	3 Boxes	High-grade flexible Plexiglas®	6

Construction: Impact resistant plastic  
Plexiglas® is a registered trademark of Rohm and Haas.



G0801

G0802



G0805



**CARLISLE**  
FOODSERVICE PRODUCTS

DINNERWARE

## MELAMINE DINNERWARE

- Durable melamine resists staining, chipping and cracking
- Safe for temperatures up to 100°C
- One-year limited warranty



## Ridge Dinnerware Special order only

- Natural colors compliment any plate from ethnic-inspired dishes to farm-to-table culinary creations
- Featuring modern, minimalist organic shapes, premium texture and matte finish
- Ideal where breakage is a concern, such as the poolside

Item	Description	Color	MOQ
53107	27 cm Dinner Plate	23, 37, 38, 72	12 ea
53101	25 cm Coupe Plate	23, 37, 38, 72	12 ea
53106	23 cm Salad Plate	23, 37, 38, 72	12 ea
53105	28 cm Rimless Plate	23, 37, 38, 72	12 ea
53104	23 cm Rimless Plate	23, 37, 38, 72	12 ea
53103	46 cm Oblong Platter	23, 37, 38, 72	6 ea
53102	33 cm Oblong Platter	23, 37, 38, 72	6 ea
53109	1500 ml Bowl	23, 37, 38, 72	12 ea
53108	600 ml Bowl	23, 37, 38, 72	12 ea
53110	225 ml Bouillon Bowl	23, 37, 38, 72	24 ea
5310737	26 cm Dinner Plate	23, 37, 38, 72	12 ea
5310772	26 cm Dinner Plate	23, 37, 38, 72	12 ea
310972	154 cl Bowl	23, 37, 38, 72	12 ea

Note: Melamine Dinnerware is not recommended for microwave



## Kingline™ Dinnerware Special order only

- Top choice for schools
- Reinforced at vital stress points

Item	Description	Color	MOQ
KINGLINE PLATES			
KL200	23 cm Dinner Plate	02, 03, 05, 25, 70	48 ea
KL204	16.5 cm Pie Plate	02, 03, 05, 25	48 ea
KL121	28 ml, 14.94 cm Mirapefruit Bowl	02, 25	48 ea

Stocked



## PLATE COVERS

### Polycarbonate Plate Covers

- Clear covers for easy viewing of food
- Highly heat- and break-resistant
- 1960 and 1992 also fit European "pin-fired" footless style plates for secure stacking
- Can be used in heated carts or under heat lamps up to 100°C

Item	Description	Color	MOQ
1900	22 cm PC Cover	Clear (07)	12 ea
1989	27 cm PC Cover	Clear (07)	12 ea
1991	27 cm PC Cover	Clear (07)	12 ea
1993	27 cm PC Cover	Clear (07)	12 ea
1994	30 cm PC Cover	Clear (07)	12 ea





**CARLISLE**  
FOODSERVICE PRODUCTS

DRINKWARE

DRINKWARE

Alibi™ Barware 

- Resistant to staining, breaking and chipping
- Light-weight and durable, making it essential for special occasions and outdoor events
- Thick base on barware feels like traditional glassware
- Wide assortment of styles to choose from



Item	Description	Glass Rack	Color	MOQ	
5601	44 ml Alibi Shot	RG49	07 (Clear)	24 ea	
5602	59 ml Alibi Shooter	RG49	07 (Clear)	24 ea	
5603	89 ml Alibi Shooter/Mini Dessert	RG49	07 (Clear)	24 ea	
5609	266 ml Alibi Rocks/Juice	RG25-1, RW20	07 (Clear)	24 ea	Stocked
5610	295 ml Alibi Hi-Ball	RG49-2	07 (Clear)	24 ea	Stocked
5612	355 ml Alibi Double Old Fashioned	RG16-1, RW20	07 (Clear)	24 ea	Stocked
5614	414 ml Alibi Beverage	RG25-2, RW30-1	07 (Clear)	24 ea	Stocked
5616	473 ml Alibi 1/2 Liter/Mixing	RG16-2, RW20-1	07 (Clear)	24 ea	Stocked

Mingle  

- The look and feel of recycled glass drinkware
- Tritan offers durability that withstands heavy use in your venue
- Durable Tritan is break and craze-resistant
- Strain resistant



Item	Description	Glass Rack	Color	MOQ
MIN5441	177 ml Juice Cup	RG49-1	07, 18	12 ea
MIN5440	414 ml Double Old Fashioned	RG16-1, RW20	07, 18	12 ea
MIN5442	562 ml Highball	RG16-2, RW20-1	07, 18	12 ea
MIN5449	650 ml High Ball	RG16-3, RW20-2	07	12 ea



Alibi™ Stemware  

- Polycarbonate material is resistant to staining, breaking and chipping
- Great for special occasions and outdoor events
- Thick base & thin stem mimics traditional glassware

Item	Description	Glass Rack	Color	MOQ	
5644	177 ml Alibi Champagne Flute	RG49-4	07 (Clear)	24 ea	Stocked
5640	237 ml Alibi Champagne Flute	RG25-5, RW20-4C, RW30-4	07 (Clear)	24 ea	Stocked
5645	237 ml Alibi White Wine	RG25-3, RG36-3, RW30-2	07 (Clear)	24 ea	
5643	325 ml Alibi White Wine	RG16-4, RW20-3	07 (Clear)	24 ea	Stocked
5646	266 ml Alibi Martini	RG9-3	07 (Clear)	24 ea	Stocked
5642	591 ml Alibi Red Win	RG16-4, RW20-3	07 (Clear)	24 ea	Stocked
5641	650 ml Alibi Balloon	RG16-4	07 (Clear)	24 ea	Stocked
5648	444 ml Water	RG25-3, RW20-2	07 (Clear)	24 ea	Stocked
5649	473 ml Pilsner	RG25-5, RW20-4C, RW30-4	07 (Clear)	24 ea	Stocked
5650	473 ml Hurricane	RG36-4, RW30-3	07 (Clear)	24 ea	Stocked

Louis™  

- Stackable space saving feature
- Faceted shape offers easy grip
- Appearance of glass



Item	Description	Glass Rack	Color	MOQ	
5806	177 ml Louis Tumbler	RG25-1, RG36-1, RW30	07 (Clear)	24 ea	
5808	237 ml Louis Rocks	RG25-1, RW20	07 (Clear)	24 ea	Stocked
5810	296 ml Louis Tumbler	RG25-1, RW30	07 (Clear)	24 ea	Stocked
5812	355 ml Louis Rocks	RG16-1, RW20	07 (Clear)	24 ea	
5814	414 ml Louis Tumbler	RG25-2, RW20-1, RW30-1	07 (Clear)	24 ea	
5816	473 ml Louis Tumbler	RG25-2, RW20-1	07 (Clear)	24 ea	
5818	532 ml Louis Tumbler	RG25-3, RW20-2	07 (Clear)	24 ea	
5820	591 ml Louis Tumbler	RG16-3, RW20-2	07 (Clear)	24 ea	
5822	651 ml Louis Tumbler	RG16-3, RW20-2	07 (Clear)	24 ea	
5832	946 ml Louis Tumbler	RG16-3	07 (Clear)	24 ea	

TUMBLERS



Stackable NSF BPA FREE

- Durable SAN reduces breakage
- Tapered sides make tumblers easy to stack
- Interior lugs prevent jamming when stored
- Textured exterior hides wear and tear

Note: Please specify case pack when ordering

FOR MORE AVAILABILITY PLEASE CONTACT CUSTOMER CARE

Item	Description	Disposable Lid	Glass Rack	Color	MOQ
<b>LARGE MOQ'S</b>					
5501	148 ml SAN Stackable Tumbler	DX1193ST8714*	RG49-1	07, 10, 13, 47, 54	72 ea
5526	237 ml SAN Stackable Tumbler	DX1191ST8714*	RG36-1	07, 13	72 ea
5529	266 ml Old Fashioned SAN Stackable Tumbler	DXTT58*	RG25-1, RW20	07, 13	72 ea
5506	281 ml SAN Stackable Tumbler	5506L	RG25-1, RG36-1, RW30	07, 10, 13, 47	72 ea
5212	355 ml SAN Stackable Tumbler	5212L	RG25-2, RW20-1, RW30-1	07, 10, 13, 47, 54	72 ea
5216	473 ml SAN Stackable Tumbler	DXTT58*	RG25-2, RW20-1	07, 10, 13, 47, 54	72 ea
5220	591 ml SAN Stackable Tumbler	DX30008714*	RG16-3, RW20-2	07, 10, 13, 47, 54	72 ea
5224	710 ml SAN Stackable Tumbler	DXTT45*	RG16-3, RW20-2	07, 10, 13	72 ea
5232	946 ml Tall SAN Stackable Tumbler	-	RG16-4	07, 10	24 ea
5532	946 ml SAN Stackable Tumbler	-	RG16-3	07, 10, 13	48 ea



Stocked  
Stocked

CARAFES

Cascata Carafe NSF

- Ergonomic shape is easy to hold and angled rim provides a drip-free pour
- Larger sizes can be used for water, juice or wine
- Smaller sizes are good for salad dressings, syrups, single-portion drinks and snack mix
- Durable polycarbonate looks like glass

Item	Description	Capacity Marks	Glass Rack	Color	MOQ
70900	0.25 Liter Carafe	177 ml, 237 ml, 0.25L	RG25-2, RW30-1	Clear (07)	12 ea
70901	0.50 Liter Carafe	0.5L	RG16-3, RW20-2	Clear (07)	12 ea
70902	1 Liter Carafe	1.0L	RG16-5	Clear (07)	12 ea
70903	1.5 Liter Carafe	1.5L	-	Clear (07)	12 ea
70905	Hinged Carafe Lid (fits 70901, 70902, 70903)	-	-	White (02)	12 ea

Stocked



MUGS



43068

Carlisle Mugs

- Made of break-resistant Tritan
- Specially designed, large handle allows for easy holding, keeps fingers away from hot liquids
- Safe for temperatures up to 190°F (88°C)

Item	Description	Disposable Lid	Glass Rack	Color	MOQ
43068	355 ml Carlisle Mug	—	RG25-1, RW20	02, 03, 14, 42	12 ea



PITCHERS



5536

Polycarbonate Pitchers

- Ice trap retains ice or beer foam
- Made of break-resistant polycarbonate for ultimate durability

Item	Description	Color	MOQ	
5536	946 ml Polycarbonate Pitcher	Clear (07)	6 ea	Stocked
5538	1419 ml Polycarbonate Pitcher	Clear (07)	6 ea	Stocked



5570

5573

Élan™ Polycarbonate Pitchers

- Thick walls and optic bottom gives these pitchers the look of glass
- Made of break-resistant polycarbonate
- Lid available separately

Item	Description	Glass Rack	Color	MOQ	
5570	1715 ml Élan Pitcher	RF	07 (Clear)	6 ea	Stocked
5573	Clear Lid for Élan Pitcher	—	07 (Clear)	6 ea	

Mingle

- The look and feel of recycled glass drinkware
- Tritan offers durability that withstands the heavy use in your venue
- Durable Tritan is break and craze-resistant
- Stain resistant

Item	Description	Color	MOQ
MIN5443	2188 ml Pitcher	07, 15, 18	4 ea



MIN5443



**CARLISLE**  
FOODSERVICE PRODUCTS

TABLETOP  
ACCESSORIES

# RAMEKINS



S310

## Oval Ramekins

- Heavy-weight melamine ramekins are perfect for sauces, condiments, finger foods, mini desserts, etc.
- Oval shape is great for pouring dressings and sauces

Item	Description	Color	MOQ
S310	57 ml Oval Ramekin	02, 03	48 ea

\* Color available by special order only



## Square Melamine Ramekins

- Made of sturdy, break-resistant melamine
- 57 g square ramekins available in single and double sizes
- Ramekins are stackable and can be used as a set for a variety of dipping sauces or individually for soy sauce and other condiments
- Safe for temperatures up to 100°C

Item	Description	Color	MOQ
0860	57 ml Square Ramekin	02, 03	48 ea
0862	Double 57 ml Square Ramekin	02, 03	24 ea

Stocked



0862

0860

FOR MORE COLORS AND AVAILABILITY PLEASE CHECK WITH CUSTOMER CARE .



S282

S277

S280

S287

S279

## Melamine Ramekins

Item	Description	Color	MOQ
S277	49 ml Smooth Ramekin	42	48 ea
S275	42 ml Smooth Ramekin	02, 03	48 ea
0852	57 ml Smooth Ramekin	02, 03	72 ea
S280	85 ml Smooth Ramekin	02, 03	48 ea
S285	113 ml Smooth Ramekin	02, 03	48 ea
S279	57 ml Fluted Ramekin	02, 03	48 ea
S282	85 ml Fluted Ramekin	02, 03	48 ea
S287	113 ml Fluted Ramekin	02, 03	48 ea

Stocked



## Salsa Dishes

- Carlisle salsa dishes are available in a variety of sizes, weights and materials
- Designed to accommodate dipping large chips or appetizers
- Deep salsa bowl has 226 g capacity, perfect for serving salsa, cheese sauce, soups and other sauces



Item	Description	Color	MOQ
0875	141 ml Melamine Salsa Dish	02, 03	48 ea



### SAN Ramekins

• Economical SAN ramekins serve sauces, butter, salad dressings, salsa, etc.

Item	Description	Color	MOQ
43121	42 ml Smooth Ramekin	42	48 ea
43122	57 ml Smooth Ramekin	03	48 ea
43123	85 ml Smooth Ramekin	03, 42	48 ea
43126	170 ml Smooth Ramekin	03, 42	48 ea



### Ramekins & Sauce Cups

- Perfect for individual service of butter, salsa, condiments, sauce
- Made of durable, break-resistant SAN
- Available in four distinct styles

Item	Description	Color	MOQ
0362	70 ml Standard Ramekin	02, 70, 28	48 ea
0843	28 ml Fluted Ramekin	02	48 ea
0844	57 ml Fluted Ramekin	02, 07	48 ea
0845	127 ml Fluted Ramekin	02, 07, 28	48 ea
2500	70 ml SAN Sauce Cup	07	72 ea
0830	28 ml Soufflé Cup	07	144 ea



### Tortilla Servers

- Lid has easy-grip, recessed handle
- Durable polycarbonate tortilla servers withstand temperatures up to 100°C
- Polypropylene servers are easy-clean, long-lasting and economical; withstand temperatures up to 87°C

Item	Description	Color	MOQ
0475*	19 cm PPY Tortilla Server	03, 05, 28, 42	24 ea





**CARLISLE**  
FOODSERVICE PRODUCTS

DISPLAYWARE

## STAINLESS STEEL GN PANS



**NEW**

### Stainless Steel GN Pans V-Line

- Divided Sections – Facilitate serving two sides or entrees simultaneously
- Durable – Light gauge stainless steel is built to last in high-traffic kitchens and foodservice areas
- Spoonable Bottoms – Reduce food waste and prevent food build-up
- Cold & Hot Applications – Pans go from freezer to oven to serving line
- Available Accessories – Drain grates and two styles of covers (solid or slotted)

Item	Description	Size
201-21065	2/1 x 65 mm pan	650 x 530 x 65 mm
201-11020	1/1 x 20 mm pan	530 x 325 x 20 mm
201-11000	1/1 Standard Lids	530 x 325 mm
201-21065	1/6 x 150 mm pan	176 x 162 x 150 mm
201-11020	1/1 x 20 mm pan	530 x 325 x 20 mm
201-14065	1/4 x 65 mm pan	265 x 162 x 65 mm
201-19065	1/9 x 65 mm pan	176 x 108 x 65 mm



FOR MORE AVAILABLE  
SIZES PLEASE CONTACT  
CUSTOMER CARE

## SPECIALTY TRAYS




Special order only

### Fiberglass Market Trays and Pans

- Use for displaying breads, bakery items and sliced deli meat
- 5 cm deep pans for serving deli salads, pasta and desserts
- Trays have heavy-duty fiberglass construction and metal reinforced rods
- Air-flow corners reduce drying time

Item	Description	Color	MOQ
FIBERGLASS MARKET TRAYS			
630FMT	30.00/6.44/0.75	309*	12 ea
830FMT	30.00/8.50/0.75 Tray	309	12 ea
1030FMT	30.00/10.44/0.75 Tray	301, 309	12 ea
1230FMT	30.00/12.44/1.05 Tray	301, 309	12 ea
269FMT	8.75/25.50/1.12 Tray	301, 309	12 ea
1218FMT	17.75/11.44/0.75 Tray	309	12 ea
1318FMT	17.75/12.75/1.00 Tray	301, 309	12 ea

 Pearl White(301)  Ebony(309)

COVERS



Display Covers 

- Covers enhance and protect the look of your food items; helps keep food fresh
- Use for merchandising fresh fruits, desserts, salads, sandwiches or bakery items
- Polycarbonate dome covers add increased durability and can be used in more extreme foodservice applications

Item	Description	Color	MOQ
PSD13EH	30.5 cm x 25 cm End Cut Display Cover	Clear	1 ea
PSD21EH	30.5 cm x 51 cm End Cut Display Cover	Clear	1 ea

Stocked



Cake Tray and Covers 

- Clear covers display desserts and pastries

Item	Description	Color	MOQ
2512	30.5 cm x 16.5 cm Cake Cover, SAN	Clear	6 ea
3004	35.56 cm Display Tray, SAN	Clear	12 ea

SERVINGWARE

Terra™ Stainless Steel Serveware 

- Contemporary finish of hammered steel styling creates a rustic, urban-luxury aesthetic
- Versatile and subtle styling complements existing serveware
- Durable metal is forged from 18/0, 430 grade stainless steel for a superior lifespan
- Weight balanced design allows for easy holding/gripping
- Towel dry recommended



Item	Description	MOQ
60200	30.5 cm Solid Serving Spoon	12 ea
60201	30.5 cm Slotted Serving Spoon	12 ea
60202	30.5 cm Cold Meat Fork	12 ea
60203	34.29 cm Ladle	12 ea
60204	30.5 cm Pie Server	12 ea
60205	25.4 cm Solid Spoon	12 ea

Item	Description	MOQ
60206	24 cm Solid Spoon	12 ea
60207	28 cm Cake Server	12 ea
60208	22 cm Ladle	12 ea
60209	18 cm Tong	12 ea
60210	25 cm Tong	12 ea
60211	30.5 cm Tong	12 ea





**CARLISLE**  
FOODSERVICE PRODUCTS

CONVENIENCE  
PRODUCTS

# COLDMASTER®

## Coldmaster® CoolCheck™

- Patent-pending technology allows you to quickly see when temperatures are no longer safe
  - Same great features as our standard Coldmaster products with the added element of color-changing technology
  - Unit holds food safely below 5°C for 6-8 hours\*
  - Reduces waste by "telling" workers when food temperature is safe
- \*Time will vary based on ambient room temperature




Item	Description	Color	MOQ	
CM1100C14	15 cm Deep Full-size Food Pan	02 (White)	1 ea	Stocked
CM1101C14	15 cm Deep Half-size Food Pan	02 (White)	1 ea	Stocked
CM1102C14	15 cm Deep Third-size Food Pan	02 (White)	1 ea	Stocked
CM1103C14	15 cm Deep Third-size Divided Food Pan	02 (White)	1 ea	Stocked
CM1104C14	15 cm Deep Sixth-size Food Pan	02 (White)	1 ea	Stocked
CM1105C14	15 cm Deep High Capacity Sixth-size Food Pan	02 (White)	1 ea	Stocked

### THE COLDMASTER SOLUTION:



- High-impact ABS plastic holds up to foodservice use
- Exclusive refrigerant gel ensures high performance  
Non-toxic gel receives a cold "charge" when frozen overnight, which enables it to keep your food cold throughout the day
- Extra insulation surrounds refrigerant gel for maximum cold retention
- Refrigerant gel is enclosed in a bag; prevents leaks, even if shell is damaged



• Temperature retention is based on Coldmaster being pre frozen for a minimum of eight hours, then filled directly with pre-chilled foods. Testing was conducted under ambient room temperatures of 24°C

## Coldmaster® Whipped Cream & 0.95 Liter Carton Chillers

- Chillers use the same technology as standard Coldmaster pans
- CM1107 is designed to hold a standard 0.95 L carton; keeps dairy/egg cartons cold up to 8 hours\*\*
- CM1108 is designed to hold a whipped cream can and provide food-safe chilling for up to 8 hours\*\*



Item	Description	Color	MOQ
CM1107	0.95 L Carton Chiller	02	1 ea
CM1108	Whipped Cream Can Chiller	02, 03	1 ea

\*\*Temperature retention is based on crocks being pre-frozen for a minimum of eight hours, then filled directly with pre-chilled foods. Testing was conducted under ambient room temperatures of 76°F.

## Coldmaster Standard Food Pans Lids & Sizes

- Designed to fit in standard sized food pan templates
- Save time and labor by placing food directly into Coldmaster Standard Pans
- Clear acrylic lid protects against contaminants
- Lids have molded-in handle that allows easy removal



Item	Description	Color	MOQ	
CM1100	15 cm Deep Full-size Food Pan	02, 03	1 ea	
CM1101	15 cm Deep Half-size Food Pan	02, 03	1 ea	
CM1102	15 cm Deep Third-size Food Pan	02, 03	1 ea	
CM1103	15 cm Deep Third-size Divided Food Pan	03	1 ea	
CM1104	15 cm Deep Sixth-size Food Pan	02, 03	1 ea	
CM1105	15 cm Deep High Capacity Sixth-size Food Pan	02, 03	1 ea	
CM1125	Full-size Coldmaster Lid	07	2 ea	
CM1126	Half-size Coldmaster Lid	07	2 ea	
CM1127	Third-size Coldmaster Lid	07	2 ea	Stocked
CM1128	Sixth-size Coldmaster Lid	07	2 ea	



## COLDMASTER®



### Coldmaster EZ Access Lids

- Snug fit ensures they won't pop off, even when leveling a measure miser on the sidewall
- Innovative design includes lipped notches that allow the lid to be opened with a simple flick of the wrist or serving utensil
- Raised design allows maximum fill of your food pan
- Convenient hang hole for easy storage when not in use

Item	Description	Color	MOQ
CM10238Z	1/2 Size Lid	07 (Clear)	2 ea
CM10239Z	1/2 Size Lid with Notch	07 (Clear)	2 ea
CM10240Z	1/2 Size Lid with 2 Notches	07 (Clear)	2 ea
CM10278Z	1/3 Size Lid	07 (Clear)	2 ea
CM10279Z	1/3 Size Lid with Notch	07 (Clear)	2 ea
CM10280Z	1/3 Size Lid with 2 Notches	07 (Clear)	2 ea
CM10318Z	1/6 Size Lid	07 (Clear)	2 ea
CM10319Z	1/6 Size Lid with Notch	07 (Clear)	2 ea



### Coldmaster Coldpans

- Designed with the same capacity as traditional style food pans
- Holds and keeps standard food pans cold
- CM1049 Pan Organizer is a 15.24 cm deep full size coldpan designed to hold (9) ninth-size food pans for easy organization

Item	Description	Color	MOQ
<b>COLDMASTER COLDPANS</b>			
CM1042	15 cm Deep Full-size Coldpan (will hold full, third or half size pans)	02, 03	1 ea
CM1045	15 cm Deep Third-size Coldpan (will hold third, sixth or ninth size pans)	02	1 ea
<b>COLDMASTER PAN/ORGANIZER</b>			
CM1049	15 cm Deep Full-size Coldpan with Organizer (does not include food pans)	02	1 ea

White(02) Black(03)

## CROCKS

- Translucent snap-on lids included

### Classic Crock

- Thick-walled, heavy-weight design; made of SAN
- Chemical resistance to food acids and dressings
- High-gloss finish is extremely scuff-resistant
- -18°C to 82°C temperature range



Item	Description	Color	MOQ
0300	0.5 L Classic Crock with Lid	03	12 ea
0301	1 L Classic Crock with Lid	01, 02, 03, 06, 07	12 ea
0316	1.5 L Classic Crock with Lid	01, 03, 06, 07	6 ea
0302	2.5 L Classic Crock with Lid	01, 02, 03, 06, 07	6 ea
0304	4 L Classic Crock with Lid	03	6 ea

### Replacement Lids

- For Classic & Poly-Tuf Crock

Item	Description	Color	MOQ
0311	Lid - 0.57/1.14 L (fits 0300, 0301, 0341)	30	12 ea

Brown(01) White(02) Black(03) Beige(06) Clear(07) Translucent(30)

## TONGS

### Carly® Tong

- Carries a two-year limited warranty
- Withstands heat up to 100°C



Item	Description	Color	MOQ	Stocked
4606	15 cm Carly Salad Tong	01, 03, 05, 06	12 ea	Stocked
4609	23 cm Carly Salad Tong	01, 02, 03, 06	12 ea	
4709	23 cm Carly Utility Tong	03, 05, 06, 08	12 ea	Stocked
4712	30.5 cm Carly Utility Tong	01, 02, 03, 05, 06	12 ea	Stocked
4806	15 cm Carly Pom Tong	01, 03, 06	12 ea	
4006	15 cm Clear Carly Salad Tong	07	12 ea	
4009	23 cm Clear Carly Salad Tong	07	12 ea	
4109	23 cm Clear Carly Utility Tong	07	12 ea	
4206	15 cm Clear Carly Pom Tong	07	12 ea	

Brown(01) White(02) Black(03) Red(05) Beige(06) Clear(07) Forest Green(08)



## SERVING UTENSILS

### Carly and Standard Ladles



- Two-year limited warranty
- Carly Ladle: 28.35 grams, oval-shaped bowl allows pouring from both sides
- Standard Ladle: 21.26 grams bowl with spouts on each side for easy pouring

Item	Description	Color	MOQ
0295	24 cm Carly Ladle	03	12 ea



### Serving Spoons, Buffet Spoons & Pasta Forks



- Two-year limited warranty
- Recommended for temperatures up to 100°C
- Withstands dry heat up to 132°C
- Serving Spoons have notch in handle so spoon can rest on edge of food pan

Item	Description	Color	MOQ
4410	28 cm Solid Serving Spoon	03	12 ea
4411	28 cm Perforated Serving Spoon	03, 07	12 ea w
4420	w33 cm Solid Serving Spoon	03, 05	12 ea
4450	37 ml, 20.32 cm Solid Buffet Spoon	03, 06	12 ea
4460	15 ml, 20.32 cm Solid Buffet Spoon	02, 03, 05, 06, 07, 08	12 ea
4470	21 ml, 25.4 cm Solid Buffet Spoon	03, 05	12 ea
4355	24 cm Pasta Fork	03	12 ea

Stocked





**CARLISLE**  
FOODSERVICE PRODUCTS

BAR SUPPLIES

## MAXIMIZER™ PORTABLE BAR

- Maximizer offers all the style and features you expect in a premium bar at a very affordable price
- Large 142 cm serving area keeps condiment caddies within reach without blocking prep area
- Ergonomic 2-step bar and countertop is designed for ease of drink preparation and serving
- Durable solidly molded countertop is easy to clean and includes a convenient molded-in bar mat well
- Sturdy 12 cm non-marking swivel casters with locking brake on each end hold the bar securely in place during use
- 3.7 L ice bin features an integrated drain and water trap
- Ice bin includes a standard dust cover for sanitary storage and transport
- Fully assembled, no tools necessary
- Find replacement parts at [www.carlislefsp.com/replacement-parts](http://www.carlislefsp.com/replacement-parts)

Item	Description	Color	MOQ	
7550	Maximizer Portable Bar	03, 44, 094	1 ea	Stocked



Designed by bartenders, Maximizer Portable Bar's upscale styling fits in any setting to enable profitable, efficient bar offerings that delight your guests with their favorite libations.



Maximizer Portable Bar's upscale styling is at home in any setting



Built in cutting board for easy condiment preparation; can be removed for thorough cleaning




Storage compartment includes molded-in rails; use with StorPlus™ 30 cm x 45 cm Food Storage Boxes



Includes standard 56 cm Stainless Steel Speed-Rak™; holds 6 bottles or 6 Store 'N Pour® 0.95 liter containers




Unique sliding storage drawer accommodates mixers, sodas or standard bus boxes and can be removed for more versatile storage



Large storage area under the drawer is perfect for staging glassware using our OptiClean™ Glass Racks



Durable Maximizer Portable Bar is perfect for outdoor service



### Maximizer Portable Bar Cover

- Protective 8 gauge vinyl cover keeps bar clean and dry when not in use
- Double vented back secures with hook and loop tape for a custom fit

Item	Description	Color	MOQ
7555	Maximizer Portable Bar Cover	80	1 ea



## STORE 'N POUR®

### Store'N Pour

- Enjoy the benefits of the most efficient storing and pouring system for the bar, kitchen or dining room
- Pour a perfect 2-1 drink every time with the patented vented spout design
- Two-piece spout and neck design for easy cleaning
- Made of high density, break-resistant polyethylene
- Easy clean containers have straight wall design with no sharp interior edges that can collect food or bacteria
- Unique stacking ridge on 0.95 liter and 1/2 liter caps make storage on shelf in refrigerator easy and secure
- Color-coordinated spouts and caps for easy product identification
- Lids snap on exclusive, recessed base of 1/2 liter and 0.95 liter to prevent loss
- Assorted cap colors promote color-coding



PS601NC

PS204

### PourPlus Complete

Item	Description	Color	MOQ
PS601NC	0.95 Liter Complete	Assorted (00), White (02)	12 ea

### PourPlus Spout

- Fits all Store 'N Pour containers
- Integrated neck and spout designed for fast, free flowing pouring and easy clean-up
- Textured neck provides sure grip—even when wet

Item	Description	Color	MOQ
PS204	PourPlus Spout	02 (White) 03	12 ea
PS204AST*	PourPlus Spout, Assorted	00 (Assorted)	1 set

\*Assorted PourPlus 0.95 liter packs include 2 each of all colors; 1.9 liter and 3.8 liter assorted packs includes 1 each of all colors

### Store 'N Pour Versatility



Front-of-the-house use

Perfect 2-1 drinks are easy

Stackable backup storage

Back-of-the-house use

Pour batters and oils


### Store 'N Pour Complete Units & Backups



- Complete unit includes neck and container plus color-coordinated pouring spout and cap
- Backup unit includes cap and container



Item	Description	Color	MOQ
PS501N	1/2 Liter Complete	00	12 ea
PS502N	1/2 Liter Backup	00	12 ea
PS601N	0.95 Liter Complete	00, 01, 02, 04, 05, 09, 24	12 ea
PS602N	0.95 Liter Backup	00	12 ea
PS701B	1.9 Liter Complete	00	6 ea
PS702	1.9 Liter Backup	00	6 ea
PS801B	3.8 Liter Complete	00	6 ea
PS802	3.8 Liter Backup	00	6 ea
PS103	Spouts, Specify Color	07	12 ea
PS103AT	Spout Assortment, 2 ea color	00	12 ea
PS203	Necks	02	12 ea
PS304	Caps, Specify Color	02	12 ea
PS304AT	Caps, Assortment 2 ea color	00	12 ea
PS603N	0.95 Liter, Container Only	02	12 ea



### Store 'N Pour Bar Service Pack

- Includes six 0.95 liter complete units (container, neck and color-coordinated spout and cap), 18-0.95 liter backup units (container and cap) and 3.8 liter backup unit

Item	Description	Color	MOQ
PS6012	Store 'N Pour Bar Service Pack	00 (Assorted)	1 set





**CARLISLE**  
FOODSERVICE PRODUCTS

FOODSERVICE TRAYS

## FIBERGLASS TRAYS

### Glasteel™ Trays

- Engineered to be the most durable fiberglass trays available
- Metal reinforcing rods provide extra strength and eliminate warping
- Two thick, reinforcing fiberglass core mats add strength and provide increased chemical resistance
- Air flow corner reinforcements and stacking lugs make Glasteel trays your best choice for stability and drying when stacked
- Unique design permits air flow to all surfaces of stacked trays, reducing drying time

Fiberglass Trays are available in full cases only.  
There is a NO-RETURN POLICY on Customized Fiberglass Trays.



SEE VIDEO

FOR MORE COLORS AND AVAILABILITY  
PLEASE CHECK WITH CUSTOMER CARE.

Item	Description	MOQ
Solid Color		
RECTANGULAR		
1410FG	35/27/2 cm	12 ea
1612FG	41/30/2 cm	12 ea
1814FG	46/36/2 cm	12 ea
2015FG	51/38/2 cm	12 ea
DISPLAY/BAKERY		
269FG	22/65/3 cm	12 ea
2618FG0	45/65/3 cm	6 ea





## SPECIALTY TRAYS

### Café Trays

- Feature skid-resistant surface and drying/stacking lugs
- Economical & light-weight polypropylene



Item	Description	Color	MOQ	
CT1014	14/11/0.8 Standard Tray	03, 05, 06, 14, 23, 24, 69	24 ea	Stocked
CT1216	16/12/0.70 Standard Tray	03, 05, 08, 14, 23, 24, 31, 59, 61, 69	24 ea	Stocked
CT1418	45.39/35.56/0.98 Standard Tray	03, 05, 06, 08, 14, 23, 24, 59, 61, 69	12 ea	Stocked



SERVICE TRAYS

Griptite™ 2  

- Griptite 2 trays non-skid surface is designed to grip drinks and plates better than any existing tray
- Heavy-duty fiberglass construction eliminates warping and breakage
- Trays are stain and odor resistant
- 5-year limited warranty



Item	Description	Color	MOQ	
1100GR2	Griptite 2 Round Tray 30 cm	004, 076	12 ea	
1400GR2	Griptite 2 Round Tray 37 cm	004, 076	12 ea	Stocked
1600GR2	Griptite 2 Round Tray 41 cm	004, 076	12 ea	Stocked
1814GR2	Griptite 2 Rectangular Tray 46 x 38 cm	004, 076	12 ea	Stocked
1826GR20	Griptite 2 Rectangular Tray 46 x 65 cm	004, 076	6 ea	Stocked
2015GR2	Griptite 2 Rectangular Tray 51 x 38 cm	004, 076	12 ea	
2216GR20	Griptite 2 Rectangular Tray 56 x 41 cm	004, 076	6 ea	Stocked
2500GR2	Griptite 2 Oval Tray 61 x 49 cm	004, 076	6 ea	
2700GR2	Griptite 2 Oval Tray 69 x 57 cm	004, 076	6 ea	Stocked
3100GR2	Griptite 2 Oval Tray 80 x 60 cm	004, 076	6 ea	Stocked
3253GR2	Griptite 2 Rectangular Tray 82 x 53 cm	004	12 ea	Stocked

GripLite® Polypropylene

- Economical alternative
- Made of a high density polypropylene co-polymer
- Molded-in, rubber liner prevents slipping and sliding of glasses and dinnerware
- A more sanitary alternative to cork trays
- Stain and odor resistant



Item	Description	Color	MOQ
1100GL	29/2 cm Round Tray	004, 076	12 ea
1400GL	37/2 cm Round Tray	004	12 ea
1600GL	42/2 cm Round Tray	004	12 ea



TRAY STANDS



Tray Stands

- Cross supports provide superior rigidity and strength
- Durable and easy to clean
- Available in 3 forms: Steel, Wood & Plastic
- Capped legs on steel tray stands prevent slipping and marring of floors
- Extra tall steel tray stand (C3625T) reduces need for bending and stooping; additional height makes transferring heavy loads easier
- Plastic stands have sanitary, non-porous and non-corrosive finish that is easy to clean with a damp cloth

Item	Description	Color	MOQ	
C3625T	91cm Tall Steel Stand	38	6 ea	
C3620W	76 cm Wood Stand	11	6 ea	Stocked
C3630W	77 cm Plastic Stand	11	6 ea	





**CARLISLE**  
FOODSERVICE PRODUCTS

CATERING EQUIPMENT



IT400



IT410

4 rotating wheels give this dolly unmatched maneuverability



Flat top design can be used as a prep surface when space is limited



Button-hole latch design offers convenient one hand operation



Exclusive double hinge opens 270°


### Cateraide IT End & Top Loader



- Holds six 6.3 cm deep food pans
- Heavy foam insulation holds temperatures in the safe zone for over 6 hours
- Secure stacking for easy transport and storage
- Sure-grip handles promote a safe, stable, two-person lift for easy loading and unloading
- Exclusive, low-profile, double hinge opens 132° for easy loading and unloading; lies flat to save space and makes it less likely to break
- Field adjustable latches ensure a secure seal for the life of the carrier
- Door hinge can be removed for easy, thorough cleaning
- Built-in seal eliminates gaskets on end & top loaders
- Use with CaterCooler to help keep foods at ServeSafe® temps longer

Item	Description	Color	Case MOQ
IT400	End Loader (six pan capacity)	03	1 ea
IT410	End Loader Dolly with Casters	03	1 ea

\*Colors available by special order only



Onyx(03)



SEE VIDEO



PC660

CaterCooler shown with PC300N End Loader

### CaterCooler™

- Freeze CaterCooler overnight or for eight hours and it will keep food at or below the ServSafe® guidelines of 4°C for up to eight hours without ice\*
- Designed to slide into a Cateraide End Loader, Double End Loader or place on top of food pans in a Top Loader
- Durable polyethylene shell

ServSafe® is a registered trademark of the National Restaurant Association

\*Temperature retention is based on CaterCooler being pre-frozen for a minimum of eight hours, then placed directly into Cateraide pan carrier. Pan Carrier unit is then filled with pre-chilled food pans. Testing was conducted under ambient room temperatures of 24°C.

Item	Description	Color	Case MOQ
PC660	CaterCooler	14	1 ea



Blue(14)

### Pan Carriers NSF

- Cateraide construction made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Exclusive automatic self-venting system eliminates unsanitary vent openings and easily lost vent caps
- Heat resistant to 93°C
- Individual track for each food pan
- PC300N end loader holds five deep pans
- PC600N has twice the capacity of the PC300N
- PC600N's separate compartments enable you to put hot food in one; cold in the other
- Use with CaterCooler (shown above) to help keep foods at ServeSafe® temps longer

Use with StorPlus™ Food Pans or DuraPan™




PC300N



PC600N

Item	Description	Color	Case MOQ
PC300N	End Loader	01, 03, 08, 59, 95	1 ea
PC600N	Double End Loader	01, 03	1 ea





### Polyethylene Dollies

- 10 cm heavy-duty, quiet and non-marking swivel casters
- Rolls easily on carpeted floors
- DL300R holds up to two Cateraide End Loaders (PC300N) or any Cateraide Top Loader

Item	Description	Color	Case MOQ	
XDL3000H	52 x 73 cm Dolly with Handle	03	1 ea	Stocked
DL300R	52 x 68 cm Dolly	03	1 ea	



### Aluminum Dollies

- Made of sturdy, light-weight, no-rust aluminum
- Plastic coated corner bumpers protect against marring furnishings
- 10 cm heavy-duty, quiet and non-marking swivel casters
- Rolls easily on carpeted floors
- DL300 holds up to two stacked Cateraide End Loaders

Item	Description	Color	Case MOQ
DL300	59 x 43 cm Dolly	23	1 ea
DL1826	73 x 56 cm Dolly	23	1 ea



PC300 with DL300R

### CATERAIDE™ INSULATED ICE CADDIES

- Cateraide construction made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Rounded inside corners and removable lid for thorough cleaning
- Stainless steel, reinforced hinges prevent rusting
- Easy rolling, heavy-duty 12.7 cm casters



### 90 Kg Caddy

- Lid opens and lays flat against side of unit to conserve space
- Front faucet for fast drainage and easy cleanup; inside has sloped base for complete drainage
- Includes convenient shelf; allows water to drain away from ice
- Dual handles for easy maneuverability

Item	Description	Color	Case MOQ	
IC2220	90 Kg Ice Caddy with Ice Caddy Shelf; 24.5 cm Wheels; 2 Swivel casters (one with brake)	03	1 ea	Stocked

\*Colors available by special order only



### 56 Kg Caddy

- Nylex™ latches eliminate sharp edges; won't rust, bend or dent
- Ice Caddies IC2250 and IC2254 are only 73 cm high for smaller, more compact space requirements
- IC2250T Ice Caddy is 93 cm high to reduce back bending motion
- IC2250T Ice Caddy has 20 cm non-marking back wheels for easy maneuvering over rough surfaces

Item	Description	Color	Case MOQ	
IC2250	56 Kg Ice Caddy; 2 Rigid Casters; 2 Swivel Casters (one brake)	03	1 ea	Stocked
IC2254	56 Kg Ice Caddy; 4 Swivel Casters (one with brake)	03	1 ea	Stocked
IC2250T	56 Kg Tall Ice Caddy; 20 cm Wheels; 2 Swivel Casters (one with brake)	03	1 ea	

\*Colors available by special order only





**CARLISLE**  
FOODSERVICE PRODUCTS

KITCHEN  
ACCESSORIES

## MEASURES & SERVING ACCESSORIES

### Commercial Measures



- Made of durable polycarbonate
- Offers easy measuring of wet ingredients
- Available in 1/4 liter, 1/2 liter, .95 liter, 1.9 liter and 3.8 liter sizes with U.S. and metric measurements
- Oval shape facilitates pouring from non-spouted side
- Family of measures nest for storage



Item	Description	Color	MOQ
43141	1/4 Liter Size PC Measure	07	12 ea
43142	1/2 Liter Size PC Measure	07	6 ea
43143	1 Liter Size PC Measure	07	6 ea
43144	2 Liter Size PC Measure	07	6 ea
43145	4 Liter Size PC Measure	07	6 ea

### Measuring Cup



- Durable polycarbonate with 1/4 liter capacity for measuring liquid ingredients
- Withstands temperatures from -40° to 100°C

Item	Description	Color	MOQ
4315	Measuring Cup	07	6 ea

Clear(07)



### Dishers



- Color-coded for easy identification and portion control
- Smooth operating 18-8 stainless steel construction with ribbed plastic handle
- Bowl capacity is stamped on bail

Item	Description	MOQ
60300-6	132 ml Disher with White Handle	12 ea
60300-8	113 ml Disher with Gray Handle	12 ea
60300-10	106 ml Disher with Ivory Handle	12 ea
60300-12	92 ml Disher with Green Handle	12 ea
60300-16	78 ml Disher with Blue Handle	12 ea
60300-20	57 ml Disher with Yellow Handle	12 ea
60300-24	50 ml Disher with Red Handle	12 ea
60300-30	37 ml Disher with Black handle	12 ea
60300-40	25 ml Disher with Orchid handle	12 ea



### Measure Misers

- Portion control spoon made of break-resistant polycarbonate
- Spoon's flat bottom easily spreads sauces or toppings
- Long handle measure misers have thumb grip for steady control and a notch for resting on pan
- Withstands dry heat up to 132°C
- 2-year limited warranty



Item	Description	Color	MOQ
<b>SHORT HANDLE</b>			
4322	43 ml, 18 cm Solid Measure Miser w/Red Measurements	06	12 ea
4324	57 ml, 18 cm Solid Measure Miser w/Red Measurements	06	12 ea
4362	57 ml, 18 cm Perforated Measure Miser w/Red Measurements	06	12 ea
4326	85 ml, 20 cm Solid Measure Miser w/Blue Measurements	06	12 ea
4328	113 ml, 21 cm Solid Measure Miser w/Green Measurements	06	12 ea
4329	113 ml, 21 cm Perforated Measure Miser w/Green Measurements	06	12 ea
4330	177 ml, 22 cm Solid Measure Miser w/Black Measurements	06	12 ea
<b>STANDARD HANDLE</b>			
4358	43 ml, 30 cm Solid Measure Miser w/Maroon Measurements	06	12 ea
4360	57 ml, 30 cm Solid Measure Miser w/Red Measurements	06	12 ea

Beige(06)

Stocked




Color-Coded Measure Misers



- Portion control spoon made of break-resistant acetal material
- Each color represents a different size for easy recognition and consistency
- Spoon's flat bottom easily spreads sauces or toppings
- Long handle measure misers have thumb grip for steady control and a notch for resting on pan rim
- Withstands dry heat up to 132°C
- 2-year limited warranty

Item	Description	Color	MOQ	Item	Description	Color	MOQ
<b>SHORT HANDLE</b>				<b>LONG HANDLE</b>			
4921	30 ml, 16 cm Solid Spoon	04	12 ea	3958	44 ml, 29 cm Solid Spoon	01	12 ea
4923	30 ml, 16 cm Perforated Spoon	04	12 ea	3960	57 ml, 30 cm Solid Spoon	05	12 ea
4922	44 ml, 18 cm Solid Spoon	01	12 ea	3961	57 ml, 30 cm Perforated Spoon	05	12 ea
4961	44 ml, 18 cm Perforated Spoon	01	12 ea	3980	113 ml, 33 cm Solid Spoon	08	12 ea
4924	57 ml, 18 cm Solid Spoon	05	12 ea	3990	177 ml, 34 cm Solid Spoon	03	12 ea
4962	57 ml, 18 cm Perforated Spoon	05	12 ea	3992	227 ml, 34 cm Solid Spoon	14	12 ea
4925	71 ml, 18 cm oz Solid Spoon	24	12 ea				
4926	85 ml, 20 cm Solid Spoon	02	12 ea				
4927	85 ml, 20 cm Perforated Spoon	02	12 ea				
4928	113 ml, 21 cm Solid Spoon	08	12 ea				
4929	113 ml, 21 cm Perforated Spoon	08	12 ea				
4933	142 ml, 22 cm Solid Spoon	06	12 ea				
4930	177 ml, 22 cm Solid Spoon	03	12 ea				
4931	227 ml, 22 cm Solid Spoon	14	12 ea				



DREDGES



SAN Shaker/Dredge

- Durable SAN Shaker – Meets the needs of today's busy kitchen; crack and chip resistant
- Clear Dredges and Color-Coded Lids – Allow for easy identification of contents
- Five Lids Available – For every topping need: salt, flour, seasonings, cheese, or other dry toppings (Sold separately)

Item	Description	Color	MOQ
4250	Dredge with Medium Ground, Rose Lid	55	12 ea
4260	Dredge with Cheese, Yellow Lid	04	12 ea
4270	Dredge with Salt & Pepper, Beige Lid	06	12 ea
4230	Dredge with Translucent Parsley Lid	30	12 ea
4231	Translucent Parsley Lid	30	12 ea
4251	Rose Medium Ground Lid	55	12 ea
4261	Yellow Cheese Lid	04	12 ea
4271	Beige Salt & Pepper Lid	06	12 ea



## SPATULAS & SCRAPERS

### Sparta® Color-Coded Spatulas & Paddle Scrapers

- Spatulas are perfect for general mixing and stirring
- Standard Nylon (149°C) or soft flexible Polyethylene (66°) blades will sharpen and contour to your specific application with usage
- Smooth finished, water-proof construction for easy clean-up
- Replacement blades are available for this product



40352C

Item	Description	Color	MOQ
40350C	Sparta Scraper with Plastic Handle, 34 cm L	04, 05, 09, 14	6 ea
40352C	Sparta Paddle Scraper with Plastic Handle, 101 cm L	04, 05, 09, 14	6 ea
40353C	Sparta Paddle Scraper with Plastic Handle, 122 cm L	04, 05, 09, 14	6 ea
40361C	Sparta Standard Nylon Replacement Blade, 19. cm x 11 cm L	04, 05, 09, 14	6 ea



### High Heat Serving Spoons & Turner



- High heat material withstands temperatures from -40°C to 191°C without melting or transferring heat
- Helps prevent scratching on coated surfaces
- Notched handle with hole for hanging



Item	Description	Color	MOQ
4415	27.94 cm Solid High Heat Serving Spoon	03	12 ea
4425	33.02 cm Solid High Heat Serving Spoon	03	12 ea
4426	33.02 cm Perforated High Heat Serving Spoon	03	12 ea
4900	33.02 cm Slotted Turner	03, 13	12 ea

Stocked



## SCOOPS



### Polycarbonate Scoops

- Easy-grip plastic handle doesn't transfer cold
- Features a hole for hanging or tying to a container
- Durable polycarbonate material

Item	Description	Color	MOQ
4306	177 ml Polycarbonate Scoop	07 (Clear)	12 ea
4332	907 ml Polycarbonate Scoop	07 (Clear)	12 ea
4364	1814 ml Polycarbonate Scoop	07 (Clear)	6 ea



**CARLISLE**  
FOODSERVICE PRODUCTS

# STORAGE & HANDLING

STORPLUS™ FOOD PANS AND LIDS



Polycarbonate Food Pans & Lids



- Reinforced corners prevent chips and cracks, stand up to drops and use day after day
- Universally stackable with all food pan products on the market
- Spoonable bottoms allow easy removal of contents and reduction of food waste



Item	Description	Color	MOQ
<b>FULL-SIZE – 53 CM X 32 CM</b>			
10200B	Pan – 6 cm (7 L)	03, 07	6 ea
10201B	Pan – 10 cm (12 L)	03, 07	6 ea
10202B	Pan – 15 cm (18 L)	03, 07	6 ea
10203B	Pan – 20 cm (24.5 L)	07	6 ea
10215	Drain Shelf	07	6 ea
<b>LIDS – FITS ALL FULL-SIZE PANS</b>			
10212B	Smart Lid, Unnotched	60	6 ea
10210U	Handled Lid, Unnotched	07	6 ea
10211U	Handled Lid, Single Notched	07	6 ea
10216U	Flat Lid, Unnotched	07	6 ea
<b>ONE-HALF SIZE – 32 CM X 26 CM</b>			
10220B	Pan – 6 cm (3 L)	07	6 ea
10221B	Pan – 10 cm (5 L)	03, 07	6 ea
10222B*	Pan – 15 cm (8 L)	03, 07	6 ea
10223B	Pan – 20 cm (11 L)	07	6 ea
10235	Drain Shelf	07	6 ea
<b>LIDS – FITS ALL ONE-HALF SIZE PANS</b>			
10232B	Smart Lid, Unnotched	60	6 ea
10230U	Handled Lid, Unnotched	07	6 ea
10231U	Handled Lid, Single Notched	07	6 ea
10236U	Flat Lid, Unnotched	07	6 ea
<b>ONE-THIRD SIZE – 32 CM X 18 CM</b>			
30660	Pan – 6 cm (2 L)	07	6 ea
30661	Pan – 10 cm (3.5 L)	07	6 ea
30662	Pan – 15 cm (5.5 L)	03, 07	6 ea
30669	Pan – 20 cm (7 L)	03, 07	6 ea
30670	Drain Shelf	07	6 ea
<b>LIDS – FITS ALL ONE-THIRD SIZE PANS</b>			
30580	Smart Lid, Unnotched	60	6 ea
10270U	Handled Lid, Unnotched	07	6 ea
10271U	Handled Lid, Single Notched	07	6 ea
10276U	Flat Lid, Unnotched	07	6 ea
<b>ONE-QUARTER SIZE – 26 CM X 16 CM</b>			
30680	Pan – 6 cm (1.5 L)	07	6 ea
30681	Pan – 10 cm (2.5 L)	07	6 ea
30682	Pan – 15 cm (4 L)	07	6 ea
30695	Drain Shelf	07	6 ea

Stocked  
Stocked  
Stocked  
Stocked  
Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Stocked

Item	Description	Color	MOQ
<b>LIDS – FITS ALL ONE-QUARTER SIZE PANS</b>			
30581	Smart Lid, Unnotched	60	6 ea
10290U	Handled Lid, Unnotched	07	6 ea
10291U	Handled Lid, Single Notched	07	6 ea
<b>ONE-SIXTH SIZE – 17 CM X 16 CM</b>			
30683	Pan – 6 cm (1 L)	07	6 ea
30684	Pan – 10 cm (1.5 L)	03, 07	6 ea
30685	Pan – 15 cm (2.5 L)	03, 07	6 ea
30689	Drain Shelf	07	6 ea
<b>LIDS – FITS ALL ONE-SIXTH SIZE PANS</b>			
30582	Smart Lid, Unnotched	60	6 ea
10310U	Handled Lid, Unnotched	07	6 ea
10311U	Handled Notched Lid	07	6 ea
10316U	Flat Lid, Unnotched	07	6 ea
<b>ONE-NINTH SIZE – 17 CM X 11 CM</b>			
30686	Pan – 6 cm (0.5 L)	07	6 ea
30687	Pan – 10 cm (1 L)	03, 07	6 ea
30688	Pan – 15 cm (1.5 L)	03, 07	6 ea
10335	Drain Shelf	07	6 ea
<b>LIDS – FITS ALL ONE-NINTH SIZE PANS</b>			
30583	Smart Lid, Unnotched	60	6 ea
10336U	Flat Lid, Unnotched	07	6 ea
10337U	Flat Lid, Single Notched	07	6 ea

Stocked  
Stocked  
Stocked

Stocked

Stocked

Stocked



Smart Lid's unique inside seal design provides superior leak-resistance; protects against spills

EZ Access Lids

- 50% to 60% larger opening improves hand and utensil access; reduces food waste
- Snug lid stays in place during routine opening; never flips off
- Clean design eliminates dangerous food traps found on other hinged lid designs
- Compliment your Coldmaster and CoolCheck pans

Item	Description	Color	MOQ
<b>EZ ACCESS LIDS – ONE HALF SIZE</b>			
10239Z	Handled Lid, Single Notched	07	6 ea
<b>EZ ACCESS LIDS – ONE THIRD SIZE</b>			
10279Z	Handled Lid, Single Notched	07	6 ea
10280Z	Handled Lid, Double Notched	07	6 ea
<b>EZ ACCESS LIDS – ONE SIXTH SIZE</b>			
10319Z	Handled Lid, Single Notched	07	6 ea
<b>EZ ACCESS LIDS – ONE NINTH SIZE</b>			
10339Z	wHandled Lid, Single Notched	07	6 ea



**NEW**

StorPlus™ PermaLabel™ Food Pans



- Streamlined Food Labeling
- Food rotation labels make food labeling, storing, and serving a simpler and safer process. Exclusive StorPlus™ PermaLabel™ food pans feature universal date labels manufactured directly into the mold.
- The labels feature a larger writing space and are easily updated using a grease pen, dry erase or erasable marker and include bilingual universal indicators including use by date, shelf life, and days of the week.



SEE VIDEO

Item	Description	Color	MOQ
30661L	Perm label pan 3,3 L	07 (Clear)	6 ea
30662L	Perm label pan 4,7 L	07 (Clear)	6 ea
30685L	Perm label pan 2,5 L	07 (Clear)	6 ea





### High Heat Food Pans & Lids

- High heat pans excel in high temperature applications (-40°C to 191°C)
- For a leak-resistant seal use Smart Lids

Item	Description	Color	MOQ
<b>FULL-SIZE – 53 CM X 32 CM</b>			
10400B	Pan – 6 cm (7 L)	13	6 ea
10401B	Pan – 10 cm (12 L)	03, 13	6 ea
10402B	Pan – 15 cm (18 L)	03, 13	6 ea
10415	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL FULL-SIZE PANS</b>			
10212B	Smart Lid, Unnotched	60	6 ea
10410U	Handled Lid, Unnotched	13	6 ea
<b>ONE-HALF SIZE – 32 CM X 26 CM</b>			
10420B	Pan – 6 cm (3.5 L)	03, 13	6 ea
10421B	Pan – 10 cm (5.5 L)	13	6 ea
10422B	Pan – 15 cm (8 L)	13	6 ea
10435	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL ONE-HALF SIZE PANS</b>			
10232B	Smart Lid, Unnotched	60	6 ea
10430U	Handled Lid, Unnotched	13	6 ea
10431U	Handled Lid, Single Notched	13	6 ea
<b>ONE-HALF LONG SIZE – 53 CM X 16 CM</b>			
10440B	Pan – 6 cm (2.5 L)	03, 13	6 ea
<b>ONE-THIRD SIZE – 32 CM X 18 CM</b>			
30860	Pan – 6 cm (2 L)	03, 13	6 ea
30861	Pan – 10 cm (3.5 L)	03, 13	6 ea
30862	Pan – 15 cm (5.5 L)	03, 13	6 ea
30870	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL ONE-THIRD SIZE PANS</b>			
30580	Smart Lid, Unnotched	60	6 ea
10470U	Handled Lid, Unnotched	13	6 ea
10471U	Handled Lid, Single Notched	13	6 ea

Stocked

Stocked

Stocked

Stocked

Stocked

Item	Description	Color	MOQ
<b>ONE-QUARTER SIZE – 26 CM X 16 CM</b>			
30881	Pan – 10.16 cm (2.5 L)	13	6 ea
30882	Pan – 15 cm (4 L)	13	6 ea
30895	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL ONE-QUARTER SIZE PANS</b>			
30581	Smart Lid, Unnotched	60	6 ea
10490U	Handled Lid, Unnotched	13	6 ea
<b>ONE-SIXTH SIZE – 17 CM X 16 CM</b>			
30883	Pan – 6 cm (1 L)	03, 13	6 ea
30884	Pan – 10 cm (1.5 L)	13	6 ea
30885	Pan – 15 cm (2.5 L)	03, 13	6 ea
30896	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL ONE-SIXTH SIZE PANS</b>			
30582	Smart Lid, Unnotched	60	6 ea
10510U	Handled Lid, Unnotched	13	6 ea
10511U	Handled Lid, Single Notched	13	6 ea
<b>ONE-NINTH SIZE – 17 CM X 11 CM</b>			
30886	Pan – 6 cm (0.5 L)	03	6 ea
30887	Pan – 10 cm (1 L)	03, 13	6 ea
30888	Pan – 15 cm (1.5 L)	03	6 ea
10535	Drain Shelf	13	6 ea
<b>LIDS – FITS ALL ONE-NINTH SIZE PANS</b>			
30583	Smart Lid, Unnotched	60	6 ea
10536U	Flat Lid, Unnotched	13	6 ea
10537U	Flat Lid, Single Notched	13	6 ea



### EZ Access Lids for High Heat Food Pans



Item	Description	Color	MOQ
<b>ONE HALF SIZE</b>			
10439Z	EZ Access Lid, Single Notched	13	6 ea
<b>ONE THIRD SIZE</b>			
10479Z	EZ Access Lid, Single Notched	13	6 ea
<b>ONE HALF SIZE</b>			
10519Z	EZ Access Lid Notched	13	6 ea
<b>ONE NINTH SIZE</b>			
10539Z	EZ Access Lid, Single Notched	13	6 ea

### Specialty High Heat Handled Pans



- Transports food safely from the oven to the warming unit
- Double handled pan is perfect for restaurants with "pass through" warming units
- Stain-, heat- and impact- resistant high heat material
- Available in 6 cm and 10 cm depths

Item	Description	Color	MOQ
30860H	1/3 Size 6 cm Deep with 1 Handle	13	6 ea
30860HH	1/3 Size 6 cm Deep with 2 Handles	13	6 ea
30861H	1/3 Size 10 cm Deep with 1 Handle	13	6 ea
30861HH	1/3 Size 10 cm Deep with 2 Handles	13	6 ea




Stocked

Amber(13)



# STORPLUS™ STORAGE BOXES



## Food Storage Boxes

- Reinforced top and bottom corners on both box and lid, help prevent chipping and cracking
- StorPlus boxes stack easily for efficient storage, fit standard carts and racks and with other boxes on the market
- "Lock-Tight" lids can be reversed and used as a bun pan or tray
- Polycarbonate boxes provide easy visibility, superior resistance to food acids and oils
- Polyethylene boxes offers economical storage and transport

## Color-Coded Storage Boxes

- Prevent cross-contamination and help meet standards as part of a complete HACCP Program
- RimGlow™ technology gives the boxes and lids a distinct, yet transparent color to segregate them by usage

Item	Color	Item	Color	Description	MOQ		
CLEAR POLYCARBONATE*		COLOR-CODED POLYCARBONATE					
10610	07			7.5 Liter 30 x 45 x 9 cm Box	6 ea	Stocked	
10611	07	10611C	05, 09, 14, 22	13 Liter 30 x 45 x 15 cm Box	6 ea	Stocked	
10612	07	10612C	05, 09, 14, 22	19 Liter 30 x 45 x 23 cm Box	6 ea	Stocked	
10617	07	10617C	05, 09, 22	30 x 45 cm Lid	6 ea	Stocked	
10620	07	—		19 Liter 45 x 66 x 9 cm Box	6 ea		
10621	07	10621C	05, 09, 14, 22	32 Liter 45 x 66 x 15 cm Box	6 ea	Stocked	
10622	07	10622C	05, 09, 14, 22	47 Liter 45 x 66 x 23 cm Box	4 ea	Stocked	
10623	07	10623C	05, 09, 14, 22	63 Liter 45 x 66 x 30 cm Box	3 ea	Stocked	
10624	07	10624C	05, 09, 14, 22	81.5 Liter 45 x 66 x 38 cm Box	3 ea	Stocked	
10627	07	10627C	05, 09, 14, 22	45 x 66 cm Lid	6 ea		
10628	07	—		45 x 66 x 13 cm Colander	6 ea	Stocked	
10629	07	--		45 x 66 cm Drain Grate	6 ea		



Lids are reversible, stackable and make great serving trays for catering





**NEW**

**Square Food Storage Containers**



- Stacking lugs add rigidity and eliminate jamming
- Wide handles and drain holes available on all sizes for easy-grip and quick drying
- Color-coded, textured snap-on lids fit both polycarbonate and polyethylene containers
- Spoonable bottom prevents food waste and makes clean-up easy
- Clear polycarbonate containers provide exceptional durability and can withstand temperatures from -40°C to 100°C
- Economical white polyethylene containers withstand temperatures from -40°C to 82°C

Item	Description	Color	MOQ	
<b>STORPLUS SQUARE POLYCARBONATE FOOD STORAGE CONTAINERS</b>				
11950	2 Liter, 18 cm Sq x 9 cm H Polycarbonate Container	07	6 ea	Stocked
11951	4 Liter, 18 cm Sq x 18 cm H Polycarbonate Container	07	6 ea	Stocked
11952	5.5 Liter, 22 cm Sq x 18 cm H Polycarbonate Container	07	6 ea	Stocked
11953	8 Liter, 22 cm Sq x 23 cm H Polycarbonate Container	07	6 ea	Stocked
11954	11.5 Liter, 28 cm Sq x 21 cm H Polycarbonate Container	07	6 ea	Stocked
11955	17 Liter, 28 cm Sq x 32 cm H Polycarbonate Container	07	6 ea	Stocked
11956	21 Liter, 28 cm Sq x 40 cm H Polycarbonate Container	07	6 ea	Stocked
<b>STORPLUS SQUARE POLYETHYLENE FOOD STORAGE CONTAINERS</b>				
11960PE	2 Liter, 18 cm Sq x 10 cm H Polyethylene Container	02	6 ea	
11961PE	4 Liter, 18 cm Sq x 19 cm H Polyethylene Container	02	6 ea	
11962PE	5.5 Liter, 22 cm Sq x 19 cm H Polyethylene Container	02	6 ea	
11963PE	8 Liter, 22 cm Sq x 23 cm H Polyethylene Container	02	6 ea	
11964PE	11.5 Liter, 28 cm Sq x 21 cm H Polyethylene Container	02	6 ea	
11965PE	17 Liter, 28 cm Sq x 32 cm H Polyethylene Container	02	6 ea	
11966PE	21 Liter, 28 cm Sq x 40 cm H Polyethylene Container	02	6 ea	Stocked
<b>STORPLUS SQUARE CONTAINER LIDS</b>				
11970	2-4 Liter, 18.6 cm Sq Lid	08, 89	6 ea	Stocked
11971	5.5-8 Liter, 22.9 cm Sq Lid	05, 89	6 ea	
11972	11.5-17 Liter, 29 cm Sq Lid	60, 89	6 ea	



**Round Food Storage Containers**



- Super-tough, clear polycarbonate for ultimate durability allows easy food content identification at a glance
- StorPlus containers stack with other major brands for convenient storage; stacking shoulder prevents jamming
- Date indicator helps maintain food quality and control inventory turns, interchangeable with other brands
- Exclusive Carlisle spoonable bottom for increased yield and less food waste

Item	Description	Color	MOQ
<b>STORPLUS ROUND FOOD STORAGE CONTAINERS</b>			
10761	.95 Liter Round Container	07	12 ea
10763	1.9 Liter Round Container	07	12 ea
10764	3.8 Liter Round Container	07	12 ea
10765	5.7 Liter Round Container	07	12 ea
10766	7.8 Liter Round Container	07	12 ea
10767	11.4 Liter Round Container	07	6 ea
10768	17 Liter Round Container	07	6 ea
10769	21 Liter Round Container	07	6 ea
<b>STORPLUS ROUND CONTAINER LIDS</b>			
10770	.95 Liter Round Lid	30	12 ea
10771	1.9-3.8 Liter Round Lid	08	12 ea
10772	5.7-7.8 Liter Round Lid	05	12 ea
10773	11-17 Liter Round Lid	60	6 ea





**CARLISLE**  
FOODSERVICE PRODUCTS

WAREWASHING

## HOW TO CREATE THE CORRECT ITEM NUMBER FOR YOUR WASHRACK

**1** Each item begins with an R for rack

**2** Second digit indicates type

- G - Glass
- W - NeWave
- C - Cup
- P - Peg/Plate\*
- B - Bowl\*
- F - Flatware\*
- SP - Sheet Pan\*
- FP - Food Pan\*
- PC - Plate Cover\*
- TP - Tall Peg\*
- OP - Open Peg\*

\*Skip to Step Six  
Only available in Blue(14)

**3** Glass, NeWave (only 20 or 30) & Cup (only 16 or 20) racks have additional digits beginning with number of compartments

- 9 - Nine Compartment
- 16 - Sixteen Compartment
- 20 - Twenty Compartment
- 25 - Twenty-five Compartment
- 30 - Thirty Compartment
- 36 - Thirty-six Compartment
- 49 - Forty-nine Compartment

**5** To add extenders, add a dash and the # of extenders\*

- 1 - One Extender
- 2 - Two Extenders
- 3 - Three Extenders
- 4 - Four Extenders
- 5 - Five Extenders

\* RW racks have a standard integrated extender, therefore an additional extender for each line listed above e.g. RW20-1 includes two extenders.

**4** If you want color-coded extenders, add a C - Otherwise, skip this step

**6** Lastly, add the color-code

- 410 - Red/Blue
- 411 - Yellow/Blue
- 412 - Orange/Blue
- 413 - Green/Blue
- 414 - Lavender/Blue
- 14 - Blue

**7** This order is for a glass rack with 25 compartments, 3 extenders and the top extender is red.



RG25-1

### WASHRACK SIZING

Rack No	Description	Min Dia	Max Dia	Dia for Handles
<b>STANDARD</b>				
RG49	49 Compartment Glass Rack	51 mm	60 mm	73 mm
RG36	36 Compartment Glass Rack	60 mm	70 mm	92 mm
RG25	25 Compartment Glass Rack	70 mm	86 mm	111 mm
RG16	16 Compartment Glass Rack	86 mm	111 mm	142 mm
RG9	9 Compartment Glass Rack	111 mm	149 mm	196 mm
<b>NUWAVE</b>				
RW30	Glass Rack w/ Integrated Extender 30 Compartment	67 mm	76 mm	
RW20	Glass Rack w/ Integrated Extender 20 Compartment	76 mm	95 mm	
<b>TILTED CUP</b>				
RC20	Tilted Cup Rack 20 Compartment	67 mm	108 mm	130 mm
RC16	Tilted Cup Rack 16 Compartment	108 mm	111 mm	168 mm


Stacked  
Stacked  
Stacked  
Stacked

Stacked

### EXTENDER HEIGHTS

No Extender	79 mm
1 Extender	117 mm
2 Extenders	155 mm
3 Extenders	193 mm
4 Extenders	231 mm
5 Extenders	269 mm

- Extenders are available multiple colors including Blue(14), Yellow(04), Red(05), Green(09), Orange(24), Lavender(89)
- Additional accessories can be found at the web address below



RW20

RW30-2

### OptiClean NeWave Color-Coded Glass Racks

- Fits 25% more glasses which saves on chemical cost by washing more glasses per cycle
- Honeycomb design allows a free flow of soap and water and balanced weight dispersion when racks are stacked high
- Compatible stacking with standard dish racks ensuring a smooth transition to Carlisle washracks without interrupting workflow
- Color coded extenders allow for convenient identification
- Most durable rack in the market
- NeWave 20-compartment and 30-compartment racks for glasses & tumblers
- REW20S, REW20SC, RW30, REW30S and REW30SC: not NSF listed

Item	Description	Glass Dia	Glass Height	Color	MOQ
<b>20-COMPARTMENT OPTICLEAN NEWAVE GLASS RACK - COMPARTMENT SIZE 96 MM DIA</b>					
RW20	20-Compartment with Integrated Extender	90 mm	120 mm	14	4 ea
RW20-1	20-Compartment with 2 Extenders	90 mm	161 mm	14	3 ea
RW20-2	20-Compartment with 3 Extenders	90 mm	201 mm	14	2 ea
RW20-3	20-Compartment with 4 Extenders	90 mm	241 mm	14	2 ea
REW20S	20-Compartment Extender	90 mm	38 mm	14	6 ea
<b>20-COMPARTMENT COLOR-CODED OPTICLEAN NEWAVE GLASS RACK - COMPARTMENT SIZE 96 MM DIA</b>					
REW20SC	20-Compartment Divided Extender	90 mm	38 mm		6 ea
<b>30-COMPARTMENT OPTICLEAN NEWAVE GLASS RACK - COMPARTMENT SIZE 79 MM DIA</b>					
RW30	30-Compartment with Integrated Extender	73 mm	120 mm	14	4 ea
RW30-1	30-Compartment with 2 Extenders	73 mm	161 mm	14	3 ea
RW30-2	30-Compartment with 3 Extenders	73 mm	201 mm	14	2 ea
RW30-3	30-Compartment with 4 Extenders	73 mm	241 mm	14	2 ea
REW30S	30-Compartment Extender	73 mm	38 mm	14	6 ea
<b>30-COMPARTMENT COLOR-CODED OPTICLEAN NEWAVE GLASS RACK - COMPARTMENT SIZE 79 MM DIA</b>					
REW30SC	30-Compartment Divided Extender	90 mm	38 mm		6 ea

 Blue(14)

Find The Perfect Glass Rack [www.carlislefsp.com/FINDRACK](http://www.carlislefsp.com/FINDRACK)



RG9-1



RG16-1



RG16-2

### 9-Compartment OptiClean Glass Racks

- Use with large brandy snifters, grande margaritas, carafes and other items with a wide diameter

Item	Description	Glass Dia	Glass Height	Color	Case MOQ
<b>9-COMPARTMENT OPTICLEAN GLASS RACK — COMPARTMENT SIZE 148 MM SQUARE</b>					
RG9	9-Compartment	141 mm	81 mm	14	6 ea
RG9-1	9-Compartment with 1 Extender	141 mm	120 mm	14	4 ea
RG9-2	9-Compartment with 2 Extenders	141 mm	161 mm	14	3 ea
RG9-3	9-Compartment with 3 Extenders	141 mm	201 mm	14	2 ea
RG9-4	9-Compartment with 4 Extenders	141 mm	241 mm	14	2 ea
RE9	9-Compartment Divided Extender	141 mm	241 mm	14	6 ea
RE*	Open Extender	—	38 mm	14	6 ea
<b>9-COMPARTMENT OPTICLEAN COLOR-CODED GLASS RACK — COMPARTMENT SIZE 148 MM SQUARE</b>					
RE9C	9-Compartment Divided Extender	141 mm	38 mm	04, 05, 09, 24, 89	6 ea
RE*	Open Extender	—	38 mm	14	6 ea

Stocked

Stocked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

\*\*Dimensions shown are for the recommended maximum glass size for the compartment



Blue(14)

### 16-Compartment OptiClean Glass Racks

- Perfect for large cocktail glasses and delicate wine stems with oversize bowls

Item	Description	Glass Dia	Glass Height	Color	Case MOQ
<b>16-COMPARTMENT OPTICLEAN GLASS RACK — COMPARTMENT SIZE 113 MM SQUARE</b>					
RG16	16-Compartment	106 mm	81 mm	14	6 ea
RG16-1	16-Compartment with 1 Extender	106 mm	120 mm	14	4 ea
RG16-2	16-Compartment with 2 Extenders	106 mm	161 mm	14	3 ea
RG16-3	16-Compartment with 3 Extenders	106 mm	201 mm	14	2 ea
RG16-4	16-Compartment with 4 Extenders	106 mm	241 mm	14	2 ea
RG16-5	16-Compartment with 5 Extenders	106 mm	281 mm	14	2 ea
RE16	16-Compartment Divided Extender	106 mm	38 mm	14	6 ea
RE*	Open Extender	—	38 mm	14	6 ea
<b>16-COMPARTMENT COLOR-CODED GLASS RACK — COMPARTMENT SIZE 113 MM SQUARE</b>					
RG16-1C	16-Compartment with 1 Extender	106 mm	120 mm	410, 412	4 ea
RG16-2C	16-Compartment with 2 Extenders	106 mm	161 mm	410	3 ea
RG16-3C	16-Compartment with 3 Extenders	106 mm	201 mm	410, 412	2 ea
RG16-4C	16-Compartment with 4 Extenders	106 mm	241 mm	410, 412, 414	2 ea
RG16-5C	16-Compartment with 5 Extenders	106 mm	281 mm	410, 411	2 ea
RE16C	16-Compartment Divided Extender	106 mm	38 mm	04, 05, 09, 24, 89	6 ea
RE*	Open Extender	—	38 mm	14	6 ea

Stocked

Stocked

Stocked

Stocked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

\*\*Dimensions shown are for the recommended maximum glass size for the compartment



Blue(14)



RG25-1



RG25-3

### 25-Compartment OptiClean Glass Racks

• Use for large diameter beverage glasses, red wine stems, goblets and most rocks glasses

Item	Description	Glass Dia	Glass Height	Color	Case MOQ	
<b>25-COMPARTMENT OPTICLEAN GLASS RACK — COMPARTMENT SIZE 89 MM SQUARE</b>						
RG25	25-Compartment	82 mm	81 mm	14	6 ea	Stocked
RG25-1	25-Compartment with 1 Extender	82 mm	120 mm	14	4 ea	
RG25-2	25-Compartment with 2 Extenders	82 mm	161 mm	14	3 ea	
RG25-3	25-Compartment with 3 Extenders	82 mm	201 mm	14	2 ea	
RG25-4	25-Compartment with 4 Extenders	82 mm	241 mm	14	2 ea	
RG25-5	25-Compartment with 5 Extenders	82 mm	281 mm	14	2 ea	
RE25	25-Compartment Divided Extender	82 mm	38 mm	14	6 ea	
RE*	Open Extender	—	38 mm	14	6 ea	
<b>25-COMPARTMENT OPTICLEAN COLOR-CODED GLASS RACK — COMPARTMENT SIZE 89 MM SQUARE</b>						
RE*	Open Extender	—	38 mm	14	6 ea	Stocked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

\*\*Dimensions shown are for the recommended maximum glass size for the compartment

Blue(14)



### 36-Compartment OptiClean Glass Racks

• Use with tumblers, white wine glasses and other narrow bowl stems



RG36-1



RG36-3C

Item	Description	Glass Dia	Glass Height	Color	Case MOQ	
<b>36-COMPARTMENT OPTICLEAN GLASS RACK — COMPARTMENT SIZE 74 MM SQUARE</b>						
RG36	36-Compartment	68 mm	81 mm	14	6 ea	Stocked
RG36-1	36-Compartment with 1 Extender	68 mm	120 mm	14	4 ea	
RG36-2	36-Compartment with 2 Extenders	68 mm	161 mm	14	3 ea	
RG36-3	36-Compartment with 3 Extenders	68 mm	201 mm	14	2 ea	
RG36-4	36-Compartment with 4 Extenders	68 mm	241 mm	14	2 ea	
RG36-5	36-Compartment with 5 Extenders	68 mm	281 mm	14	2 ea	Stocked
RE36	36-Compartment Divided Extender	68 mm	38 mm	14	6 ea	
RE*	Open Extender	—	38 mm	14	6 ea	

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

\*\*Dimensions shown are for the recommended maximum glass size for the compartment

### 49-Compartment OptiClean Glass Racks

• Ideal for juice glasses, narrow champagne flutes, cordials and shot glasses



RG49-1



RG49-1C

Item	Description	Glass Dia	Glass Height	Color	Case MOQ	
<b>49-COMPARTMENT OPTICLEAN GLASS RACK — COMPARTMENT SIZE 73 MM SQUARE</b>						
RG49	49-Compartment	54 mm	81 mm	14	6 ea	Stocked
RG49-4	49-Compartment with 4 Extenders	54 mm	241 mm	14	2 ea	
RE49	49-Compartment Divided Extender	54 mm	38 mm	14	6 ea	Stocked
RE*	Open Extender	—	38 mm	14	6 ea	

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

\*\*Dimensions shown are for the recommended maximum glass size for the compartment


Blue(14)

## OPTICLEAN DISH RACKS

- Offer the safest and most sanitary cleaning choices for everything from the most fragile tableware to heavy-duty kitchen items
- Offer all the same great features as the rest of Carlisle's wash racks
- Sturdy, double wall construction



RTP



ROP

### Peg Racks & Extender NSF

- Holds plates, trays and platters at the best angle to take full advantage of today's multiple spray, high-pressure dishwashers
- Plate locks hold dishes firmly in place to protect delicate rims, reduce chipping and breakage
- Use with additional Open Extenders (RE) to create the perfect rack for irregular or oversize drinkware
- Extra tall 7.5 cm pegs are ideal for charger plates, pasta bowls, large platters and trays
- Tall 7.5 cm pegs with open ended design hold all types of trays, standard size baking sheets and other long items

Item	Description	Color	Case MOQ	
RP	All-Purpose Plate & Tray Rack	14	6 ea	Stacked
RTP	Tall Peg Plate & Tray Rack	14	6 ea	Stacked
ROP	Open End Peg Rack	14	6 ea	Stacked
RE*	Open Extender	14	6 ea	Stacked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

Blue(14)

### Open/Bowl Rack & Extender NSF

- Sturdy open bottom rack is ideal for all large bowls, containers, brushes, cookware and cutlery

Item	Description	Color	Case MOQ	
RB	Open/Bowl Rack	14	6 ea	Stacked
RE*	Open Extender	14	6 ea	Stacked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

Blue(14)



RB

### Combination/Flatware Rack

- Bottom grid allows for free flow of water and air
- Keeps flatware in place for thorough washing and drying
- Perfect for ramekins and other small items

Item	Description	Color	Case MOQ	
RF	Combination/Flatware Rack	14	6 ea	Stacked
RE*	Open Extender	14	6 ea	Stacked

\*Note: The RE Open Extender can be used with any OptiClean Glass or Dish Rack

Blue(14)



RF

### Cup Racks NSF

- Tilted design promotes thorough washing of rims and interiors
- Encourages concaved bases to drain more efficiently, eliminating pooling water
- 16-Compartment holds larger diameter cups and mugs in tilted position; compartment size: 110 x 110 mm



RC20-1

Item	Description	Color	Case MOQ
RC16	16-Compartment Cup Rack	14	6 ea
RC16-1	16-Compartment Cup Rack with 1 Open Extender	14	4 ea
RC20	20-Compartment Cup Rack	14	6 ea
RC20-1	20-Compartment Cup Rack with 1 Open Extender	14	4 ea

Blue(14)

### Bakery Tray & Sheet Pan Rack NSF

- Rack securely holds sheet or bun pans low enough to fit standard height dish machine openings

Item	Description	Color	Case MOQ
RSP	Bakery Tray & Sheet Pan Rack	14	3 ea

Blue(14)



### Food Pan/Insulated Meal Delivery Tray Rack NSF

- Accommodates all sizes of 63 mm deep food pans and standard steam table inserts
- Racks are angled for thorough cleaning
- Perfect for health care or correctional facilities using insulated meal delivery



Item	Description	Color	Case MOQ
RFP	Food Pan/Insulated Meal Delivery Tray Rack	14	3 ea

Blue(14)

### Plate Cover Rack NSF

- Use with plate covers, dishwasher safe insulated dome covers or dishwasher safe pellet bases

Item	Description	Color	Case MOQ
RPC	Plate Cover Rack	14	3 ea

Blue(14)



### Perma-San™ Flatware Washing Baskets

- Open design for easy cleaning of vertically stored flatware
- Use with RF Flatware Rack or RB Open/Bowl Rack as part of a complete flatware sanitizing system

Item	Description	Color	Case MOQ	
C32P1	Flatware Basket without Handles	14	6 ea	Stocked
C32P2	Flatware Basket with Handles	14	6 ea	



 Blue(14)

### Aluminum Dollies

- Hold and transport any 501 mm square stack of glass racks
- Large 101 mm ball bearing swivel casters with non-marking rubber wheels

Item	Description	Color	Case MOQ	
C2220A	Open Aluminum Dolly, No Handle	14	1 ea	Stocked
C2222A	Open Aluminum Dolly with Handle	14	1 ea	Stocked

 Blue(14)

### Polypropylene Dollies

- Injection molded dollies squared corners are designed to hold any standard 501 mm racks including older style square racks
- 158 kg weight capacity
- Dollies trap water from wet racks; convenient drain feature underneath the


Item	Description	Color	Case MOQ	
C2236	Warewashing Rack Dolly, No Handle	03, 14	1 ea	Stocked
C2236H	Warewashing Rack Dolly with Handle	03, 14	1 ea	Stocked
C2237	Handle for C2236 & C2236H	03	1 ea	

 Standard(00)  Black(03)  Blue(14)  Chrome(38)

### Rack Cover

Item	Description	Color	Case MOQ
RHC	Rack Cover	02	1 ea

 White(02)





CAUTION  
CUIDADO ACHTUNG  
WET FLOOR  
PISO MOJADO  
RUTSCHGEFAHR

## DUSTPANS AND SWEEPERS

- Lobby pans and brooms with sectional handles to give you over 50% reduction in carton size; lower cube saves warehouse space and shipping costs
- The lobby pans pivot and lock into place during use and release for easy carrying or emptying
- Handles feature a pivoting hanging hole at top for storage



### Duo-Pan™ Lobby Pan & Duo-Sweep Broom Combo


- Serrated edge allows you to comb the broom's bristles and drop debris into the pan
- Handy clip to attach broom for convenient storage
- 76.2 cm two-piece handle made from vinyl coated steel

Item	Description	Material	Style	Color	MOQ	
361415	Duo-Pan™ Lobby Pan & Duo-Sweep Broom Combo	Plastic	Lobby	03 (Black)	1 ea	Stocked



## FLOOR SQUEEGEES

- For uneven or smooth surfaces



### Double Moss Foam Rubber with Metal Frame

- Moss Foam squeegee is designed for uneven, grouted and smooth surface floors

Item	Description	Handle	Color	MOQ
366318	45 cm Soft Black Foam Rubber	2.5 cm Tapered	00	10 ea
366324	56 cm Soft Black Foam Rubber	2.5 cm Tapered	00	10 ea
366824	56 cm Soft Black Heavy-Duty Foam Rubber	Threaded	00	10 ea
366330	76 cm Reinforced Soft Black Foam Rubber	2.5 cm Tapered	00	10 ea



### Double Foam Rubber Squeegee with Plastic Frame

- All plastic construction will not rust or bend and helps prevent hazard sparks when cleaning-up flammable fluids
- Available in colors to support HACCP compliance


Item	Description	Handle	Color	MOQ	
41567	45 cm Double Foam Rubber Floor Squeegee	Threaded	02, 04, 05, 09, 14, 24, 68	6 ea	Stocked
41568	61 cm Double Foam Rubber Floor Squeegee	Threaded	02, 04, 05, 09, 14, 24, 68	6 ea	



### Double Moss Foam Rubber Squeegee with Plastic Frame

- Soft, double foam is fat and oil resistant
- All plastic construction will not rust or bend and helps prevent hazard sparks when cleaning-up flammable fluids

Item	Description	Handle	Color	MOQ
366918	45 cm Red Foam Rubber	94" Threaded	00	10 ea
366922	56 cm Red Foam Rubber	94" Threaded	00	10 ea



HANDLES SOLD SEPARATELY; SEE THE NEXT PAGE FOR OPTIONS!

## HANDLES

- Durable for heavy usage



### Color-Coded Fiberglass Handles

- For use with push brooms, sweeps, squeegees and floor scrubs
- Fiberglass handles are available in threaded, tapered/threaded and telescoping
- Self-Locking Flex-Tip Handle offers greater flexibility and reduces handle stress

Item	Description	Diameter	Style	Color	MOQ
41226EC	183 cm Fiberglass Handle with Self-Locking Flex-Tip	25 mm	Threaded	02	12 ea
41225EC	122 cm Fiberglass Handle with Self-Locking Flex-Tip	25 mm	Threaded	02, 04, 05, 09, 14	12 ea
40225EC	152 cm Fiberglass Handle with Self-Locking Flex-Tip	25 mm	Threaded	01, 02, 03, 04, 05, 09, 14, 24, 25, 68	12 ea
40227	152 cm Solid Foam Filled Fiberglass Handle with Self-Locking Flex-Tip	25 mm	Tapered/Threaded	02, 04, 05, 09, 14	12 ea
40220	152 cm Fiberglass Handle	25 mm	Tapered/Threaded	01, 02, 04, 05, 09, 14	12 ea
41020	137 to 244 cm Threaded Telescoping Fiberglass Handle	25 mm	Threaded Telescoping	01*, 02, 04, 05, 09, 14	12 ea

Stocked

Stocked

## MOP BUCKETS & SIGNS

- Durable for heavy usage



SEE VIDEO



36904

### Bucket & Wringer Combos

- Made of durable, corrosion resistant polyethylene
- Non-marking casters
- Available in 24.5 liter or 33 liter sizes

Item	Description	Color	MOQ
36908	24.5 Liter Bucket with Side Press Wringer	04, 05, 09, 14, 69	1 ea
86904	33 Liter Bucket with Side Press Wringer	04, 05, 09, 14, 69	1 ea
36908W	Side Press Wringer for 24.6 and 33 Liter Mop Bucket	04, 05, 09, 14, 69	1 ea

Stocked



36908W

### Wet Floor Signs

- Durable polypropylene
- Specially designed feet protect floor finishes
- 36900 locks into place to prevent collapsing
- Compact for easy storage

Item	Description	Color	MOQ
36900	Floor Sign (English/Spanish)	00	6 ea
36909	Economy Wet Floor Sign (English/Spanish/German)	04	6 ea

Stocked



36909



36900





SBC203103

**CARLISLE**  
FOODSERVICE PRODUCTS

TRANSPORTATION

CARTS



CC2036DP



CC2036DP

Bussing Carts 

- Durable construction stands up to the toughest use
- Molded on handles that will not come apart when rolling over bumps and uneven surfaces
- Raised edges on shelves for quick loading and protect from spills and accidents

Item	Description	Weight Capacity	Color	MOQ	
CC2243	106 x 58 cm Large Bussing Cart	136 kg	03	1 ea	Stocked
CC2036	45 x 91 cm Bussing Cart	136 kg	03	1 ea	Stocked
CD2036	45 x 91 cm Doors and Back Panels Only	—	03	1 set	
CC11SH	Accessory Bin for Bussing Cart	—	03	1 ea	
CC11TH	Trash Bin for Bussing Cart	—	03	1 ea	Stocked



CC2036P

Black(03)

JANITORIAL CARTS & ACCESSORIES

- Rugged polypropylene resists cracking, peeling and corrosion
- Three durable shelves with raised edges keep items organized
- Platform base holds a Bucket/Wringer or 87 liter TrimLine™ Waste Container
- Includes a 95 liter nylon bag for waste or laundry collection
- 76.2 mm standard Carlisle non-marking swivel casters in front; large 203.2 mm non-marking rear wheels



Integrated tool holders, shelves and hooks keep everything organized including unwieldy handles.



Front hooks hold most standard Wet Floor Signs. Built-in hanger holds multiple spray bottles.



Structurally reinforced base and heavy-duty casters/wheels withstand rough use - holds up to 136 kg



Tough 95 liter nylon bag easily attaches to cart arm. Hooks on top of arm to hold trash liners in place. Arm swings up for more compact storage when not in use.



JC1945S

Janitorial Carts and Accessories

Item	Description	Weight Capacity	Color	MOQ
JC1945S	114 L x 48 W x 99 cm H Short Platform Janitorial Cart	136 kg	23	1 ea
JC1945L	124 L x 48 W x 99 cm H Long Platform Janitorial Cart	136 kg	23	1 ea
JC1946	Replacement Bag for JC1945S & JC1945L	—	14	1 ea

Tool Caddy

- Handled caddy fits in the top compartment of the JC1945 cart series
- Deep compartments prevent spills
- Made of durable polypropylene

Item	Description	Color	MOQ
JC1945CB	Tool Caddy for Janitorial Cart	23	1 ea




JC1945CB




DISH DOLLIES


Optimizer Adjustable Dish Dolly Guide




ADS8 Layout for 13.9 cm round plates




ADS8 Layout for 16.51 cm round plates




ADS4 Layout for 19.05 cm round plates and 15.24 cm square plates




ADS4 Layout for 22.9 cm round plates




ADS4 Layout for 27.94 cm round plates and 21.6 cm square plates




ADS4 Layout for 30 cm round plates




ADD4 Layout for 25.1 cm to 28.58 cm round plates




ADD4 Layout for 29 cm to 31.75 cm round plates, 21.6 cm to 26.7 cm square plates and 34.29 cm by 26.7 cm platters




ADD6 Layout for 30 cm by 22.9 cm to 24 cm by 18.42 cm platters, 13.9 cm to 20.3 cm and 13.9 cm to 30 cm round plates




ADD6 Layout for 25.4 cm by 36.8 cm trays and 19.05 cm and 25.4 cm round plates




ADD6 Layout for 30 cm by 23.5 cm to 24 cm by 18.42 cm platters



ADD6 Layout for 21.3 cm to 24.8 cm round plates



ADD6 Layout for 20.3 cm to 20.96 cm round plates



ADD6 Layout with 2 Additional Dividers for 13.9 cm to 20 cm round plates



ADD4



ADS4

Optimizer™ Adjustable Dish Dollies 

- Adjustable dividers eliminate the need for individually sized dollies
- Dollies hold plates from 14 cm to 32 cm
- Polyethylene dividers and walls help prevent dish edge chipping
- Two-handed access to all plates reduces breakage
- Non-marking casters (2 locking, 2 non-locking) for easy transport of loaded dollies
- Includes vinyl cover with easy-opening hook & loop side included for sanitary storage

Item	Description	Color	MOQ	
<b>OPTIMIZER STANDARD</b>				
ADD4	Optimizer Dish Dolly with 4 Dividers	03	1 ea	Stocked
ADD6	Optimizer Dish Dolly with 6 Dividers	03	1 ea	Stocked
ADD0	Optimizer Replacement Dividers (Set of 2)	01	2 ea	
<b>OPTIMIZER SMALL</b>				
ADS4	Optimizer Small Dish Dolly and 4 Adjustable Dividers	03	1 ea	Stocked
ADSD	Optimizer Replacement Dividers (Set of 4)	03	1 ea	

Note: ADD4, ADD6, ADS4, ADS8 cannot ship UPS/FedEx

\*Color available by special order only



ADDC Vinyl Cover with ADD6

Optimizer Vinyl Replacement Covers

Item	Description	Color	MOQ
ADDC	Vinyl Replacement Cover for Optimizer STANDARD (for ADD4 or ADD6)	07	1 ea





**CARLISLE**  
FOODSERVICE PRODUCTS

WASTE MANAGEMENT



**Built-In Durability**




Bronco™ NSF Made in USA

- Heavy-duty construction with double-reinforced stress ribs; drag skids for durability
- Comfort Curve™ handles provide easy handling
- Helper handles on base for controlled tipping or overhead lifting
- Reinforced lids have snap down tab locks with a simple press & pull release system for easy removal
- NSF Std 21 – meets the criteria for thermoplastic refuse containers
- NSF Std 2 – meets the criteria for food contact and cleanability

Item	Description	Color	Case MOQ
841010	38 L Waste Container, 41 x 43.1 cm	02, 03, 04, 05, 09, 14, 23, 24, 89*	6 ea
841011	38 Lid, 41 x 5 cm	02, 03, 04, 05, 09, 14, 23, 24, 89	6 ea
841020	75 L Waste Container, 51 x 58 cm	02, 03, 04, 05, 09, 14, 23, 24, 89*	6 ea
841021	75 L Lid, 51 x 5 cm	02, 03, 04, 05, 09, 14, 23, 24, 89*	6 ea
841032	121 L Waste Container, 57 x 70 cm	02, 03, 04, 05, 09, 14, 23, 24, 89	4 ea
841033	121 L Lid, 61 x 5 cm	02, 03, 04, 05, 09, 14, 23, 24, 89	4 ea
341034	121 L Dome Lid	03	1 ea
841035	121 L Funnel Lid	03	4 ea
841044	166 L Waste Container, 68 x 80 cm	02, 03, 04, 05, 09, 14, 23, 24, 89	3 ea
841045	166 L Lid, 68 x 6 cm	02, 03, 04, 05, 09, 14, 23, 24, 89	3 ea
841055	208 L Waste Container, 67 x 84 cm	02, 03, 04, 05, 09, 14, 23, 89*	2 ea
841056	208 L Lid, 67 x 9 cm	02, 03, 04, 05, 09, 14, 23, 89*	2 ea
341057	166/208 L Dome Lid	03	1 ea

\* Color available by special order only



SEE VIDEO



**Carlisle Dollies** NSF

- Dollies fit our 76, 121, 166 and 208 liter containers for safe transport of heavy loads
- Simple twist-to-lock feature securely attaches dolly to containers
- Dollies include standard Carlisle non-marking 76.2 mm swivel casters
- NSF Std 2—meets the criteria for food contact and cleanability

Item	Description	Color	MOQ
36911	Standard Round Container Dolly, 45 x 15 cm	03 (Black)	2 ea
36910	Round Container Dolly with Replaceable Casters	03 (Black)	2 ea

Stocked



Item	Page No	Item	Page No
269FG*	82	3980	96
269FMT301	63	3990	96
301	71	3992	96
302	71	4006	71
304	71	4009	71
316	71	4109	71
362*	56	4206	71
475*	57	4230	96
614DVA20	35	4231	96
614DVA	35	4250	96
630FMT309	63	4251	96
800FG13	31	4260	96
810PM15	31	4261	96
810PM17	31	4270	96
817TMSB	31	4271	96
830*	56	4306	99
830FMT301	63	4315	94
843*	56	4322	95
844*	56	4324	95
845*	56	4326	95
1030FMT301	63	4328	95
1100GL004	84	4329	95
1100GR2004	84	4330	95
1218FMT301	63	4332	99
1230FMT301	63	4355	73
1318FMT301	63	4358	95
1400GL1400GL004	84	4360	95
1400GR2004	84	4362	95
1410FG001	82	4364	99
1600GL004	84	4410	73
1600GR2004	84	4411	73
1612FG*	82	4415	98
1814FG*	82	4420	73
1814GR2004	84	4425	98
1826GR2Q004	84	4426	98
1900*	45	4450	73
1989*	45	4460	73
1991*	45	4470	73
1993*	45	4471	73
1994*	45	4606	71
2015FG*	82	4609	71
2015GR2004	84	4709	71
2216GR2Q004	84	4712	71
2500*	56	4806	71
2500GR2004	84	4900	98
2618FGQ*	82	4921	96
2700GR2004	84	4922	96
3100GR2004	84	4923	96
3253GR2004	84	4924	96
3400P	6	4925	96
3958	96	4926	96
3960	96	4927	96
3961	96	4928	96

Item	Page No	Item	Page No
4929	96	10211U	102
4930	96	10212B	102
4931	96	10212B	104
4933	96	10215	102
4961	96	10216U	102
4962	96	10220B	102
5212*	50	10221B	102
5216*	50	10222B	102
5220*	50	10223B	102
5224*	50	10230U	102
5232*	50	10231U	102
5501*	50	10232B	102
5506*	50	10232B	104
5526*	50	10235	102
5529*	50	10236U	102
5536*	53	10239Z	103
5538*	53	10240B	102
5570*	53	10270U	102
5573*	53	10271U	102
5601*	48	10276U	102
5602*	48	10279Z	103
5603*	48	10280Z	103
5609*	48	10290U	102
5610*	48	10291U	102
5612*	48	10310U	102
5614*	48	10311U	102
5616*	48	10316U	102
5640*	48	10319Z	103
5641*	48	10335	102
5642*	48	10336U	102
5643*	48	10337U	102
5644*	48	10339Z	103
5645*	48	10400B	104
5646*	48	10401B	104
5648*	48	10402B	104
5649*	48	10410U	104
5650*	48	10415	104
5806*	49	10420B	104
5808*	49	10421B	104
5810*	49	10422B	104
5812*	49	10423B	104
5814*	49	10430U	104
5816*	49	10431U	104
5818*	49	10435	104
5820*	49	10439Z	105
5822*	49	10439Z	105
5832*	49	10440B	104
7550	76	10470U	104
7555	76	10471U	104
8104*	52	10490U	104
10200B	102	10510U	104
10203B	102	10511U	104
10210U	102	10519Z	105

Item	Page No	Item	Page No
10535	104	30660	102
10536U	104	30661	102
10537U	104	30662	102
10539Z	105	30669	102
10610	106	30670	102
10611	106	30680	102
10612	106	30681	102
10617	106	30682	102
10620	106	30683	102
10621	106	30684	102
10622	106	30685	102
10623	106	30686	102
10624	106	30687	102
10627	106	30688	102
10628	106	30689	102
10629	106	30695	102
10761	109	30860	104
10763	109	30860H	105
10764	109	30860HH	105
10765	109	30861	104
10766	109	30861H	105
10767	109	30861HH	105
10768	109	30862	104
10769	109	30870	104
10770	109	30881	104
10771	109	30882	104
10772	109	30883	104
10773	109	30884	104
11950	108	30885	104
11951	108	30886	104
11952	108	30887	104
11953	108	30888	104
11954	108	30895	104
11955	108	30896	104
11956	108	36900	127
11960PE	108	36905	127
11961PE	108	36908	127
11962PE	108	36908W	127
11963PE	108	36909	127
11964PE	108	36910	138
11965PE	108	36911	138
11966PE	108	40220	126
11970	108	40227	126
11971	108	40350C	98
11972	108	40352C	98
30580	102	40353C	98
30580	104	40361C	98
30581	102	41020	126
30581	104	41225EC	126
30582	102	41226EC	126
30582	104	41567	125
30583	102	41568	125
30583	104	43066*	52

Item	Page No	Item	Page No
43068*	52	841021	136
43121*	56	841032	136
43122*	56	841033	136
43123*	56	841035	136
43126*	56	841044	136
43142	94	841045	136
43143	94	841055	136
43144	94	841056	136
43145	94	1178902	17
43937*	50	1179944	17
53101*	44	4314107	94
53102*	4		
53103*	44	<b>A</b>	
53104*	44	ADD4	133
53105*	44	ADD6	133
53106*	44	ADDC	133
53107*	44	ADDD	133
53108*	44	ADS4	133
53109*	44	ADSD	133
53110*	44		
60200	65	<b>C</b>	
60201	65	C32P1	120
60202	65	C54XC	9
60203	65	C2010C	7
60204	65	C2210C	7
60205	65	C2210C18	7
60206	65	C2220A	120
60207	65	C2236	120
60208	65	C2237	120
60209	65	C2410C	7
60210	65	C2410C18	7
60211	65	C2410CBK	7
60300*	95	C2852	9
70900*	51	C2853	9
70901*	51	C2854	9
70902*	51	C3200EV	6
70903*	51	C3200P	6
70905*	51	C3200P	6
86904	127	C3400EH	6
251207	64	C3400EV	6
300407	64	C3400P	6
341034	136	C3500EF	6
341057	136	C3500P	6
361415	124	C3500P	6
366318	125	C3620W11	85
366324	125	C3625T38	85
366330	125	C3630W11	85
366824	125	C4150SS	6
366918	125	C4160TBL	6
366922	125	C5250C	9
841010	136	C5250C18	9
841011	136	C5450C	9
841020	136	C5450C18	9

Item	Page No	Item	Page No	Item	Page No	Item	Page No
C8500S.....	10	DL182623.....	90	L2210.....	8	REW20SC.....	113
C8504WF.....	10			L2400C.....	8	REW30S.....	113
C8504WFD.....	10	<b>E</b>		L2410.....	8	REW30SC.....	113
CBG912PR.....	17	EAG0169.....	62	L3200.....	10	RF.....	118
CBG6938PR.....	17	EAG0269.....	62	L3400.....	10	RFP.....	119
CBG121812.....	16	EAG0469.....	62	L3402.....	10	RG9.....	112
CBG152012.....	16	EAG0569.....	62	L3502.....	10	RG9.....	115
CBG182412.....	16	EAG0669.....	62			RG16.....	112
CBM1016.....	17	EAG0769.....	62	<b>M</b>		RG16.....	115
CBM1318.....	17	EZKAPR.....	35	MIN5440.....	49	RG25.....	112
CBM1622.....	17	EZKFS.....	35	MIN5441.....	49	RG25.....	116
CC11SH.....	130	EZKHP88.....	34	MIN5442.....	49	RG36.....	112
CC11TH.....	130	EZKKIT.....	35	MIN5443*.....	53	RG36.....	117
CC2036.....	130	EZKSHG.....	35	MIN5449.....	49	RG49.....	112
CC2243.....	130	EZKSL.....	35	MODBASE.....	12	RG49.....	117
CD2036.....	130			MODBFD.....	11	ROP.....	118
CM1042.....	70	<b>G</b>		MODCC100.....	12	RP.....	118
CM1045.....	70	G0801.....	41	MODTRAY.....	12	RPC.....	119
CM1049.....	70	G0802.....	41			RSP.....	119
CM1100.....	69	G0802.....	41	<b>P</b>		RTP.....	118
CM1100C14.....	68	G0803.....	41	P4100.....	12	RW20.....	112
CM1101.....	69	G0805.....	41	P4900.....	12	RW20.....	113
CM1101C14.....	68			PC300N01.....	89	RW30.....	112
CM1102.....	69	<b>H</b>		PC600N01.....	89	RW30.....	113
CM1102C14.....	68	H2000SC.....	13	PC66014.....	89		
CM1103.....	69	H2000SS12.....	13	PS103AT00.....	79	<b>S</b>	
CM1103C14.....	68	H2001CLSS.....	13	PS204.....	78	SG10-*.....	34
CM1104.....	69	H2003CLSS12.....	13	PS204AST.....	78	SG10-**.....	34
CM1104C14.....	68	H2003CLSS.....	13	PS304*.....	79	SH900*.....	41
CM1105.....	69	H2005CLSS.....	13	PS304AT00.....	79	SHF900*.....	41
CM1105C14.....	68			PS501N.....	79	ST250.....	10
CM1107.....	69	<b>I</b>		PS502N.....	79		
CM1108.....	69	IC2250T03.....	91	PS601N.....	79	<b>T</b>	
CM1125.....	69	IC225003.....	91	PS601NC.....	78	T420*.....	40
CM1126.....	69	IC225403.....	91	PS602N.....	79	T1700*.....	40
CM1127.....	69	IT40003.....	88	PS603N00.....	79	T1740*.....	40
CM1128.....	69	IT41003.....	88	PS701B00.....	79	T8300TBK.....	40
CM10238Z.....	70			PS801B0401.....	79	T8370*.....	40
CM10239Z.....	70	<b>J</b>		PS10300.....	79	TC7503.....	16
CM10240Z.....	70	JC1945CB.....	131	PS20302.....	79	TC152012.....	16
CM10278Z.....	70	JC1945L.....	131	PS70202.....	79	TC182412GV.....	16
CM10279Z.....	70	JC1945S.....	131	PS80200.....	79		
CM10280Z.....	70	JC1946.....	131	PSD13EH07.....	64	<b>U</b>	
CM10318Z.....	70			PSD21EH07.....	64	UHP55BK.....	34
CM10319Z.....	70	<b>K</b>				UHP77BK.....	34
CP2036.....	130	KL121.....	45	<b>R</b>			
CT1014*.....	83	KL200.....	45	RB.....	118	<b>X</b>	
CT1216*.....	83	KL204.....	45	RC16.....	112	XC2022.....	8
CT1217*.....	83			RC16.....	119	XC2226.....	8
		<b>L</b>		RC20.....	112	XC2226BK.....	8
<b>D</b>		L320C.....	11	RC20.....	119	XC2426.....	8
DL300R03.....	90	L360C.....	10	RE9.....	115	XC2426BK.....	8
DL30023.....	90	L2200C.....	8	REW20S.....	113	XDL3000H03.....	90

**EN General Terms and Conditions of Sale**

The sales agreement shall apply to all sales agreements between CFS Brands EMEA Inc (hereinafter referred to as the seller) and the customer (hereinafter referred to as the buyer). Deviations from these general terms and conditions of sale can only be made by a written document signed by the seller as well as the buyer. This expressly excludes the application of the buyer's own general terms and conditions.

**1. Orders**

The sales agreement shall come into effect as soon as the buyer accepts the offer and the conditions set out thereby are fulfilled. The placing of an order, purchase order and/or acceptance of an invoice implies the knowledge and unconditional acceptance of the seller's general terms and conditions, including the price. By placing an order and/or purchase order, the buyer acknowledges that it knows the product, its specific characteristics, and the conditions of use thereof, and that it shall comply with the same.

**2. Price**

All prices are expressed in the currency notified to the buyer and shall also be visible in the order confirmation (EUR/USD/GBP), and shall be payable in cash at the time of purchase, unless expressly agreed otherwise between the seller and the buyer, and expressly stated in the order confirmation or in the agreement. If the seller agrees a certain price with the buyer, the seller shall nevertheless be entitled to pass on increases in wages or other price-determining factors to the buyer after the conclusion of the agreement, before the agreed time of delivery. Under no circumstances shall the buyer be able to claim any retention of payment on the grounds of any price differences that may exist in the market. All payments must be made directly at the seller's registered office.

**3. Delivery**

The place of delivery shall be the address which the buyer has notified to the seller. The seller may, without prior notice, suspend and/or cancel delivery or performance of the agreement if any, if the buyer does not fulfil its payment obligations, as well as the obligations imposed under the present general terms and conditions. The buyer shall notify any complaint regarding the goods delivered in writing within 10 days of receipt, quoting the order number. Complaints not raised within 10 days of delivery shall no longer be accepted.

**4. Delivery term**

Delivery and execution times shall always be approximate and shall not be binding on the seller. They shall be considered only as information and can therefore not constitute an essential element of the sales agreement. Delays in execution of the order may not under any circumstances constitute a ground for the cancellation of the order, refusal to pay the agreed price in full, rescission of the agreement and/or claim for compensation for damages from the seller. The seller reserves the right to make partial deliveries. A partial delivery shall not be a ground for the cancellation or non-payment of the goods already delivered. If the buyer wishes to discontinue further performance after partial deliveries, this shall not affect its obligations under the general terms and conditions and the seller's rights. The seller reserves the right to demand forced execution if necessary. The seller shall employ all reasonable means to execute the sale. In case of force majeure or unforeseen circumstances beyond the seller's control, the seller cannot be held liable and shall be entitled to either cancel all or part of the sale or to extend the execution period by a maximum of 60 days. The following cases are covered under force majeure and/or unforeseeable circumstances, namely: natural disasters, war, strike, social conflict, fire, flood, transport restrictions, price increase, stock depletion, non-delivery or late delivery by suppliers, refusal by any government to grant necessary permits, decisions emanating from the judiciary / administrative authorities / the government, etc. This list is non-exhaustive. Unforeseen expenses incurred by the seller in its attempt to execute the sale notwithstanding the force majeure, will be charged to the buyer.

**5. Transfer of ownership and risk**

The goods shall remain the property of the seller until receipt of full payment of all outstanding balances, including interest and damages. Without prejudice to this clause of transfer of ownership, all risks (loss/damage/etc.) shall immediately pass to the buyer as soon as the goods leave the seller's warehouse, unless otherwise agreed between the seller and the buyer. As long as the seller has a right of ownership over the goods delivered in accordance with the provisions of this clause, the buyer shall remain liable for keeping the goods in good condition. During this period, the buyer shall be solely liable for any loss of or damage to the goods.

**6. Right of rescission**

In case of full or partial non-payment by the buyer, the seller shall be entitled to suspend the performance of its obligations until full payment by the buyer of all its outstanding debts to the seller. If no payment has been made by the buyer after the due date of any invoice, the seller shall be entitled, by operation of law and without the need for prior notice, to regard the agreement as dissolved, while retaining its right to claim interest and/or damages.

**7. Payments – interest on arrears – liquidated damages**

In the event of full or partial non-payment on the due date, interest of 12% per annum shall be payable ipso jure and without the need to issue a prior notice of default, as well as liquidated damages of 15% of the invoice amount, subject to a minimum of €250, with the seller reserving the right to prove and claim higher damages equal to the actual damage suffered. This shall constitute liquidated damages for expenses other than loss of interest and actual court costs if any. In case of (full or partial) non-payment of one invoice on the due date, all outstanding invoices, even those not yet due, shall become immediately payable by operation of law and without the need for prior notice of default.

**8. Liability**

The seller shall not be liable for any damage suffered by the buyer, including, but not limited to, property damage, demurrage and loss of profit, as a result of non-performance or late and/or improper performance of the agreement concluded between the seller and the buyer, unless the buyer proves that the damage is the direct result of intent or gross negligence on the part of the seller. The seller's liability shall be limited to the replacement, repair or refund of the goods, at the seller's discretion. The seller shall not be liable for indirect damages. In any case, the seller's contractual and extra-contractual liability shall be limited to the value of the goods purchased.

**9. Patent clearance**

The seller shall protect and indemnify the buyer and its directors, officers, agents and employees against any claims for damages or profits, including all reasonable costs incurred by the buyer in connection therewith, arising from infringement of patents, copyrights, trademarks or misappropriation of designs.

**10. General provisions – competent courts**

Any dispute shall be governed exclusively by Belgian law and shall be subject to the exclusive jurisdiction of the canton and judicial district of the registered office of the seller. All disputes arising from this agreement can consequently only be settled by the courts of Antwerp.

**11. Clause on the processing of personal data**

The seller collects and processes the identity and contact details it receives from the buyer, which relate to the buyer itself, its staff, employees, appointees and other useful contacts. The purposes for such processing are the performance of this agreement, customer management, accounting and direct marketing activities such as sending promotional or commercial information. The legal grounds are the performance of the agreement, the fulfilment of legal and regulatory obligations and/or the legitimate interest. Furthermore, for purposes of direct marketing by e-mail (such as through a newsletter or invitations to events), the buyer gives its explicit and free consent to the use of such personal data. Personal data shall be processed in accordance with the provisions of the General Data Protection Regulation and shall only be forwarded to processors, recipients and/or third parties insofar as required in connection with the aforementioned purposes for processing. The buyer shall bear responsibility for the accuracy and updating of the personal data it provides, and undertakes to strictly comply with the provisions of the General Data Protection Regulation with regard to the persons regarding whom it has transmitted the personal data, as well as with regard to any possible personal data it might receive from the seller and its staff, employees, and appointees. The buyer confirms that it has been adequately informed about the processing of personal data and about the rights of access, rectification, erasure and objection. The buyer confirms that it has informed its staff, employees, appointees and other contact persons of this processing and warrants their consent for the same.

FR

## Conditions générales de vente

Les conditions générales s'appliquent à tous les contrats de vente conclus entre CFS Brands EMEA Inc (ci-après le vendeur) et le consommateur (ci-après l'acheteur). Les dérogations aux présentes conditions générales de vente ne peuvent apparaître que par un document écrit signé par le vendeur et l'acheteur. Ceci exclut expressément l'application des propres conditions générales de l'acheteur.

### 1. Commandes

Le contrat de vente entre en vigueur au moment de l'acceptation de l'offre par l'acheteur et du respect des conditions qui y sont énoncées. La passation d'une commande, d'un bon de commande et/ou l'acceptation d'une facture implique la connaissance et l'acceptation inconditionnelle des conditions générales du vendeur, y compris le prix. En passant une commande et/ou un bon de commande, l'acheteur reconnaît connaître et appliquer le produit, ses caractéristiques spécifiques et les conditions d'utilisation.

### 2. Prix

Tous les prix sont, dans la devise communiquée à l'acheteur et également visible sur la confirmation de commande (EUR/USD/GBP), payables au comptant à l'achat, sauf convention contraire entre le vendeur et l'acheteur et expressément mentionnée sur la confirmation de commande, ou dans le contrat. Si le vendeur convient d'un prix donné avec l'acheteur, il a néanmoins le droit de répercuter les augmentations de salaires ou d'autres facteurs déterminant le prix sur l'acheteur après la conclusion du contrat, avant le moment de livraison convenu. En aucun cas, l'acheteur ne pourra prétendre à une quelconque rétention de paiement suite à d'éventuelles différences de prix sur le marché. Tous les paiements doivent être effectués directement au siège social du vendeur.

### 3. Livraison

Le lieu de livraison est l'adresse que l'acheteur a communiquée au vendeur. Le vendeur peut, sans préavis, suspendre et/ou annuler toute livraison ou exécution du contrat si l'acheteur ne remplit pas ses obligations de paiement, ainsi que les obligations conformément aux présentes conditions générales. Toute réclamation concernant les marchandises livrées doit être signalée par écrit par l'acheteur dans les 10 jours suivant la réception, en faisant mention du numéro de commande. Les réclamations non formulées dans les 10 jours suivant la livraison ne seront plus acceptées.

### 4. Délai de livraison

Les délais de livraison et d'exécution sont toujours approximatifs et n'engagent aucunement le vendeur. Ils doivent uniquement être considérés à titre d'information et ne peuvent donc pas constituer un élément essentiel du contrat de vente. Tout retard dans l'exécution de la commande ne peut en aucun cas donner lieu à l'annulation de celle-ci, au refus de payer l'intégralité du prix convenu, à la résiliation du contrat et/ou à des dommages et intérêts dans le chef du vendeur. Le vendeur se réserve le droit d'effectuer des livraisons partielles. Une livraison partielle ne constitue pas un motif d'annulation ou de non-paiement des marchandises déjà livrées. Si l'acheteur souhaite interrompre l'exécution après des livraisons partielles, cela ne porte pas préjudice à ses obligations conformément aux conditions générales et aux droits du vendeur. Le cas échéant, le vendeur se réserve le droit d'exiger l'exécution forcée. Tous les moyens raisonnables seront utilisés par le vendeur pour faire exécuter la vente. Le vendeur ne pourra être tenu pour responsable de cas de force majeure ou de circonstances imprévues et aura le droit soit d'annuler tout ou partie de la vente, soit de prolonger le délai d'exécution de 60 jours maximum. Les cas suivants relèvent de la force majeure et/ou de circonstances imprévisibles, à savoir : catastrophes naturelles, guerre, grève, conflit social, incendie, inondation, entrave au transport, augmentation des prix, épuisement des stocks, non-livraison ou livraison tardive par les fournisseurs, refus de toute autorité d'accorder les autorisations nécessaires, décisions émanant des autorités judiciaires / administratives / du gouvernement, etc. Cette énumération n'est pas exhaustive. Les dépenses imprévues engagées par le vendeur pour tenter de réaliser la vente malgré la force majeure seront à la charge de l'acheteur.

### 5. Transfert de propriété et risques

Les marchandises restent la propriété du vendeur jusqu'au paiement intégral de tous les soldes impayés, y compris les intérêts et les dommages et intérêts. Sans préjudice de cette clause de transfert de propriété, tous les risques (perte/dommages/etc.) sont immédiatement transférés à l'acheteur dès que les marchandises quittent l'entrepôt du vendeur, sauf convention contraire entre le vendeur et l'acheteur. Tant que le vendeur, conformément aux dispositions de la présente clause, dispose du droit de propriété sur les marchandises livrées, l'acheteur reste responsable de leur maintien en bon état. Pendant cette période, seul l'acheteur sera tenu responsable de la perte ou de l'endommagement des marchandises.

### 6. Droit de résiliation

En cas de non-paiement total ou partiel par l'acheteur, le vendeur a le droit de suspendre l'exécution de ses obligations jusqu'au paiement intégral par l'acheteur de toutes les dettes impayées au vendeur. Si aucun paiement n'a été effectué par l'acheteur après la date d'échéance de toute facture, le vendeur aura le droit, de plein droit et sans préavis, de considérer le contrat comme résilié, tout en conservant son droit de réclamer des intérêts et/ou des dommages et intérêts.

### 7. Paiements – intérêts de retard – dommages forfaitaires

En cas de non-paiement total ou partiel à l'échéance, des intérêts de 12 % l'an seront dus de plein droit et sans mise en demeure préalable, ainsi que des dommages et intérêts forfaitaires de 15 % du montant de la facture, avec un minimum de 250 €, le vendeur se réservant le droit de démontrer des dommages plus élevés et de réclamer des dommages et intérêts supérieurs correspondant au préjudice réellement subi. Il s'agit de dommages et intérêts forfaitaires pour les dépenses autres que la perte d'intérêts et les frais de justice réels. En cas de non-paiement (total ou partiel) d'une facture à l'échéance, toutes les factures en cours, même non échues, deviennent immédiatement exigibles de plein droit et sans mise en demeure préalable.

### 8. Responsabilité

Le vendeur n'est pas responsable des dommages subis par l'acheteur, y compris, mais sans s'y limiter, les dommages matériels, les immobilisations et le manque à gagner, à la suite de l'inexécution ou de l'exécution insuffisante et incorrecte de l'accord conclu entre le vendeur et l'acheteur, à moins que l'acheteur ne prouve que le dommage est la conséquence directe d'une faute lourde ou dol dans le chef du vendeur. La responsabilité du vendeur est limitée au remplacement, à la réparation ou au remboursement des marchandises, à la discrétion du vendeur. Le vendeur n'est pas responsable des dommages indirects. Dans tous les cas, la responsabilité contractuelle et extracontractuelle du vendeur est limitée à la valeur des marchandises achetées.

### 9. Garantie des brevets

Le vendeur protégera et indemnisera l'acheteur et ses administrateurs, dirigeants, agents et travailleurs contre toute demande de dommages et intérêts ou de bénéfices, y compris tous les coûts raisonnables encourus par l'acheteur à cet égard, découlant de la violation de brevets, de droits d'auteur, de marques commerciales ou de l'appropriation illicite de dessins et modèles.

### 10. Dispositions générales – tribunaux compétents

Tout litige est régi exclusivement par le droit belge et est du ressort exclusif du canton et de l'arrondissement judiciaire du siège social du vendeur. Tous les litiges découlant du présent contrat seront exclusivement résolus par les tribunaux d'Anvers.

### 11. Clause concernant le traitement des données à caractère personnel

Le vendeur collecte et traite les données d'identité et de contact qu'il reçoit de l'acheteur, qui concernent l'acheteur lui-même, son personnel, ses collaborateurs, ses mandataires et autres personnes de contact utiles. Les finalités de ce traitement sont l'exécution du présent contrat, la gestion de la clientèle, la comptabilité et les activités de marketing direct telles que l'envoi d'informations promotionnelles ou commerciales. Les bases juridiques sont l'exécution du contrat, le respect des obligations légales et réglementaires et/ou l'intérêt légitime. En outre, à des fins de marketing direct par e-mail (comme une newsletter ou des invitations à des événements), l'acheteur donne son consentement explicite et libre à l'utilisation de ces données à caractère personnel. Les données personnelles susmentionnées seront traitées conformément aux dispositions du règlement général sur la protection des données et ne seront transmises aux responsables de traitement, aux destinataires et/ou aux tiers que dans la mesure où cela est nécessaire dans le contexte des finalités susmentionnées du traitement. L'acheteur assume la responsabilité de l'exactitude et de la mise à jour des données à caractère personnel qu'il fournit et s'engage à respecter scrupuleusement les dispositions du règlement général sur la protection des données à l'égard des personnes dont il a transféré des données à caractère personnel, ainsi que toutes les données à caractère personnel qu'il pourrait recevoir du vendeur et de ses collaborateurs, employés et mandataires. L'acheteur confirme qu'il a été correctement informé du traitement des données à caractère personnel et des droits en matière d'accès, de rectification, de suppression et d'objection. L'acheteur confirme qu'il a informé son personnel, ses collaborateurs, ses mandataires et autres personnes de contact de ce traitement et qu'il s'engage à obtenir leur consentement.

DE

## Allgemeine Verkaufsbedingungen

Die allgemeinen Bedingungen gelten für alle Kaufverträge zwischen CFS Brands EMEA Inc. (nachfolgend „der Verkäufer“) und dem Abnehmer (nachfolgend „der Käufer“). Abweichungen von diesen allgemeinen Verkaufsbedingungen können nur durch ein schriftliches Dokument erfolgen, das vom Verkäufer und vom Käufer unterzeichnet wurde. Dies schließt die Anwendung der eigenen allgemeinen Bedingungen des Käufers ausdrücklich aus.

### 1. Bestellungen

Der Kaufvertrag kommt mit der Annahme des Angebots durch den Käufer und der Erfüllung der darin festgelegten Bedingungen zustande. Die Erteilung einer Bestellung, eines Auftrags und/oder die Annahme einer Rechnung setzt die Kenntnis und bedingungslose Annahme der allgemeinen Bedingungen des Verkäufers voraus, einschließlich des Preises. Mit dem Aufgeben einer Bestellung und/oder einer Auftragsbestätigung erkennt der Käufer an, dass er das Produkt, seine spezifischen Eigenschaften und die Verwendungsbedingungen kennt und anwenden wird.

### 2. Preis

Alle Preise sind in der dem Käufer mitgeteilten und auch auf der Auftragsbestätigung ersichtlichen Währung (EUR/USD/GBP) bei Kauf in bar zu zahlen, es sei denn, es wurde ausdrücklich etwas anderes zwischen dem Verkäufer und dem Käufer vereinbart und auf der Auftragsbestätigung oder im Vertrag ausdrücklich angegeben. Vereinbart der Verkäufer mit dem Käufer einen bestimmten Preis, so ist der Verkäufer dennoch berechtigt, nach Vertragsabschluss vor dem vereinbarten Liefertermin Lohnsteigerungen oder andere preisbestimmende Faktoren an den Käufer weiterzugeben. In keinem Fall kann der Käufer einen Zahlungsrückbehalt aufgrund von Preisunterschieden auf dem Markt geltend machen. Alle Zahlungen müssen direkt an den Geschäftssitz des Verkäufers geleistet werden.

### 3. Lieferung

Der Lieferort ist die Adresse, die der Käufer dem Verkäufer mitgeteilt hat. Der Verkäufer kann ohne vorherige Inverzugsetzung jede Lieferung oder Ausführung des Vertrages aussetzen und/oder stornieren, wenn der Käufer seinen Zahlungsverpflichtungen sowie den Verpflichtungen gemäß den aktuellen allgemeinen Bedingungen nicht nachkommt. Jede Reklamation der gelieferten Ware muss vom Käufer innerhalb von 10 Tagen nach Erhalt der Ware schriftlich unter Angabe der Bestellnummer mitgeteilt werden. Reklamationen, die nicht innerhalb von 10 Tagen nach der Lieferung formuliert werden, können nicht mehr berücksichtigt werden.

### 4. Lieferfrist

Liefer- und Ausführungsfristen gelten immer nur annähernd und sind für den Verkäufer nicht verbindlich. Sie haben lediglich informativen Charakter und können daher kein wesentliches Element des Kaufvertrags darstellen. Verzögerungen bei der Ausführung der Bestellung können in keinem Fall zur Stornierung der Bestellung, zur Verweigerung der vollständigen Zahlung des vereinbarten Preises, zum Rücktritt vom Vertrag und/oder zum Schadensersatz seitens des Verkäufers führen. Der Verkäufer behält sich das Recht vor, Teillieferungen vorzunehmen. Eine Teillieferung ist kein Grund für eine Stornierung oder Nichtbezahlung der bereits gelieferten Waren. Wünscht der Käufer nach Teillieferungen die weitere Erfüllung einzustellen, so bleiben seine Verpflichtungen nach den allgemeinen Bedingungen und die Rechte des Verkäufers davon unberührt. Der Verkäufer behält sich das Recht vor, notfalls die Zwangsvollstreckung zu verlangen. Der Verkäufer wird alle angemessenen Mittel einsetzen, um den Verkauf durchzuführen. Im Falle höherer Gewalt oder unvorhergesehener Umstände, die sich der Kontrolle des Verkäufers entziehen, kann der Verkäufer nicht haftbar gemacht werden und ist berechtigt, entweder den Verkauf ganz oder teilweise zu stornieren oder die Ausführungsfrist um höchstens 60 Tage zu verlängern. Die folgenden Fälle fallen unter höhere Gewalt und/oder unvorhersehbare Umstände, nämlich: Naturkatastrophen, Krieg, Streiks, soziale Konflikte, Brand, Überschwemmungen, Transporthindernisse, Preiserhöhungen, Erschöpfung der Lagerbestände, Nichtlieferung oder verspätete Lieferung durch Lieferanten, Verweigerung der erforderlichen Genehmigungen durch beliebige Behörden, Entscheidungen der Justiz/Verwaltungsbehörden/Regierung usw. Diese Aufzählung ist nicht erschöpfend. Unvorhergesehene Kosten, die dem Verkäufer bei dem Versuch entstehen, den Verkauf trotz höherer Gewalt durchzuführen, gehen zu Lasten des Käufers.

### 5. Eigentums- und Gefahrübergang

Die Ware bleibt bis zur vollständigen Bezahlung aller offenen Forderungen, einschließlich Zinsen und Schadensersatz, Eigentum des Verkäufers. Unbeschadet dieser Klausel zum Eigentumsübergang gehen alle Gefahren (Verlust, Beschädigung usw.) sofort auf den Käufer über, sobald die Ware das Lager des Verkäufers verlässt, es sei denn, es wurde etwas anderes zwischen dem Verkäufer und dem Käufer vereinbart. Solange der Verkäufer gemäß den Bestimmungen dieser Klausel das Eigentum an den gelieferten Waren hat, haftet der Käufer für die Erhaltung dieser Waren in gutem Zustand. Während dieses Zeitraums haftet nur der Käufer für den eventuellen Verlust oder die Beschädigung der Waren.

### 6. Rücktrittsrecht

Bei vollständiger oder teilweiser Nichtbezahlung durch den Käufer ist der Verkäufer berechtigt, die Erfüllung seiner Verpflichtungen bis zur vollständigen Begleichung aller ausstehenden Forderungen des Verkäufers durch den Käufer auszusetzen. Wenn der Käufer nach dem Fälligkeitsdatum einer beliebigen Rechnung keine Zahlung geleistet hat, ist der Verkäufer berechtigt, den Vertrag von Rechts wegen und ohne vorherige Benachrichtigung als aufgelöst zu betrachten, wobei er sich das Recht vorbehält, Zinsen und/oder Schadensersatz zu fordern.

### 7. Zahlungen – Verzugszinsen – pauschaler Schadensersatz

Bei vollständiger oder teilweiser Nichtzahlung am Fälligkeitstag sind von Rechts wegen und ohne vorherige Inverzugsetzung Zinsen in Höhe von 12 % pro Jahr sowie ein pauschaler Schadensersatz in Höhe von 15 % des Rechnungsbetrags, mindestens jedoch 250 €, zu zahlen, wobei sich der Verkäufer das Recht vorbehält, einen höheren Schaden nachzuweisen und einen höheren Schadensersatz in Höhe des tatsächlich erlittenen Schadens zu fordern. Dies gilt als pauschaler Schadensersatz für andere Kosten als den Zinsverlust und die tatsächlichen Gerichtskosten. Bei (vollständiger oder teilweiser) Nichtbezahlung einer Rechnung am Fälligkeitstag werden alle ausstehenden, auch nicht fälligen Rechnungen von Rechts wegen und ohne vorherige Inverzugsetzung sofort fällig und zahlbar.

### 8. Haftung

Der Verkäufer haftet nicht für Schäden, die der Käufer erleidet, darin enthalten – aber nicht darauf begrenzt – Sachschäden, Schäden aufgrund von Stillstand und entgangener Gewinn, die sich aus der Nichterfüllung oder nicht rechtzeitigen ordnungsgemäßen Erfüllung des zwischen dem Verkäufer und dem Käufer geschlossenen Vertrags ergeben, es sei denn, der Käufer weist nach, dass der Schaden die unmittelbare Folge von Vorsatz oder grober Fahrlässigkeit seitens des Verkäufers ist. Die Haftung des Verkäufers beschränkt sich auf den Ersatz, die Reparatur oder die Erstattung der Ware, je nach Ermessen des Verkäufers. Der Verkäufer haftet nicht für indirekte Schäden. In jedem Fall ist die vertragliche und außervertragliche Haftung des Verkäufers auf den Wert der gekauften Ware beschränkt.

### 9. Patentrecht

Der Verkäufer schützt und entschädigt den Käufer und seine Direktoren, leitenden Angestellten, Vertreter und Arbeitnehmer gegen jegliche Forderungen bezüglich Schadensersatz oder Gewinn, einschließlich aller angemessenen Kosten, die dem Käufer in diesem Zusammenhang entstehen, die sich aus der Verletzung von Patenten, Urheberrechten, Marken oder der widerrechtlichen Aneignung von Mustern ergeben.

### 10. Allgemeine Bestimmungen – zuständige Gerichte

Alle Streitigkeiten unterliegen ausschließlich dem belgischen Recht und fallen in die ausschließliche Zuständigkeit des Kantons und des Gerichtsbezirks, in dem sich der Geschäftssitz des Verkäufers befindet. Alle Streitigkeiten, die sich aus dieser Vereinbarung ergeben, können daher nur von den Gerichten in Antwerpen entschieden werden.

### 11. Klausel über die Verarbeitung von personenbezogenen Daten

Der Verkäufer sammelt und verarbeitet die Identitäts- und Kontaktangaben, die er vom Käufer erhält und die sich auf den Käufer selbst, sein Personal, seine Mitarbeiter, Beauftragten und andere nützliche Kontakte beziehen. Die Zwecke dieser Verarbeitung sind die Erfüllung dieses Vertrags, die Kundenverwaltung, die Buchhaltung und Direktmarketingaktivitäten wie die Zusendung von Werbe- oder Geschäftsinformationen. Die Rechtsgrundlage ist die Erfüllung des Vertrags, die Erfüllung rechtlicher und regulatorischer Verpflichtungen und/oder ein berechtigtes Interesse. Darüber hinaus erteilt der Käufer für Direktmarketingzwecke per E-Mail (z. B. Newsletter oder Einladungen zu Veranstaltungen) seine ausdrückliche und freie Zustimmung zur Verwendung dieser personenbezogenen Daten. Personenbezogene Daten werden im Einklang mit den Bestimmungen der Datenschutz-Grundverordnung verarbeitet und nur in dem Umfang an Auftragsverarbeiter, Empfänger und/oder Dritte weitergegeben, wie es im Rahmen der oben genannten Verarbeitungszwecke erforderlich ist. Der Käufer trägt die Verantwortung für die Richtigkeit und Aktualisierung der von ihm übermittelten personenbezogenen Daten und verpflichtet sich, die Bestimmungen der Datenschutz-Grundverordnung in Bezug auf die Personen, von denen er die personenbezogenen Daten übermittelt hat, sowie in Bezug auf etwaige personenbezogene Daten, die er vom Verkäufer und dessen Personal, Mitarbeitern und Beauftragten erhalten könnte, streng einzuhalten. Der Käufer bestätigt, dass er angemessen über die Verarbeitung personenbezogener Daten und über die Rechte auf Auskunft, Berichtigung, Löschung und Widerspruch informiert wurde. Der Käufer bestätigt, dass er sein Personal, seine Mitarbeiter, seine Beauftragten und andere Kontaktpersonen über diese Verarbeitung informiert hat und sich um deren Zustimmung hierzu bemüht.

# [CFS BRANDS

DESIGNING VALUE.  
DELIVERING SUCCESS.

## EMEA Office

Schoorstraat 26a bus 1  
2220 Heist-op-den-Berg  
Belgium  
Emea@cfsbrands.com  
T +32 15228140

## Head Quarters

4711 E. Hefner Rd.  
Oklahoma City, OK 73131  
USA

[www.cfsbrands.com](http://www.cfsbrands.com)