



*Shoes***For***Crews*

2026

**Trusted by over 150,000
companies worldwide**

Table *of* Contents

| | |
|--|-----------|
| PRODUCT OVERVIEW | 4 |
| TECHNOLOGIES ICONS | 6 |
| SAFETY CATEGORIES | 7 |
| ATHLETIC: Unisex & Men's | 8 |
| ATHLETIC: Women's | 10 |
| CASUAL: Unisex & Men's | 12 |
| CASUAL: Women's | 14 |
| DRESS: Unisex, Men's & Women's | 16 |
| SAFETY: Unisex, Men's & Women's | 18 |
| PUMA® SAFETY: Unisex | 21 |
| TACTICAL: Unisex | 22 |
| WELLINGTONS: Unisex | 25 |
| WHEN IT'S GONE, IT'S GONE | 26 |
| MIGHTY MAT!™ | 28 |
| CREWGUARD® | 29 |
| ACCESSORIES | 30 |
| REVIVE™ CUSHIONING | 31 |
| OUTSOLE TECHNOLOGIES | 32 |
| SUSTAINABILITY | 34 |

Join the *Crew*

Trusted by over 150,000 companies to protect their teams—one step at a time.

Since 1984, **Shoes For Crews®** has led the industry in slip-resistant footwear. We pioneered the original slip-resistant outsole and have been innovating ever since—designing shoes that help reduce workplace accidents and protect professionals across food service, healthcare, hospitality, manufacturing, logistics, and more.

Each year, slips, trips, and falls are estimated to cost European businesses nearly **€71 billion** in claims, lost productivity, and operational downtime. At Shoes For Crews Europe, we help mitigate that risk with proven safety outcomes—our shoes reduce slip-related injuries **by up to 67%** and outperform competitors with **44% higher traction scores**.

A family of brands for every job

We offer over **110 styles** across proprietary and partner brands—all backed by our industry-leading outsole technology.

SFC Brands

- **Shoes For Crews®** – The original slip-resistant work shoe
- **SFC PRO®** – Heavy-duty industrial durability
- **MOZO®** – Where kitchen performance meets personal style
- **LILA™** – Advanced slip resistance for women in the workplace

Partner Brand featuring our exclusive slip-resistant outsoles:

- **PUMA® SAFETY**

Why companies choose us

- **40+ years of Slip Resistance Expertise** – Proven solutions trusted by leading industries
- **Fast, Reliable Delivery** – Supported by strategic logistics centres in the Netherlands and the UK
- **Certified Excellence** – Outsoles engineered to exceed requirements such as EN ISO 20344:2021 slip resistance standards
- **Tested for Safety** – Many of our styles are certified under EN ISO 20347:2022 or EN ISO 20345:2022
- **Sustainability in Practice** – Proud holder of the EcoVadis Bronze Medal for our responsible practices

Product Overview

STYLE MEN WOMEN UNISEX PAGE CATEGORY



ATHLETIC SHOES

| | | | | | | | | | |
|--------------------|----|----|----|------|-----------|---|---|---|---|
| Colly Soft Toe | | | ■ | 9 | OBEFOSR | ■ | ■ | ■ | ■ |
| Condor II | | | ■□ | 9 | OBE SR | ■ | ■ | ■ | ■ |
| Crossing | ■ | | | 9 | | ■ | ■ | ■ | ■ |
| Endurance II | ■ | | | 9 | | ■ | ■ | ■ | ■ |
| Everlight CE/Eco | ■□ | ■□ | | 9/11 | OBE SR | ■ | ■ | ■ | ■ |
| Evolution II | ■□ | | | 9 | | ■ | ■ | ■ | ■ |
| Heather II CE | | ■ | | 11 | O2SR | ■ | ■ | ■ | ■ |
| Johan Triple Black | | | ■ | 9 | O2FO SR | ■ | ■ | ■ | ■ |
| Karina | | ■□ | | 11 | | ■ | ■ | ■ | ■ |
| Karina RX CE | ■ | | | 11 | OBO2FO SR | ■ | ■ | ■ | ■ |
| Revolution II | | ■□ | | 11 | | ■ | ■ | ■ | ■ |
| Toby II CE | ■ | | | 9 | O2SR | ■ | ■ | ■ | ■ |
| Vitality II | | ■■ | | 11 | | ■ | ■ | ■ | ■ |

CASUAL SHOES

| | | | | | | | | | |
|------------------|---|---|----|-------|---------|---|---|---|---|
| Cater II | ■ | ■ | | 13/15 | OBE SR | ■ | ■ | | |
| Delray | | | ■ | 13 | | ■ | ■ | ■ | |
| Finn | ■ | | | 13 | | ■ | ■ | ■ | |
| Freestyle II Eco | ■ | | | 13 | | ■ | ■ | ■ | ■ |
| Holcombe CE | | | ■ | 13 | OBEFOSR | ■ | ■ | ■ | ■ |
| Liberty II Eco | | ■ | | 15 | | ■ | ■ | ■ | ■ |
| Mavi | | ■ | | 15 | OBE SR | ■ | ■ | ■ | |
| Minetta Oxford | | | ■ | 13 | | ■ | ■ | | |
| Old School IV | | | ■□ | 13 | OBE SR | ■ | ■ | ■ | ■ |
| Radium II | | | ■ | 13 | OBE SR | ■ | | | ■ |
| Saloon II | ■ | ■ | | 13/15 | OBE SR | ■ | ■ | ■ | |
| Zinc II | | | ■□ | 13 | OBE SR | ■ | | | ■ |

DRESS SHOES

| | | | | | | | | | |
|-----------------------|----|---|--|----|------|---|---|---|--|
| Ambassador II | ■ | | | 16 | OBSR | ■ | ■ | ■ | |
| Aristocrat IV | ■ | | | 16 | OBSR | ■ | ■ | ■ | |
| Cambridge III | ■ | | | 16 | OBSR | ■ | ■ | ■ | |
| Envy III | | ■ | | 17 | OBSR | ■ | ■ | | |
| Executive Wing Tip IV | ■ | | | 17 | OBSR | ■ | ■ | ■ | |
| Jenni | | ■ | | 17 | OBSR | ■ | ■ | | |
| Madison III | | ■ | | 17 | OBSR | ■ | ■ | ■ | |
| Mary Jane II | | ■ | | 17 | OBSR | ■ | ■ | ■ | |
| Reese | | ■ | | 17 | OBSR | ■ | ■ | ■ | |
| Senator | ■■ | | | 17 | | ■ | ■ | | |
| Statesman | ■ | | | 17 | | ■ | ■ | | |
| Willa | | ■ | | 17 | OBSR | ■ | ■ | | |

SAFETY SHOES

| | | | | | | | | | |
|----------------------------|---|---|----|----|-------------------|---|---|---|---|
| Barra | | | ■□ | 18 | S3L FO SR ESD LG | ■ | ■ | ■ | ■ |
| Bergamo | | | ■ | 18 | S3L HRO FO SR ESD | ■ | ■ | ■ | ■ |
| Bonnie | | ■ | | 20 | S3L FO SR | ■ | ■ | ■ | ■ |
| Brandon | | | ■□ | 18 | S3L FO SR ESD LG | ■ | ■ | ■ | ■ |
| Cambridge II ST | | | ■ | 19 | S2 FO SR | ■ | ■ | ■ | ■ |
| Catania | | | ■□ | 19 | S3L HRO FO SR | ■ | ■ | ■ | ■ |
| Clyde | ■ | | | 20 | S3L FO SR | ■ | ■ | ■ | ■ |
| Colly | | | ■ | 19 | S3L FO SR ESD | ■ | ■ | ■ | ■ |
| Colly Safety Black Low/Mid | | | ■ | 19 | S3L FO SR ESD | ■ | ■ | ■ | ■ |
| Engineer IV CT | | | ■ | 19 | S7L FO SR | ■ | ■ | ■ | ■ |
| Exec. Wing Tip II ST | ■ | | | 20 | S2 FO SR | ■ | ■ | ■ | ■ |
| Fergus Black/Denim | | | ■□ | 19 | S3L FO SR | ■ | ■ | ■ | ■ |

STYLE MEN WOMEN UNISEX PAGE CATEGORY



| | | | | | | | | | |
|----------------|---|---|----|----|---------------|---|---|---|---|
| Forkhill | | | ■ | 19 | S3L FO SR LG | ■ | ■ | | ■ |
| Heather II NCT | | ■ | | 20 | S3L SR | ■ | ■ | | ■ |
| Inny | | | □ | 20 | S3L FO SR LG | ■ | ■ | ■ | ■ |
| Salerno | | | ■□ | 20 | S3L HRO FO SR | ■ | ■ | ■ | ■ |
| Toby II NCT | ■ | | | 20 | S3L SR | ■ | ■ | ■ | ■ |
| Triston II SB | | | ■□ | 20 | SB E SR | ■ | ■ | | |

PUMA® SAFETY SHOES

| | | | | | | | | | |
|-----------|--|--|----|----|--------------------|---|---|---|---|
| Airtwist | | | □ | 21 | S3S FO SR HRO ESD | ■ | ■ | ■ | ■ |
| Frontside | | | ■■ | 21 | S1PS FO SR HRO ESD | ■ | ■ | ■ | ■ |

TACTICAL

| | | | | | | | | | |
|------------------|--|--|---|----|---------------------------|--|--|---|---|
| Beltra | | | ■ | 23 | O6 FO SR ESD | | | ■ | |
| Callan Low/Mid | | | ■ | 23 | O6 FO HI CI SR ESD LG | | | ■ | |
| Cambridge GL | | | ■ | 23 | O2 SR ESD | | | ■ | |
| Carrig Low/Mid | | | ■ | 23 | O6 FO HI CI SR ESD LG | | | ■ | |
| Darver | | | ■ | 24 | O6 FO HI CI HRO SR ESD LG | | | ■ | |
| Defense High/Mid | | | ■ | 24 | O6 HRO SR ESD LG | | | ■ | |
| Delvin | | | ■ | 24 | S7L CI SR LG | | | ■ | ■ |
| Guard High/Mid | | | ■ | 24 | S7L HRO SR ESD LG | | | ■ | ■ |

WELLINGTONS

| | | | | | | | | | |
|----------|--|--|-----|----|-----------|--|--|---|---|
| Bastion | | | ■□ | 25 | S4 SRC FO | | | ■ | ■ |
| Guardian | | | ■□ | 25 | S4 SRC FO | | | ■ | ■ |
| Sentinel | | | ■■□ | 25 | S4 SRC FO | | | ■ | ■ |

WHEN IT'S GONE, IT'S GONE

| | | | | | | | | | |
|------------|--|--|----|----|--------|---|---|---|---|
| Envy III | | | ■ | 27 | | ■ | ■ | ■ | ■ |
| Jasmine | | | ■ | 27 | | ■ | ■ | ■ | ■ |
| Liberty | | | □ | 27 | | ■ | ■ | ■ | ■ |
| Merlin | | | ■□ | 27 | | ■ | ■ | ■ | ■ |
| Radium | | | ■ | 27 | OBE SR | ■ | ■ | ■ | ■ |
| Triston II | | | ■□ | 27 | OBE SR | ■ | ■ | ■ | ■ |
| Zinc | | | ■□ | 27 | OBE SR | ■ | ■ | ■ | ■ |

OVERSHOES AND ACCESSORIES

| | | | | | | | | | |
|--------------------|--|--|---|----|---------------------|---|--|---|---|
| Crewguard® Stretch | | | ■ | 29 | SRFO | ■ | | ■ | ■ |
| Crewguard® Safety | | | ■ | 29 | SRFO Toe-Protection | ■ | | ■ | ■ |
| Insoles, Socks | | | | 30 | | | | | |
| Mats | | | | 28 | | | | | |

- HoReCa: Restaurant, Catering and Hospitality
- Public Transport, Logistics, Postal & Courier Services
- Retail
- Healthcare
- Emergency Services, Law Enforcement, Tactical, Security and Military
- Manufacturing and Food Production

■□■□■□■□
Colours available

SIZE TABLE

| | | | | | | | | | | | | | | | | |
|---------|-----|-----|-----|-----|-----|-----|------|----|----|-----|----|----|----|----|----|----|
| Men | | | | | | | | | | | | | | | | |
| EU Size | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | | | |
| UK Size | 5 | 6 | 6.5 | 7 | 8 | 9 | 9.5 | 10 | 11 | 12 | 13 | 14 | 15 | | | |
| US Size | 6 | 7 | 7.5 | 8 | 9 | 10 | 10.5 | 11 | 12 | 13 | 14 | 15 | 16 | | | |
| Women | | | | | | | | | | | | | | | | |
| EU Size | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | | | | | | | |
| UK Size | 2.5 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | | | | | | | |
| US Size | 5 | 5.5 | 6.5 | 7.5 | 8.5 | 9 | 9.5 | 10 | 11 | | | | | | | |
| Unisex | | | | | | | | | | | | | | | | |
| EU Size | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| UK Size | 2.5 | 3 | 4 | 5 | 6 | 6.5 | 7 | 8 | 9 | 9.5 | 10 | 11 | 12 | 13 | 14 | 15 |
| US Size | 3.5 | 4 | 5 | 6 | 7 | 7.5 | 8 | 9 | 10 | 11 | 11 | 12 | 13 | 14 | 15 | 16 |



Safety Categories

Occupational shoes offer protection but lack the reinforced toe cap. Safety shoes must feature a toe cap tested to 200 joules.

OCCUPATIONAL SHOES (Categories as of norm EN 20347)

| | Closed heel area | A Antistatic | E Energy absorption of seat region | WPA No water penetration in upper material | WR Water resistance | Cleated outsole | P/PS/PL Penetration protection made of steel or composite |
|----|------------------|--------------|------------------------------------|--|---------------------|-----------------|---|
| OB | | | | | | | |
| O1 | ● | ● | ● | | | | |
| O2 | ● | ● | ● | ● | | | |
| O3 | ● | ● | ● | ● | | ● | ● |
| O4 | ● | ● | ● | ● | | | |
| O5 | ● | ● | ● | ● | | ● | ● |
| O6 | ● | ● | ● | | ● | | |
| O7 | ● | ● | ● | | ● | ● | ● |

The categories **OB**, **O1**, **O2**, **O3**, **O6** and **O7** refer to shoes made of leather or textiles and other materials.

The **O4** and **O5** categories are shoes that have been wholly moulded, including solid rubber shoes (i.e. vulcanised shoes as a whole).

SAFETY SHOES (Categories as of norm EN 20345)

| | Toe cap | Mandatory level of slip resistance | Closed heel area | A Antistatic | E Energy absorption of seat region | P Perforation resistance (metal insert) | PS Perforation resistance (non metal insert, 3.0 mm nail) | PL Perforation resistance (non metal insert, 4.5 mm nail) | WPA No water penetration in upper material | Cleated outsole | WR Water resistance |
|------|---------|------------------------------------|------------------|--------------|------------------------------------|---|---|---|--|-----------------|---------------------|
| SB | ● | ● | | | | | | | | | |
| S1 | ● | ● | ● | ● | ● | | | | | | |
| S1P | ● | ● | ● | ● | ● | ● | | | | | |
| S1PS | ● | ● | ● | ● | ● | | ● | | | | |
| S1PL | ● | ● | ● | ● | ● | | | ● | | | |
| S2 | ● | ● | ● | ● | ● | | | | ● | | |
| S3 | ● | ● | ● | ● | ● | ● | | | ● | ● | |
| S3S | ● | ● | ● | ● | ● | | ● | | ● | ● | |
| S3L | ● | ● | ● | ● | ● | | | ● | ● | ● | |
| S4 | ● | ● | ● | ● | ● | | | | | | |
| S5 | ● | ● | ● | ● | ● | ● | | | | ● | |
| S5S | ● | ● | ● | ● | ● | | ● | | | ● | |
| S5L | ● | ● | ● | ● | ● | | | ● | | ● | |
| S6 | ● | ● | ● | ● | ● | | | | ● | | ● |
| S7 | ● | ● | ● | ● | ● | ● | | | ● | ● | ● |
| S7S | ● | ● | ● | ● | ● | | ● | | ● | ● | ● |
| S7L | ● | ● | ● | ● | ● | | | ● | ● | ● | ● |

Further safety shoe categories:

- AN:** Ankle protection
- C:** Partly conductive
- CI:** Cold insulation
- CR:** Cut resistance
- ESD:** Electrostatic discharge

- FO:** Resistance to fuel oil
- HI:** Heat insulation
- HRO:** Resistance to heat contact
- LG:** Ladder grip
- M:** Metatarsal protection
- SC:** Scuff cap abrasion
- SR:** Slip resistance (ceramic tile floor with glycerine)

Technologies Icons

OUTSOLES

- SFC OUTSOLE**
Safety with every step.
- 4SG™ FOUR SEASONS GRIP OUTSOLE**
All-weather grip on wet, icy, and oily surfaces.
- ICE PRO™ OUTSOLE**
Advanced traction on ice.

SAFETY FEATURES

- CE CERTIFIED**
Complies with European safety standards.
- RESISTANT TO FUEL OIL**
Outsole withstands oils and fuels.
- WATER RESISTANT**
Prevents water penetration under light contact.
- WATERPROOF**
Fully prevents water penetration.
- COMPATIBLE WITH ORTHOPEDIC INSOLES**
According to PPE standards.
- RESISTANT TO BLOODBORNE PATHOGENS**
Protects against fluid penetration (ASTM F1671 compliant).
- METAL-FREE**
No metal components.
- ANTISTATIC**
Reduce static build-up and safely dissipate electric charges to the ground.
- ELECTROSTATIC DISSIPATIVE (ESD)**
Channels static back into the ground rather than the body, preventing you from shocking anyone, or anything around you.

COMFORT FEATURES

- REVIVE™ FOAM CUSHIONING**
Extremely lightweight foam that reduces foot fatigue & pressure while providing 20% more rebound for energised steps.
- EXTRA-CUSHIONING**
Enhanced comfort and shock absorption.
- LIGHTWEIGHT**
For easier movements and greater comfort.
- BREATHABLE**
Allows air flow for added comfort.
- VEGAN-FRIENDLY**
Made without animal materials.

OUTSOLE FEATURES

- TRIPGUARD™**
Light curve and tighter lug pattern for smoother surface transitions.
- SPILLGUARD™**
Protective membrane on the upper to guard against spills.
- CLOG-RESISTANT**
Wide-spaced lugs to minimize clogging.
- PUNCTURE-RESISTANT**
Midsole protecting from sharp objects.
- HEAT-RESISTANT OUTSOLE**
Up to 300°C.

Athletic

When your work keeps you moving, lifting, and leading, these trainers provide the grip, support, and comfort you need.



COLLY SOFT TOE
EN ISO 20347:2022 [OB E FO SR]
STYLE # 65659 | Unisex | Black | 36-48

- Padded collar and tongue
- Recycled polyester and recycled microfibre upper
- Polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 384 grams (based on size 42)



CONDOR II
EN ISO 20347:2022 [OB E SR]
STYLE # 22270 | Unisex | Black | 35-48
STYLE # 22336 | Unisex | White | 35-48

- Padded collar and tongue
- Soft leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 455 grams (based on size 42)



JOHAN TRIPLE BLACK
EN ISO 20347:2022+A1:2024 [O2 FO SR]
STYLE # 22550 | Unisex | Black | 36-48

- Padded collar and tongue
- Textile upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 350 grams (based on size 42)



CROSSING
STYLE # 22384 | Men | Black | 39-47

- Padded collar and tongue
- Textile upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 341 grams (based on size 42)



ENDURANCE II
STYLE # 22782 | Men | Black | 39-50

- Padded collar and tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 240 grams (based on size 42)



EVERLIGHT CE
EN ISO 20347:2022 [OB E SR]
STYLE # 22273 | Men | Black | 39-47
STYLE # 22274 | Men | White | 39-47

- Breathable knitted upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 250 grams (based on size 42)



EVERLIGHT ECO
STYLE # 22337 | Men | Black | 38-48

- Breathable knitted upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 250 grams (based on size 42)



EVOLUTION II
STYLE # 21211 | Men | Black | 38-50
STYLE # 28289 | Men | White | 38-49

- Padded collar and tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Cushioned heel with airbags
- Weight per shoe: 390 grams (based on size 42)



TOBY I ICE
EN ISO 20347:2022+A1:2024 [O2 SR]
STYLE # 22558 | Men | Black | 39-48

- Padded collar and tongue
- Breathable knitted upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 330 grams (based on size 42)



Introducing *New* Karina RX



From hospital corridors to bustling kitchens to a quick break, these performance-driven trainers will keep you steady, supported, and ready for whatever the day brings.



EVERLIGHT CE
EN ISO 20347:2022 [OB ESR]
STYLE # 22272 | Women | Black | 35-42
STYLE # 22275 | Women | White | 35-42

- Breathable knitted upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 220 grams (based on size 39)



EVERLIGHT ECO
STYLE # 22330 | Women | Black | 35-42

- Breathable knitted upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 220 grams (based on size 39)



HEATHER II CE
EN ISO 20347:2022+A1:2024 [O2 SR]
STYLE # 22557 | Women | Black | 35-43

- Padded collar and tongue
- Textile upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 302 grams (based on size 39)



KARINA
STYLE # 36907 | Women | Black | 35-43
STYLE # 32709 | Women | White | 35-42

- Easy-lacing system
- Padded tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 247 grams (based on size 39)



KARINA RX CE
EN ISO 20347:2022 [OB O2 FO SR]
STYLE # 22556 | Women | Black | 35-43

- Padded collar and tongue
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 328 grams (based on size 39)



REVOLUTION II
STYLE # 29167 | Women | Black | 35-42
STYLE # 28093 | Women | White | 35-42

- Padded collar and tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Cushioned heel with airbags
- Weight per shoe: 363 grams (based on size 39)



VITALITY II
STYLE # 24759 | Women | Blue | 35-42

- Padded collar and tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 245 grams (based on size 39)



VITALITY II
STYLE # 28362 | Women | Black | 35-42

- Padded collar and tongue
- Synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 245 grams (based on size 39)



“Unreal work shoes!”

ALISON, EVERLIGHT CE, STYLE # 22272

Casual

No fuss. All comfort. Streetwear style with the slip resistance you need to get the job done.



DELRAY
STYLE # 38649 | Unisex | Black | 35-47

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 430 grams (based on size 42)



HOLCOMBECE
EN ISO 20347:2022 [OB E FO SR]
STYLE # 42501 | Unisex | Black | 36-47

- Padded collar and tongue
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (EVA recycled)
- Weight per shoe: 471 grams (based on size 42)



MINETTA OXFORD
STYLE # 62401 | Unisex | Black | 38-47

- Leather upper
- Recycled polyester vamp lining
- Removable cushioned insole (PU)
- Weight per shoe: 566 grams (based on size 42)



OLDSCHOOL IV
EN ISO 20347:2022 [OB E SR]
STYLE # 36111 | Unisex | Black | 35-47
STYLE # 38960 | Unisex | White | 36-47

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Double-thick insole with deep cushioning
- Weight per shoe: 380 grams (based on size 42)



RADIUM II
EN ISO 20347:2022 [OB E SR]
STYLE # 42461 | Unisex | Black | 35-47

- Durable EVA material
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 275 grams (based on size 42)



ZINC II
EN ISO 20347:2022 [OB E SR]
STYLE # 42460 | Unisex | Black | 37-48
STYLE # 42459 | Unisex | White | 37-48

- Durable EVA material
- Weight per shoe: 250 grams (based on size 42)



CATER II
EN ISO 20347:2022 [OB E SR]
STYLE # 41439 | Men | Black | 38-50

- Padded collar and tongue
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 426 grams (based on size 42)



FINN
STYLE # M11057 | Men | Black | 39-47

- Can be worn lace-free
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 434 grams (based on size 42)



FREESTYLE II ECO
STYLE # 32302 | Men | Black | 38-48

- Padded collar and tongue
- Durable synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 345 grams (based on size 42)



SALOON II
EN ISO 20347:2022 [OB E SR]
STYLE # 43261 | Men | Black | 38-50

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 451 grams (based on size 42)



“Really *happy*.”

Really happy with the shoes as a chef.

TSETSO ANGELOV, FINN, STYLE # M11057



Introducing *New* Minetta

Built for real life—on and off the clock. Comfortable, slip-resistant styles you can count on, from workday to weekend.



CATER II
EN ISO 20347:2022 [OBE SR]
STYLE # 40187 | Women | Black | 35–42

- Padded collar and tongue
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 365 grams (based on size 39)



Best Seller

LIBERTY II ECO
STYLE # 32301 | Women | Black | 35–42

- Padded collar and tongue
- Durable synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 325 grams (based on size 39)



MAVI
STYLE # M31174 | Women | Black | 35–43

- Can be worn lace-free
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 360 grams (based on size 39)



SALOON II
EN ISO 20347:2022 [OBE SR]
STYLE # 47808 | Women | Black | 35–42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 380 grams (based on size 39)



“I can walk with *ease*.”

I can walk with ease. Very comfortable and highly non-slip – I highly recommend them. The slightly foamy sole means I can walk for hours without any pain. Great shoes!

ANDREW, SALOON II, STYLE # 43261

Dress

The professional style you want, with the safety features you simply can't do without. From sleek, slip-resistant designs to polished oxfords, these dress shoes prove you don't have to compromise safety for style.

SHOES FOR CREWS



EXECUTIVE WING TIP IV
EN ISO 20347:2022 [OB SR]
STYLE # 20301 | Men | Black | 38-49

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 350 grams (based on size 42)



SENATOR
STYLE # 1201 | Men | Black | 38-47
STYLE # 1211 | Men | Brown | 39-47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Cushioned footbed with leather-lined insole
- Weight per shoe: 385 grams (based on size 42)



STATESMAN
STYLE # 1202 | Men | Black | 39-47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Cushioned footbed with leather-lined insole
- Weight per shoe: 345 grams (based on size 42)



ENVY III
EN ISO 20347:2022 [OB SR]
STYLE # 52263 | Women | Black | 35-42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Steel shank
- Shock-absorbing rubber heel (3.8 cm)
- Weight per shoe: 245 grams (based on size 39)



JENNI
EN ISO 20347:2022 [OB SR]
STYLE # 3616 | Women | Black | 35-42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heel height 1.2 cm
- Weight per shoe: 280 grams (based on size 39)



MADISON III
EN ISO 20347:2022 [OB SR]
STYLE # 57889 | Women | Black | 35-42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heel height 2.5 cm
- Weight per shoe: 300 grams (based on size 39)



AMBASSADOR II
EN ISO 20347:2022 [OB SR]
STYLE # 20331 | Men | Black | 38-47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 350 grams (based on size 42)



ARISTOCRAT IV
EN ISO 20347:2022 [OB SR]
STYLE # 20311 | Men | Black | 38-47

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 350 grams (based on size 42)



Best Seller

CAMBRIDGE III
EN ISO 20347:2022 [OB SR]
STYLE # 20321 | Men | Black | 38-49

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 360 grams (based on size 42)



Best Seller

MARY JANE II
EN ISO 20347:2022 [OB SR]
STYLE # 3002 | Women | Black | 35-44

- Padded collar
- Leather upper
- Recycled polyester lining
- Comfort fitting with adjustable strap
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 326 grams (based on size 39)



REESE
EN ISO 20347:2022 [OB SR]
STYLE # 57160 | Women | Black | 35-42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Hollow heel (1.2 cm) allows pressure to dissipate with each step
- Weight per shoe: 259 grams (based on size 39)



WILLA
EN ISO 20347:2022 [OB SR]
STYLE # 55452 | Women | Black | 35-42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Steel shank
- Heel height 3.8 cm
- Weight per shoe: 278 grams (based on size 39)



Safety

Serious safety. All-day comfort. Steel, nanocomposite or composite toes, slip-resistant soles, and built-in protection where it counts.



BARRA
EN ISO 20345:2022 [S3L FO SR ESD LG]
STYLE # 72533 | Unisex | Black | 36-48
STYLE # 72534 | Unisex | White | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 554 grams (based on size 42)



BERGAMO
EN ISO 20345:2022 [S3L HRO FO SR ESD]
STYLE # 72450 | Unisex | Black | 36-47

- Knitted upper
- Removable cushioned insole (recycled)
- Composite toe cap - 200 joules
- Weight per shoe: 615 grams (based on size 42)



BRANDON
EN ISO 20345:2022 [S3L FO SR ESD LG]
STYLE # 76642 | Unisex | Black | 36-48
STYLE # 76643 | Unisex | White | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 557 grams (based on size 42)



FERGUS BLACK
EN ISO 20345:2022 [S3L FO SR]
STYLE # 78493 | Unisex | Black | 36-48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 618 grams (based on size 42)



FERGUS DENIM
EN ISO 20345:2022 [S3L FO SR]
STYLE # 79778 | Unisex | Denim | 36-48

- Leather and denim upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Resistant to fuel oil
- Weight per shoe: 645 grams (based on size 42)



FORKHILL
EN ISO 20345:2022 [S3L FO SR LG]
STYLE # 79112 | Unisex | Black | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 595 grams (based on size 42)



CAMBRIDGE II ST
EN ISO 20345:2022 [S2 FO SR]
STYLE # 52151 | Unisex | Black | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Steel toe cap - 200 joules
- Weight per shoe: 585 grams (based on size 42)



CATANIA
EN ISO 20345:2022 [S3L HRO FO SR]
STYLE # 72444 | Unisex | Black | 36-47
STYLE # 72445 | Unisex | White | 36-47

- Microfibre upper
- Removable cushioned insole
- Composite toe cap - 200 joules
- Weight per shoe: 560 grams (based on size 42)



COLLY
EN ISO 20345:2022 [S3L FO SR ESD]
STYLE # 75660 | Unisex | Black | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 539 grams (based on size 42)



COLLY SAFETY BLACK LOW
EN ISO 20345:2022 [S3L FO SR ESD]
STYLE # 72584 | Unisex | Black | 35-50

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (PU)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 536 grams (based on size 42)



COLLY SAFETY BLACK MID
EN ISO 20345:2022 [S3L FO SR ESD]
STYLE # 72537 | Unisex | Black | 35-50

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (PU)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 570 grams (based on size 42)



ENGINEER IV CT
EN ISO 20345:2022 [S7L FO SR]
STYLE # 76737 | Unisex | Black | 36-48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Weight per shoe: 727 grams (based on size 42)





INNY
EN ISO 20345:2022 [S3L FO SRLG]
STYLE # 74893 | Unisex | White | 36-48

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 598 grams (based on size 42)



SALERNO
EN ISO 20345:2022 [S3L HRO FO SR]
STYLE # 72449 | Unisex | Black | 36-47

- Microfibre upper
- Removable cushioned insole
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 590 grams (based on size 42)



TRISTON II SB
EN ISO 20345:2022 [SB E SR]
STYLE # 80045 | Unisex | Black | 36-47
STYLE # 80046 | Unisex | White | 36-47

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Weight per shoe: 449 grams (based on size 42)



Best Seller

CLYDE
EN ISO 20345:2022 [S3L FO SR]
STYLE # 73403 | Men | Black | 38-47

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Weight per shoe: 550 grams (based on size 42)



EXECUTIVE WING TIP II ST
EN ISO 20345:2022 [S2 FO SR]
STYLE # 52181 | Men | Black | 38-47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Steel toe cap - 200 joules
- Weight per shoe: 655 grams (based on size 42)



NEW

TOBY II NCT
EN ISO 20345:2022+A1:2024 [S3L SR]
STYLE # 72586 | Men | Black | 39-48

- Padded collar and tongue
- Textile upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 444 grams (based on size 42)



Best Seller

BONNIE
EN ISO 20345:2022 [S3L FO SR]
STYLE # 78393 | Women | Black | 36-42

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Weight per shoe: 490 grams (based on size 39)



NEW

HEATHER II NCT
EN ISO 20345:2022+A1:2024 [S3L SR]
STYLE # 72585 | Women | Black | 35-43

- Padded collar and tongue
- Textile upper
- Recycled EVA lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- Weight per shoe: 457 grams (based on size 39)



“Good protection,
great comfort.”

MR. T. HUMBLE, FERGUS BLACK, STYLE # 78493

Classic PUMA® style, reworked for the working day. These trainers deliver the look you love, with slip-resistant safety features to keep you steady on the job.

PUMA® Safety



Best Seller

AIRTWIST
EN ISO 20345:2022 [S3S FO SR HRO ESD]
STYLE # 643761 | Unisex | Black/wh. | 36-48

- Microfibre upper
- BreathActive functional lining
- Comfort footbed
- Shock-absorbing IdCell element
- Composite toe cap - 200 joules
- Weight per shoe: 580 grams (based on size 43)



FRONTSIDE BLUE
EN ISO 20345:2022 [S1PS FO SR HRO ESD]
STYLE # 643771 | Unisex | Blue | 36-48

- Microfibre upper
- BreathActive functional lining
- Comfort footbed
- Shock-absorbing IdCell element
- Composite toe cap - 200 joules
- Weight per shoe: 560 grams (based on size 43)



FRONTSIDE BROWN/IVY
EN ISO 20345:2022 [S1PS FO SR HRO ESD]
STYLE # 643001 | Unisex | Brown/ivy | 36-48

- Microfibre upper
- BreathActive functional lining
- Comfort footbed
- Shock-absorbing IdCell element
- Composite toe cap - 200 joules
- Weight per shoe: 560 grams (based on size 43)



Built for tough jobs and unpredictable conditions. Designed for durability, support, and all-day comfort—because reliability isn't an option. Pure performance, exactly when you need it.

Tactical



BELTRA
EN ISO 20347:2022 [O6 FO SR ESD]
STYLE # 62208 | Unisex | Black | 35–50

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 376 grams (based on size 42)



CALLAN LOW
EN ISO 20347:2022 [O6 FO HI CI SR ESD LG]
STYLE # 62203 | Unisex | Black | 35–48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heat and cold insulation
- Weight per shoe: 515 grams (based on size 42)



CALLAN MID
EN ISO 20347:2022 [O6 FO HI CI SR ESD LG]
STYLE # 62204 | Unisex | Black | 35–48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heat and cold insulation
- Weight per shoe: 585 grams (based on size 42)



CAMBRIDGE GL
EN ISO 20347:2022 [O2 SR ESD]
STYLE # 62207 | Unisex | Black | 38–49

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 360 grams (based on size 42)



CARRIG LOW
EN ISO 20347:2022 [O6 FO HI CI SR ESD LG]
STYLE # 62201 | Unisex | Black | 35–48

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heat and cold insulation
- Weight per shoe: 468 grams (based on size 42)



CARRIG MID
EN ISO 20347:2022 [O6 FO HI CI SR ESD LG]
STYLE # 62202 | Unisex | Black | 35–48

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Heat and cold insulation
- Weight per shoe: 593 grams (based on size 42)



“Comfort and security at *every step.*”

IVAN MORENO, CAMBRIDGE GL, STYLE # 62207



DARVER
EN ISO 20347:2022 [O6 FO HICI HRO SRES D LG]
STYLE # 62209 | Unisex | Black | 35-48

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- 9" or 22.8 cm shaft height
- Weight per shoe: 618 grams (based on size 42)



DEFENSE HIGH
EN ISO 20347:2022 [O6 HRO SRES D LG]
STYLE # 62211 | Unisex | Black | 36-48

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Sidezipper
- 8" or 20.3 cm shaft height
- Weight per shoe: 607 grams (based on size 42)



DEFENSE MID
EN ISO 20347:2022 [O6 HRO SRES D LG]
STYLE # 62210 | Unisex | Black | 36-48

- Durable combination of coated leather and mesh
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Sidezipper
- 6" or 15.2 cm shaft height
- Weight per shoe: 552 grams (based on size 42)



DELVIN
EN ISO 20345:2022 [S7L CI SR LG]
STYLE # 72211 | Unisex | Black | 35-48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Nanocomposite toe cap - 200 joules
- 200 grams cold insulation
- 8" or 20.3 cm shaft height
- Weight per shoe: 793 grams (based on size 42)



GUARD HIGH
EN ISO 20345:2022 [S7L HRO SRES D LG]
STYLE # 72238 | Unisex | Black | 36-48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Sidezipper
- 8" or 20.3 cm shaft height
- Weight per shoe: 781 grams (based on size 42)



Best Seller

GUARD MID
EN ISO 20345:2022 [S7L HRO SRES D LG]
STYLE # 72237 | Unisex | Black | 36-48

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Composite toe cap - 200 joules
- Sidezipper
- 6" or 15.2 cm shaft height
- Weight per shoe: 720 grams (based on size 42)



Wellingtons

Wet and dirt won't slow you down. Waterproof boots with a protective toe cap — built to protect you all day, whatever the conditions.



BASTION
EN ISO 20345:2011 [S4 SRCFO]
STYLE # 76690 | Unisex | White | 37-47
STYLE # 70557 | Unisex | Green | 37-47

- 40 cm tall boot
- PVC upper and outsole
- Steel toe cap - 200 joules
- Ventilated
- Weight per shoe: 1,200 grams (based on size 38)



Best Seller

GUARDIAN
EN ISO 20345:2011 [S4 SRCFO]
STYLE # 2017B | Unisex | White/blue | 37-47
STYLE # 2018 | Unisex | Green | 37-47

- 40 cm tall boot
- PVC upper
- Removable cushioned insole (recycled EVA)
- Steel toe cap - 200 joules
- Weight per shoe: 840 grams (based on size 38)



SENTINEL
EN ISO 20345:2011 [S4 SRCFO]
STYLE # 2010B | Unisex | White/blue | 37-46
STYLE # 2011 | Unisex | Green | 37-46
STYLE # 2012 | Unisex | Blue | 37-46

- 36 cm tall boot
- Polyurethane (PU) upper
- Removable cushioned insole (recycled EVA)
- Steel toe cap - 200 joules
- Insulation provides protection at temperatures as low as -20 °C
- Weight per shoe: 575 grams (based on size 38)



Last chance to grab these editions of our Casual & Dress favourites—comfort and grip in their final chapter. Grab them while you can.

When It's Gone, It's *Gone!*

**LAST
ITEMS!**



MERLIN
STYLE # 42224 | Unisex | Black | 35–47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 355 grams (based on size 42)



MERLIN
STYLE # 42225 | Unisex | Black & white | 35–47

- Padded collar
- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 355 grams (based on size 42)



RADIUM
EN ISO 20347:2022 [OB E SR]
STYLE # 69578 | Unisex | Black | 37–48

- Durable EVA material
- Removable cushioned insole (recycled EVA)
- Energy-absorbing heel construction
- Weight per shoe: 290 grams (based on size 42)



TRISTON II OB
EN ISO 20347:2022 [OB E SR]
STYLE # 80047 | Unisex | Black | 36–47
STYLE # 80048 | Unisex | White | 36–47

- Recycled microfibre upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 480 grams (based on size 42)



ZINC
EN ISO 20347:2022 [OB E SR]
STYLE # 66064 | Unisex | Black | 37–48
STYLE # 62138 | Unisex | White | 37–48

- Durable EVA material
- Energy absorbing heel construction
- Weight per shoe: 300 grams (based on size 42)



LIBERTY
STYLE # 35353 | Women | Black & white | 35–42

- Padded collar and tongue
- Durable synthetic upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Weight per shoe: 325 grams (based on size 39)



ENVY III
EN ISO 20347:2022 [OB E SR]
STYLE # 55861 | Women | Brown | 36–42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Steel shank
- Shock absorbing rubber heel
- Heel height 3.8 cm
- Weight per shoe: 245 grams (based on size 39)



LILA JASMINE
STYLE # 51905 | Women | Black | 35–42

- Leather upper
- Recycled polyester lining
- Removable cushioned insole (recycled EVA)
- Dual density memory foam insole
- Easy slip-on style
- Weight per shoe: 210 grams (based on size 39)




“Just *wow.*”

Just wow. What a brilliant pair of shoes. They work like a dream, are super comfortable, and definitely non-slip. I would 100% recommend them. Thank you so much, Shoes For Crews!

Mighty Mat!TM


Whether you're kitting out a restaurant, factory, or healthcare setting, these anti-fatigue, slip-resistant mats help reduce strain and keep you steady through long shifts.




Non-slip surface for safe footing.



Non-slip SFC underlay keeps the mat firmly and securely in place.




Perforations allow liquids to drain from the surface.



Thin Enough to Fit Under Most Doorways!
Low-profile for high-traffic areas

MIGHTY MAT!TM CLASSIC
STYLE # 20 | Black | 152.4 x 91.44 cm

- High traction, slip-resistant surface
- Patented slip-resistant rubber base
- All grip upper with serrated edge for added durability
- Height: 6.5 mm – fits under doorways



Cushioned and Rubberized!
The ultimate in slip resistance

MIGHTY MAT!TM MAX II
STYLE # 40 | Black | 121.92 x 91.44 cm

- High traction, slip-resistant surface
- Rubberised diamond plate pattern
- Patented slip-resistant rubber base and grid pattern
- Anti-fatigue cushion provides all day comfort



• Height: 14.8 mm

Care & Cleaning: Easy to clean in the sink, dishwasher or right on the floor! Scrub with a brush and detergent or run through a complete dishwasher cycle. To avoid rips and tears, never hang to dry by the handles or drainage slots.

Crewguard[®] for Shoes

Keep your crew covered—literally. The CREWGUARD[®] Slip-Resistant Overshoes are designed to fit perfectly over your own shoes or boots, adding an extra layer of protection and unbeatable grip. Made with rubber upper, these overshoes lock out messes while the clog-resistant, easy-clean outsole keeps debris from sticking.



Slip-Resistant Overshoes; Ideal For New Hires And Visitors

CREWGUARD[®] SAFETY
EN ISO 20345:2022
[SR FO TOE-PROTECTION]
STYLE # 53 | Black | XS-XXL

- Water-repellent against spills
- Steel toe cap – 200 joules
- SFC mighty grip slip-resistant sole
- Weight per overshoe: 432 grams (based on size 42)



SFC[®] CREWGUARD[®] Slip-Resistant Overshoes

CREWGUARD[®] STRETCH
EN ISO 20347:2022 [SR FO]
STYLE # G7014 | Black | S-XL

- Water-repellent against spills
- SFC mighty grip slip-resistant sole
- Weight per overshoe: 220 grams (based on size 42)



SIZE TABLE

| Product | XS | S | S+ | M | M+ | L | XL | XXL |
|------------|-------|-------|-------|-------|-------|---------|---------|-------|
| Stretch EU | | 34-36 | | 37-41 | | 41.5-45 | 45.5-47 | |
| Stretch UK | | 2-3 | | 4-7 | | 7.5-10 | 10.5-12 | |
| Safety EU | 35-37 | 37-38 | 39-41 | 41-42 | 43-44 | 44-45 | 46-48 | 49-51 |
| Safety UK | 2.5-4 | 4-5 | 6-7 | 7-8 | 9-9.5 | 9.5-10 | 11-13 | 14-16 |

© 2026 Shoes For Crews (Europe) Ltd. All rights reserved. Shoes For Crews[®], the Shoes For Crews logo, Mighty Mat[™], Crewguard[®], and related marks and logos are trademarks of Shoes For Crews North America, LLC. All other trademarks are the property of their respective owners. Product features, specifications, availability, and pricing are subject to change without notice.

Accessories

Added comfort on the job.



COMFORT INSOLE
STYLE # N3411 | Blue | 37-50

- Adaptable arch allows foot to react to natural movements
- EVA cushioning layer



COMFORT INSOLE WITH GEL
STYLE # N2114 | Blue | 37-48

- The supple arch follows the natural movement of the feet
- Shock-absorbing gel pads for maximum comfort
- Polyurethane padding



SFC CREW SOCKS
Unisex sock recycled material
STYLE # S2307 | Black | S-XL

- Made with 100% recycled polyester material
- Extra cushioning throughout the sock
- Extra elastic in leg and arch band

Unisex sock merino wool
STYLE # S2308 | Black | S-XL

- Blend of 38% merino wool, 38% polyester, 22% polyamide and 2% elasthane
- Extra cushioning throughout the sock
- Extra elastic in leg and arch band
- Nylon reinforcement in toe and heel



SFC NO-SHOW SOCKS
Unisex sock recycled material
STYLE # S2305 | Black | S-XL

- Made with 100% recycled polyester material
- Extra cushioning in the footbed
- Extra elastic in cuff and arch band

Unisex sock merino wool
STYLE # S2306 | Black | S-XL

- Blend of 53% merino wool, 45% polyamide, 2% elasthane
- Ultralight sock, no cushioning
- Extra elastic in cuff and arch band
- Nylon reinforcement in toe and heel

REVIVE™ Cushioning: Engineered for Endurance



20%
Lighter than EVA
midsole material

20%
More rebound
than normal EVA

30%
More cushioning
life compared to EVA

rev:ive™
cushioning foam

Lightweight, spring-like cushioning that delivers all-day support and rebound — built to reduce fatigue on long shifts. The foam absorbs impact, reduces fatigue, and outperforms standard EVA in rebound, durability, and weight — keeping your crew comfortable and protected, shift after shift.

Slip-resistant Outsole Technologies

Safe grip with every step — outsole technology you can rely on.



The trusted **SFC OUTSOLE** provides safety with every step. As the tests below demonstrate, its excellent slip resistance far exceeds the industry standard.

Testing the slip resistance of our **SFC OUTSOLE** [EN ISO 20344:2021]

STANDARD REQUIREMENT
Ceramic + Sodium Lauryl Sulphate

SR REQUIREMENT
Ceramic + Glycerine



● Shoes For Crews outsole
● Industry standard


Tested to EN ISO 20344:2021 by Intertek Testing Services Shenzhen Ltd. (August 2022), slip resistance scores range from 0.0 to 1.0.



Slushy snow and wet or frozen ice are extremely unfavourable conditions for safe work. That's precisely why we've developed the **ICE PRO™ OUTSOLE**. With its unique structure and sophisticated material blend, it provides superior slip resistance on icy surfaces.

The structure and material compound of the ICE PRO™ outsole provide high levels of slip resistance, particularly on icy surfaces.

Testing the slip resistance of our **ICE PRO™ OUTSOLE** on ice [SATRA TM144:2021]




Prevent accidents on wet, icy, and oily surfaces: Our **4SG™ FOUR SEASONS GRIP OUTSOLE** is specifically designed for challenging surfaces and environments — across all seasons and weather conditions. It meets the EN ISO 20344:2021 standard and surpasses the industry standard.

Testing the slip resistance of our **4SG™ FOUR SEASONS GRIP OUTSOLE** [EN ISO 20344:2021]

STANDARD REQUIREMENT
Ceramic + Sodium Lauryl Sulphate

SR REQUIREMENT
Ceramic + Glycerine




● 4SG™ outsole
● Recognised competitor

Tested to EN ISO 20344:2021 by Intertek Testing Services Shenzhen Ltd. (December 2022), slip resistance scores range from 0.0 to 1.0.

Committed to Tomorrow

In 2026, we continue to reduce the ecological footprint of our shoes.

Our strategy for *sustainable products*:



The journey *of a shoe*:



Our world is changing, so we can't stand still. To be ready for the future, Shoes For Crews is developing new materials and production methods to decrease our environmental footprint, step by step. We have therefore established an ISO 14001-certified environmental management system (EMS).



Shoes For Crews has been awarded the 2025 EcoVadis Bronze Medal, recognising our commitment to sustainability in Environment, Labour and Human Rights, Ethics, and Sustainable Procurement. This award reflects our ongoing efforts to reduce our environmental footprint, operate responsibly, and improve our processes step by step.



Sustainability Report 2024

Scan the QR code to access our full 2024 Sustainability Report and learn more about the progress and priorities guiding our sustainability journey.

We support the United Nations' Sustainable Development Goals and have been a member of the UN Global Compact since March 2024.





Welcome to the *crew.*



MORE ABOUT US



Shoes For Crews (Europe) Ltd

<https://shoesforcrews.pro>

